

Package ‘IRanges’

March 26, 2013

Title Infrastructure for manipulating intervals on sequences

Description The package provides efficient low-level and highly reusable S4 classes for storing ranges of integers, RLE vectors (Run-Length Encoding), and, more generally, data that can be organized sequentially (formally defined as Vector objects), as well as views on these Vector objects. Efficient list-like classes are also provided for storing big collections of instances of the basic classes. All classes in the package use consistent naming and share the same rich and consistent ‘Vector API’ as much as possible.

Version 1.16.6

Author H. Pages, P. Aboyoun and M. Lawrence

Maintainer Bioconductor Package Maintainer <maintainer@bioconductor.org>

biocViews Infrastructure, DataRepresentation

Depends R (>= 2.8.0), methods, utils, stats, BiocGenerics (>= 0.1.4)

Imports methods, utils, stats, BiocGenerics, stats4

Suggests GenomicRanges, RUnit

License Artistic-2.0

ExtraLicenses The following files in the ‘src’ directory are licensed for all use by Jim Kent, in a manner compatible with the Artistic 2.0 license: common.c/h, memalloc.c/h, localmem.c/h, hash.c/h, errabort.c/h, rbTree.c/h, dlist.c/h, errCatch.h

Collate validity-utils.R utils.R isConstant.R normarg-utils.R int-utils.R str-utils.R compact_bitvector.R endoapply.R runstat.R Annotated-class.R Vector-class.R List-class.R AtomicList-class.R Ranges-class.R Ranges-comparison.R IRanges-class.R IRanges-constructor.R IRanges-utils.R DataTable-API.R DataTable-stats.R Views-class.R Grouping-class.R SimpleList-class.R CompressedList-class.R Rle-class.R RleViews-class.R RleViews-utils.R AtomicList-impl.R DataFrame-class.R DataFrame-utils.R DataFrameList-class.R DataFrameList-utils.R RangesList-class.R GappedRanges-class.R ViewsList-class.R RleViewsList-class.R RleViewsList-utils.R MaskCollection-class.R RangedData-class.R FilterRules-class.R RDAApplyParams-class.R RangedData-utils.R Hits-class.R

HitsList-class.R RangesMapping-class.R IntervalTree-class.R
 IntervalTree-utils.R OverlapEncodings-class.R
 RangedSelection-class.R read.Mask.R SharedVector-class.R
 SharedRaw-class.R SharedInteger-class.R SharedDouble-class.R
 XVector-class.R XRaw-class.R XInteger-class.R XDouble-class.R
 XVectorList-class.R XRawList-class.R XRawList-comparison.R
 XIntegerViews-class.R XIntegerViews-utils.R
 XDoubleViews-class.R XDoubleViews-utils.R funprog-methods.R
 intra-range-methods.R inter-range-methods.R setops-methods.R
 findOverlaps-methods.R nearest-methods.R
 encodeOverlaps-methods.R compact-methods.R reverse-methods.R
 coverage-methods.R expand-methods.R updateObject-methods.R
 test_IRanges_package.R debug.R zzz.R

R topics documented:

Annotated-class	3
AtomicList	4
compact	6
coverage	8
DataFrame-class	10
DataFrameList-class	14
DataTable-API	16
DataTable-stats	18
encodeOverlaps	18
endoapply	20
expand	21
FilterRules-class	22
findOverlaps-methods	25
funprog-methods	28
GappedRanges-class	29
Grouping-class	31
Hits-class	36
HitsList-class	38
inter-range-methods	39
IntervalTree-class	43
intra-range-methods	45
IRanges-class	50
IRanges-constructor	52
IRanges-setops	55
IRanges-utils	57
IRangesList-class	58
isConstant	59
List-class	61
MaskCollection-class	63
multisplit	65
nearest-methods	66
OverlapEncodings-class	68
RangedData-class	71
RangedDataList-class	76
RangedSelection-class	77
Ranges-class	78

Ranges-comparison	81
RangesList-class	85
RangesList-utils	87
RangesMapping-class	88
rdapply	89
read.Mask	91
reverse	94
Rle-class	95
RleViews-class	103
RleViewsList-class	104
runstat	105
score	107
seqapply	107
SimpleList-class	108
strutils	110
updateObject-methods	111
Vector-class	112
Views-class	115
Views-utils	117
ViewsList-class	119
XDoubleViews-class	120
XIntegerViews-class	121
XRawList-class	123
XVector-class	123
XVectorList-class	125

Index	126
--------------	------------

Annotated-class	<i>Annotated class</i>
-----------------	------------------------

Description

The virtual class `Annotated` is used to standardize the storage of metadata with a subclass.

Details

The `Annotated` class supports the storage of global metadata in a subclass. This is done through the metadata slot that stores a list object.

Accessors

In the following code snippets, `x` is an `Annotated` object.

```
metadata(x), metadata(x) <- value: Get or set the list holding arbitrary R objects as annotations. May be, and often is, empty.
```

Author(s)

P. Aboyoun

See Also

[Vector](#) for example implementations

Description

An extension of [List](#) that holds only atomic vectors in either a natural or run-length encoded form.

Details

The lists of atomic vectors are LogicalList, IntegerList, NumericList, ComplexList, CharacterList, and RawList. There is also an RleList class for run-length encoded versions of these atomic vector types.

Each of the above mentioned classes is virtual with Compressed* and Simple* non-virtual representations.

Constructors

LogicalList(..., compress = TRUE): Concatenates the logical vectors in ... into a new LogicalList. If compress, the internal storage of the data is compressed.

IntegerList(..., compress = TRUE): Concatenates the integer vectors in ... into a new IntegerList. If compress, the internal storage of the data is compressed.

NumericList(..., compress = TRUE): Concatenates the numeric vectors in ... into a new NumericList. If compress, the internal storage of the data is compressed.

ComplexList(..., compress = TRUE): Concatenates the complex vectors in ... into a new ComplexList. If compress, the internal storage of the data is compressed.

CharacterList(..., compress = TRUE): Concatenates the character vectors in ... into a new CharacterList. If compress, the internal storage of the data is compressed.

RawList(..., compress = TRUE): Concatenates the raw vectors in ... into a new RawList. If compress, the internal storage of the data is compressed.

RleList(..., compress = FALSE): Concatenates the run-length encoded atomic vectors in ... into a new RleList. If compress, the internal storage of the data is compressed.

Coercion

as(from, "CompressedSplitDataFrameList"), as(from, "SimpleSplitDataFrameList"): Creates a [CompressedSplitDataFrameList/SimpleSplitDataFrameList](#) instance from an AtomicList instance.

as(from, "IRangesList"), as(from, "CompressedIRangesList"), as(from, "SimpleIRangesList"): Creates a [CompressedIRangesList/SimpleIRangesList](#) instance from a LogicalList or logical RleList instance. Note that the elements of this instance are guaranteed to be normal.

as(from, "NormalIRangesList"), as(from, "CompressedNormalIRangesList"), as(from, "SimpleNormalIRangesList"): Creates a [CompressedNormalIRangesList/SimpleNormalIRangesList](#) instance from a LogicalList or logical RleList instance.

as(from, "CharacterList"), as(from, "ComplexList"), as(from, "IntegerList"), as(from, "LogicalList"), as(from, "NumericList"), as(from, "RawList"), as(from, "RleList"): Coerces an AtomicList from to another derivative of AtomicList.

as(from, "AtomicList"): If from is a vector, converts it to an AtomicList of the appropriate type.

Group Generics

AtomicList objects have support for S4 group generic functionality to operate within elements across objects:

Arith "+", "-", "*", "^", "%%", "%/%", "/"

Compare "==" , ">" , "<" , "!=" , "<=" , ">="

Logic "&" , "|"

Ops "Arith" , "Compare" , "Logic"

Math "abs" , "sign" , "sqrt" , "ceiling" , "floor" , "trunc" , "cummax" , "cummin" , "cumprod" , "cumsum" , "log" , "log10" , "log2" , "log1p" , "acos" , "acosh" , "asin" , "asinh" , "atan" , "atanh" , "exp" , "expm1" , "cos" , "cosh" , "sin" , "sinh" , "tan" , "tanh" , "gamma" , "lgamma" , "digamma" , "trigamma"

Math2 "round" , "signif"

Summary "max" , "min" , "range" , "prod" , "sum" , "any" , "all"

Complex "Arg" , "Conj" , "Im" , "Mod" , "Re"

See [S4groupGeneric](#) for more details.

Other Basic Methods

The AtomicList objects also support a large number of basic methods. Like the group generics above, these methods perform the corresponding operation on each element of the list separately. The methods are:

General %in%, is.na, match, sort, table, unique

Logical !, which, which.max, which.min

Numeric diff, pmax, pmax.int, pmin, pmin.int, mean, var, cov, cor, sd, median, quantile, mad, IQR

Running Window smoothEnds, runmed, runmean, runsum, runwtsum, runq

Character nchar, chartr, tolower, toupper, sub, gsub

RleList Methods

RleList has a number of methods that are not shared by other AtomicList derivatives.

runLength(x): Gets the run lengths of each element of the list, as an IntegerList.

runValue(x): Gets the run values of each element of the list, as an AtomicList.

ranges(x): Gets the run ranges as a RangesList.

Specialized Methods

drop(x): Checks if every element of x is of length one, and, if so, unlists x. Otherwise, an error is thrown.

Author(s)

P. Aboyoun

See Also

[List](#) for the applicable methods.

Examples

```

int1 <- c(1L,2L,3L,5L,2L,8L)
int2 <- c(15L,45L,20L,1L,15L,100L,80L,5L)
collection <- IntegerList(int1, int2)

## names
names(collection) <- c("one", "two")
names(collection)
names(collection) <- NULL # clear names
names(collection)
names(collection) <- "one"
names(collection) # c("one", NA)

## extraction
collection[[1]] # range1
collection[["1"]] # NULL, does not exist
collection[["one"]] # range1
collection[[NA_integer_]] # NULL

## subsetting
collection[numeric()] # empty
collection[NULL] # empty
collection[] # identity
collection[c(TRUE, FALSE)] # first element
collection[2] # second element
collection[c(2,1)] # reversed
collection[-1] # drop first
collection$one

## replacement
collection$one <- int2
collection[[2]] <- int1

## combining
col1 <- IntegerList(one = int1, int2)
col2 <- IntegerList(two = int2, one = int1)
col3 <- IntegerList(int2)
append(col1, col2)
append(col1, col2, 0)
col123 <- c(col1, col2, col3)
col123

## revElements
revElements(col123)
revElements(col123, 4:5)

## group generics
2 * col1
col1 + col1
col1 > 2
sum(col1) # equivalent to (but faster than) 'sapply(col1, sum)'
mean(col1) # equivalent to (but faster than) 'sapply(col1, mean)'

```

Description

Compacting an object is modifying its internal representation in order to reduce its size in memory.

Usage

```
compact(x, check=TRUE, ...)
```

```
## Internal compact() support function. Not intended to be called
```

```
## directly:
```

```
xvcopy(x, start=NA, end=NA, width=NA, lkup=NULL, reverse=FALSE)
```

Arguments

x	For compact, the object to be compacted. compact accepts any R object. However, on most of them, compact won't do anything and will just return an object identical to x. See the Details section below. For xvcopy, a SharedVector , XVector , SharedVector_Pool , or XRawList vector.
check	After compacting the individual slots of an S4 object, this argument is passed to 'slot<-' when replacing the original value of a slot with the compacted value.
...	Arguments to be passed to or from other methods.
start, end, width, lkup, reverse	For internal use.

Details

The internal reorganization of the object should be transparent to the user i.e. compact(x) should "look" the same as x, or, more precisely, x and compact(x) should be interchangeable anywhere in the user's code. However, because they have different internal representations, we generally don't expect identical(x, compact(x)) to be TRUE, even though most of the times they will, because there are only very few types of objects that compact actually knows how to reorganize internally.

compact is a generic function.

Here is how the default method works. By default compact(x) is obtained by compacting all the "components" in x. Only 2 kinds of objects are considered to have "components": lists (the components are the list elements), and S4 objects (the components are the slots). The other objects are not considered to have components, so, by default, compact does nothing on them. In particular, it does nothing on environments. Also the attributes of an object (other than the slots of an S4 object) are not considered to be "components" and therefore are not compacted.

Note that, in the absence of specialized compact methods that actually know how to reorganize an object internally, the default method would visit the tree of all the components, sub-components, sub-sub-components etc of object x without actually modifying anything in x. So of course, specialized compact methods need to be defined for the objects that can *effectively* be compacted. Otherwise the compact function would be equivalent to the identity function!

At the moment, 2 specialized compact methods are defined (in addition to the default method): one for [XVector](#) objects, and one for [XVectorList](#) objects.

Value

An object equivalent to x but eventually smaller in memory.

Author(s)

H. Pages

See Also[XVector-class](#), [XVectorList-class](#), [subseq](#), [object.size](#), [save](#)**Examples**

```
## We illustrate the use of compact() on an XInteger vector (XInteger
## is one of the 3 concrete subclasses of the XVector virtual class):
x <- XInteger(500000, sample(500000))

## subseq() does NOT copy the data stored in an XVector object:
y <- subseq(x, start=41, end=60)
x@shared
y@shared # same address
object.size(x)
object.size(y) # same size

## compact() copies the data, but only the data actually "used" by 'y':
y0 <- compact(y)
y0@shared # new address
object.size(y0) # much smaller now!

## Compaction is particularly relevant when saving an object with
## external references like 'y':
yfile <- file.path(tempdir(), "y.rda")
save(y, file=yfile)
file.info(yfile)$size

y0file <- file.path(tempdir(), "y0.rda")
save(y0, file=y0file)
file.info(y0file)$size
```

coverage

*Coverage across a set of ranges***Description**

Counts the number of times a position is represented in a set of ranges.

Usage

```
coverage(x, shift=0L, width=NULL, weight=1L, ...)
## S4 method for signature 'RangesList'
coverage(x, shift=0L, width=NULL, weight=1L,
         method = c("auto", "sort", "hash"))
```


Arguments

x	An IRanges , Views , MaskCollection , RangesList , RangedData object, or any object for which a coverage method is defined.
shift	For most methods, an integer vector (recycled to the length of x) specifying how each element in x should be (horizontally) shifted before the coverage is computed. Only shifted indices in the range [1, width] will be included in the coverage calculation. For RangesList and RangedData objects, a list or vector of the same length as x to be used for the corresponding element in x. In addition for RangedData objects, can also be a character vector of length 1 denoting the column to use in values(x).
width	<p>For most methods, the length of the returned coverage vector. For RangesList and RangedData objects, a list or vector of the same length as x to be used for the corresponding element in x. In addition for RangedData objects, can also be a character vector of length 1 denoting the column to use in values(x).</p> <p>If width=NULL (the default), then the specific coverage method that is actually selected will choose the length of the returned vector "in a way that makes sense".</p> <p>For example, when width=NULL, the method for IRanges objects returns a vector that has just enough elements to have its last element aligned with the rightmost end of all the ranges in x after those ranges have been shifted (see the shift argument above). This ensures that any longer coverage vector would be a "padded with zeros" version of the vector returned when width=NULL.</p> <p>When width=NULL, the method for Views objects returns a vector with length(subject(x)) elements.</p> <p>When width=NULL, the method for MaskCollection objects returns a vector with width(x) elements.</p>
weight	For most methods, an integer or numeric vector specifying how much each element in x counts. For RangesList and RangedData objects, a list or vector of the same length as x to be used for the corresponding element in x. For IRanges , Views , and MaskCollection objects, this can also be a single string naming a metadata column (i.e. a column in mcols(x)) to be used as the weights. For RangedData objects, this can also be a single string naming a column of values (i.e. a column in values(x)) to be used as the weights.
method	<p>If method is set to "sort", then x is sorted previous to the calculation of the coverage. If method is set to hash, then x is hashed directly to a vector of length width without previous sorting.</p> <p>The "hash" method is faster than the "sort" method when x is large (i.e. contains a lot of ranges). When x is small and width is big (e.g. x represents a small set of reads aligned to a big chromosome), then method="sort" is faster and uses less memory than method="hash".</p> <p>Using method="auto" selects the best method based on length(x) and width.</p>
...	Further arguments to be passed to or from other methods.

Value

For most methods, an integer-[Rle](#) (if typeof(weight) is "integer") or numeric-[Rle](#) (if typeof(weight) is "double") object representing the coverage of x. For [RangesList](#) and [RangedData](#) objects, a [SimpleRleList](#) object representing a list of coverage vectors.

Author(s)

H. Pages and P. Aboyoun

See Also[IRanges-class](#), [Views-class](#), [Rle-class](#), [MaskCollection-class](#)**Examples**

```
x <- IRanges(start=c(-2L, 6L, 9L, -4L, 1L, 0L, -6L, 10L),
             width=c( 5L, 0L, 6L,  1L, 4L, 3L,  2L,  3L))
coverage(x)
coverage(x, shift=7)
coverage(x, shift=7, width=27)
coverage(restrict(x, 1, 10))
coverage(reduce(x), shift=7)
coverage(gaps(shift(x, 7), start=1, end=27))

cvg1 <- coverage(x[c(TRUE, FALSE)], width=99)
cvg2 <- coverage(x[c(FALSE, TRUE)], width=99)
stopifnot(identical(coverage(x, width=99), cvg1 + cvg2))
stopifnot(identical(coverage(x, width=99, weight=c(5L, -11L)),
                   cvg1 * 5L + cvg2 * -11L))

cvg3 <- coverage(x, weight=1.5)
cv3   # numeric-Rle
stopifnot(identical(cv3, coverage(x) * 1.5))

mask1 <- Mask(mask.width=29, start=c(11, 25, 28), width=c(5, 2, 2))
mask2 <- Mask(mask.width=29, start=c(3, 10, 27), width=c(5, 8, 1))
mask3 <- Mask(mask.width=29, start=c(7, 12), width=c(2, 4))
mymasks <- append(append(mask1, mask2), mask3)
coverage(mymasks)
```

 DataFrame-class

External Data Frame

Description

The DataFrame extends the [DataTable](#) virtual class and supports the storage of any type of object (with length and `[]` methods) as columns.

Details

On the whole, the DataFrame behaves very similarly to `data.frame`, in terms of construction, subsetting, splitting, combining, etc. The most notable exception is that the row names are optional. This means calling `rownames(x)` will return `NULL` if there are no row names. Of course, it could return `seq_len(nrow(x))`, but returning `NULL` informs, for example, combination functions that no row names are desired (they are often a luxury when dealing with large data).

As DataFrame derives from [Vector](#), it is possible to set an annotation string. Also, another DataFrame can hold metadata on the columns.

For a class to be supported as a column, it must have length and `[]` methods, where `[]` supports subsetting only by `i` and respects `drop=FALSE`. Optionally, a method may be defined for the `showAsCell`

generic, which should return a vector of the same length as the subset of the column passed to it. This vector is then placed into a `data.frame` and converted to text with `format`. Thus, each element of the vector should be some simple, usually character, representation of the corresponding element in the column.

Accessors

In the following code snippets, `x` is a `DataFrame`.

`dim(x)`: Get the length two integer vector indicating in the first and second element the number of rows and columns, respectively.

`dimnames(x)`, `dimnames(x) <- value`: Get and set the two element list containing the row names (character vector of length `nrow(x)` or `NULL`) and the column names (character vector of length `ncol(x)`).

Subsetting

In the following code snippets, `x` is a `DataFrame`.

`x[i,j,drop]`: Behaves very similarly to the `[.data.frame]` method, except `i` can be a logical `Rle` object and subsetting by matrix indices is not supported. Indices containing `NA`'s are also not supported.

`x[i,j] <- value`: Behaves very similarly to the `[<-.data.frame]` method.

`x[[i]]`: Behaves very similarly to the `[[.data.frame]` method, except arguments `j` and `exact` are not supported. Column name matching is always exact. Subsetting by matrices is not supported.

`x[[i]] <- value`: Behaves very similarly to the `[[<-.data.frame]` method, except argument `j` is not supported.

Constructor

`DataFrame(..., row.names = NULL, check.names = TRUE)`: Constructs a `DataFrame` in similar fashion to `data.frame`. Each argument in `...` is coerced to a `DataFrame` and combined column-wise. No special effort is expended to automatically determine the row names from the arguments. The row names should be given in `row.names`; otherwise, there are no row names. This is by design, as row names are normally undesirable when data is large. If `check.names` is `TRUE`, the column names will be checked for syntactic validity and made unique, if necessary.

To store an object of a class that does not support coercion to `DataFrame`, wrap it in `I()`. The class must still have methods for `length` and `[`.

Splitting and Combining

In the following code snippets, `x` is a `DataFrame`.

`split(x, f, drop = FALSE)`: Splits `x` into a `CompressedSplitDataFrameList`, according to `f`, dropping elements corresponding to unrepresented levels if `drop` is `TRUE`.

`rbind(...)`: Creates a new `DataFrame` by combining the rows of the `DataFrame` objects in `...`. Very similar to `rbind.data.frame`, except in the handling of row names. If all elements have row names, they are concatenated and made unique. Otherwise, the result does not have row names. Currently, factors are not handled well (their levels are dropped). This is not a high priority until there is an `XFactor` class.

`cbind(...)`: Creates a new `DataFrame` by combining the columns of the `DataFrame` objects in `...`. Very similar to `cbind.data.frame`, except row names, if any, are dropped. Consider the `DataFrame` as an alternative that allows one to specify row names.

Aggregation

In the following code snippets, data is a DataFrame.

`aggregate(x, data, FUN, ..., subset, na.action = na.omit)`: Aggregates the DataFrame data according to the formula `x` and the aggregating function `FUN`. See [aggregate](#) and its method for formula.

Coercion

`as(from, "DataFrame")`: By default, constructs a new DataFrame with `from` as its only column. If `from` is a matrix or `data.frame`, all of its columns become columns in the new DataFrame. If `from` is a list, each element becomes a column, recycling as necessary. Note that for the DataFrame to behave correctly, each column object must support element-wise subsetting via the `[` method and return the number of elements with `length`. It is recommended to use the DataFrame constructor, rather than this interface.

`as.list(x)`: Coerces `x`, a DataFrame, to a list.

`as.data.frame(x, row.names=NULL, optional=FALSE)`: Coerces `x`, a DataFrame, to a `data.frame`. Each column is coerced to a `data.frame` and then column bound together. If `row.names` is `NULL`, they are retrieved from `x`, if it has any. Otherwise, they are inferred by the `data.frame` constructor.

NOTE: conversion of `x` to a `data.frame` is not supported if `x` contains any list, `SimpleList`, or `CompressedList` columns.

`as(from, "data.frame")`: Coerces a DataFrame to a `data.frame` by calling `as.data.frame(from)`.

`as.matrix(x)`: Coerces the DataFrame to a matrix, if possible.

Author(s)

Michael Lawrence

See Also

[DataTable](#), [Vector](#), and [RangedData](#), which makes heavy use of this class.

Examples

```
score <- c(1L, 3L, NA)
counts <- c(10L, 2L, NA)
row.names <- c("one", "two", "three")

df <- DataFrame(score) # single column
df[["score"]]
df <- DataFrame(score, row.names = row.names) #with row names
rownames(df)

df <- DataFrame(vals = score) # explicit naming
df[["vals"]]

# arrays
ary <- array(1:4, c(2,1,2))
sw <- DataFrame(I(ary))

# a data.frame
sw <- DataFrame(swiss)
```

```

as.data.frame(sw) # swiss, without row names
# now with row names
sw <- DataFrame(swiss, row.names = rownames(swiss))
as.data.frame(sw) # swiss

# subsetting

sw[] # identity subset
sw[,] # same

sw[NULL] # no columns
sw[,NULL] # no columns
sw[NULL,] # no rows

## select columns
sw[1:3]
sw[,1:3] # same as above
sw["Fertility"]
sw[,c(TRUE, FALSE, FALSE, FALSE, FALSE, FALSE)]

## select rows and columns
sw[4:5, 1:3]

sw[1] # one-column DataFrame
## the same
sw[, 1, drop = FALSE]
sw[, 1] # a (unnamed) vector
sw[[1]] # the same
sw[["Fertility"]]

sw[["Fert"]] # should return 'NULL'

sw[1,] # a one-row DataFrame
sw[1,, drop=TRUE] # a list

## duplicate row, unique row names are created
sw[c(1, 1:2),]

## indexing by row names
sw["Courtelary",]
subsw <- sw[1:5,1:4]
subsw["C",] # partially matches

## row and column names
cn <- paste("X", seq_len(ncol(swiss)), sep = ".")
colnames(sw) <- cn
colnames(sw)
rn <- seq(nrow(sw))
rownames(sw) <- rn
rownames(sw)

## column replacement

df[["counts"]] <- counts
df[["counts"]]
df[[3]] <- score
df[["X"]]

```

```
df[[3]] <- NULL # deletion

## split

sw <- DataFrame(swiss)
swsplit <- split(sw, sw[["Education"]])

## rbind

do.call(rbind, as.list(swsplit))

## cbind

cbind(DataFrame(score), DataFrame(counts))
```

DataFrameList-class *List of DataFrames*

Description

Represents a list of [DataFrame](#) objects. The `SplitDataFrameList` class contains the additional restriction that all the columns be of the same name and type. Internally it is stored as a list of `DataFrame` objects and extends [List](#).

Accessors

In the following code snippets, `x` is a `DataFrameList`.

`dim(x)`: Get the two element integer vector indicating the number of rows and columns over the entire dataset.

`dimnames(x)`: Get the list of two character vectors, the first holding the rownames (possibly `NULL`) and the second the column names.

`columnMetadata(x)`: Get the `DataFrame` of metadata along the columns, i.e., where each column in `x` is represented by a row in the metadata. The metadata is common across all elements of `x`. Note that calling `mcols(x)` returns the metadata on the `DataFrame` elements of `x`.

`columnMetadata(x) <- value`: Set the `DataFrame` of metadata for the columns.

Subsetting

In the following code snippets, `x` is a `SplitDataFrameList`. In general `x` follows the conventions of `SimpleList/CompressedList` with the following addition:

`x[i,j,drop]`: If matrix subsetting is used, `i` selects either the list elements or the rows within the list elements as determined by the `[` method for `SimpleList/CompressedList`, `j` selects the columns, and `drop` is used when one column is selected and output can be coerced into an `AtomicList` or `RangesList` subclass.

`x[i,j] <- value`: If matrix subsetting is used, `i` selects either the list elements or the rows within the list elements as determined by the `[<-` method for `SimpleList/CompressedList`, `j` selects the columns and `value` is the replacement value for the selected region.

Constructor

`DataFrameList(...)`: Concatenates the `DataFrame` objects in ... into a new `DataFrameList`.

`SplitDataFrameList(..., compress = TRUE, cbindArgs = FALSE)`: If `cbindArgs` is `FALSE`, the ... arguments are coerced to `DataFrame` objects and concatenated to form the result. The arguments must have the same number and names of columns. If `cbindArgs` is `TRUE`, the arguments are combined as columns. The arguments must then be the same length, with each element of an argument mapping to an element in the result. If `compress = TRUE`, returns a `CompressedSplitDataFrameList`; else returns a `SimpleSplitDataFrameList`.

Combining

In the following code snippets, objects in ... are of class `DataFrameList`.

`rbind(...)`: Creates a new `DataFrameList` containing the element-by-element row concatenation of the objects in

`cbind(...)`: Creates a new `DataFrameList` containing the element-by-element column concatenation of the objects in

Coercion

In the following code snippets, `x` is a `DataFrameList`.

`as(from, "DataFrame")`: Coerces a `DataFrameList` to an `DataFrame` by combining the rows of the elements. This essentially unplits the `DataFrame`. Every element of `x` must have the same columns.

`as(from, "SplitDataFrameList")`: By default, simply calls the `SplitDataFrameList` constructor on `from`. If `from` is a `List`, each element of `from` is passed as an argument to `SplitDataFrameList`, like calling `as.list` on a vector.

`as.data.frame(x, row.names=NULL, optional=FALSE, ...)`: Unplits the `DataFrame` and coerces it to a `data.frame`, with the `rownames` specified in `row.names`. The `optional` argument is ignored.

`stack(x, index.var = "name")`: Unlists `x` and adds a column named `index.var` to the result, indicating the element of `x` from which each row was obtained.

Author(s)

Michael Lawrence

See Also

[DataFrame](#), [RangedData](#), which uses a `DataFrameList` to split the data by the spaces.

Description

DataTable is an API only (i.e. virtual class with no slots) for accessing objects with a rectangular shape like [DataFrame](#) or [RangedData](#) objects. It mimics the API for standard [data.frame](#) objects.

Accessors

In the following code snippets, `x` is a `DataTable`.

`nrow(x)`, `ncol(x)`: Get the number of rows and columns, respectively.

`NROW(x)`, `NCOL(x)`: Same as `nrow(x)` and `ncol(x)`, respectively.

`dim(x)`: Length two integer vector defined as `c(nrow(x), ncol(x))`.

`rownames(x)`, `colnames(x)`: Get the names of the rows and columns, respectively.

`dimnames(x)`: Length two list of character vectors defined as `list(rownames(x), colnames(x))`.

Subsetting

In the code snippets below, `x` is a `DataTable` object.

`x[i, j, drop=TRUE]`: Return a new `DataTable` object made of the selected rows and columns. For single column selection, the `drop` argument specifies whether or not to coerce the returned sequence to a standard vector.

`window(x, start = NA, end = NA, width = NA, frequency = NULL, delta = NULL, ...)`: Extract the subsequence window from the `DataTable` object using:

`start`, `end`, `width` The start, end, or width of the window. Two of the three are required.

`frequency`, `delta` Optional arguments that specify the sampling frequency and increment within the window.

In general, this is more efficient than using `"["` operator.

`window(x, start = NA, end = NA, width = NA, keepLength = TRUE) <- value`: Replace the subsequence window specified on the left (i.e. the subsequence in `x` specified by `start`, `end` and `width`) by `value`. `value` must either be of class `class(x)`, belong to a subclass of `class(x)`, be coercible to `class(x)`, or be `NULL`. If `keepLength` is `TRUE`, the number of rows of `value` are repeated to create a `DataTable` with the same number of rows as the width of the subsequence window it is replacing. If `keepLength` is `FALSE`, this replacement method can modify the number of rows of `x`, depending on how the number of rows of the left subsequence window compares to the number of rows of `value`.

`seqselect(x, start=NULL, end=NULL, width=NULL)`: Similar to `window`, except that multiple subsequences can be requested. The requested subsequences are concatenated.

`seqselect(x, start=NULL, end=NULL, width=NULL) <- value`: Similar to `window<-`, except that multiple consecutive subsequences can be replaced by a value that spans those windows.

`head(x, n = 6L)`: If `n` is non-negative, returns the first `n` rows of the `DataTable` object. If `n` is negative, returns all but the last `abs(n)` rows of the `DataTable` object.

`tail(x, n = 6L)`: If `n` is non-negative, returns the last `n` rows of the `DataTable` object. If `n` is negative, returns all but the first `abs(n)` rows of the `DataTable` object.

`subset(x, subset, select, drop = FALSE)`: Return a new `DataTable` object using:
subset logical expression indicating rows to keep, where missing values are taken as `FALSE`.
select expression indicating columns to keep.
drop passed on to `[]` indexing operator.
`na.omit(object)`: Returns a subset with incomplete cases removed.
`na.exclude(object)`: Returns a subset with incomplete cases removed (but to be included with NAs in statistical results).
`is.na(x)`: Returns a logical matrix indicating which cells are missing.
`complete.cases(x)`: Returns a logical vector identifying which cases have no missing values.

Combining

In the code snippets below, `x` is a `DataTable` object.

`cbind(...)`: Creates a new `DataTable` by combining the columns of the `DataTable` objects in
`rbind(...)`: Creates a new `DataTable` by combining the rows of the `DataTable` objects in
`merge(x, y, ...)`: Merges two `DataTable` objects `x` and `y`, with arguments in ... being the same as those allowed by the base `merge`. It is allowed for either `x` or `y` to be a `data.frame`.

Looping

In the code snippets below, `x` is a `DataTable` object.

`aggregate(x, by, FUN, start = NULL, end = NULL, width = NULL, frequency = NULL, delta = NULL)`
Generates summaries on the specified windows and returns the result in a convenient form:
by An object with `start`, `end`, and `width` methods.
FUN The function, found via `match.fun`, to be applied to each window of `x`.
start, end, width the start, end, or width of the window. If `by` is missing, then must supply two of the three.
frequency, delta Optional arguments that specify the sampling frequency and increment within the window.
... Further arguments for `FUN`.
simplify A logical value specifying whether or not the result should be simplified to a vector or matrix if possible.
`by(data, INDICES, FUN, ..., simplify = TRUE)`: Apply `FUN` to each group of data, a `DataTable`, formed by the factor (or list of factors) `INDICES`. Exactly the same contract as `as.data.frame`.

Utilities

`deduplicated(x)`: Returns a logical vector indicating the rows that are identical to a previous row.
`unique(x)`: Returns a new `DataTable` after removing the duplicated rows from `x`.

Coercion

`as.env(x, enclos = parent.frame())`: Creates an environment from `x` with a symbol for each `colnames(x)`. The values are not actually copied into the environment. Rather, they are dynamically bound using `makeActiveBinding`. This prevents unnecessary copying of the data from the external vectors into R vectors. The values are cached, so that the data is not copied every time the symbol is accessed.

See Also

[DataTable-stats](#) for statistical functionality, like fitting regression models, [data.frame](#)

Examples

```
showClass("DataTable") # shows (some of) the known subclasses
```

DataTable-stats	<i>Statistical modeling with DataTable</i>
-----------------	--

Description

A number of wrappers are implemented for performing statistical procedures, such as model fitting, with [DataTable](#) objects.

Tabulation

```
xtabs(formula = ~., data, subset, na.action, exclude = c(NA, NaN), drop.unused.levels = FALSE):  
Like the original xtabs, except data is a DataTable.
```

See Also

[DataTable](#) for general manipulation, [DataFrame](#) for an implementation that mimics `data.frame`.

Examples

```
df <- DataFrame(as.data.frame(UCBAdmissions))  
xtabs(Freq ~ Gender + Admit, df)
```

encodeOverlaps	<i>Compute overlap encodings</i>
----------------	----------------------------------

Description

The `encodeOverlaps` function computes the overlap encodings between a query and a subject, both list-like objects with top-level elements typically containing multiple ranges.

Usage

```
encodeOverlaps(query, subject, hits=NULL, ...)
```

Arguments

query, subject	List-like objects, usually of the same length, with top-level elements typically containing multiple ranges (e.g. RangesList or GRangesList objects). If the 2 objects don't have the same length, and if hits is not supplied, then the shortest is recycled to the length of the longest (the standard recycling rules apply).
hits	An optional Hits object that is compatible with query and subject, that is, <code>queryLength(hits)</code> and <code>subjectLength(hits)</code> must be equal to <code>length(query)</code> and <code>length(subject)</code> , respectively. Note that when query and subject are GRangesList objects, hits will typically be the result of a call to <code>findOverlaps(query, subject)</code> . See <code>?'encodeOverlaps,GRangesList,GRangesList-method'</code> for more information about the <code>encodeOverlaps</code> method for GRangesList objects (you might need to load the <code>GenomicRanges</code> package first). Supplying hits is a convenient way to do <code>encodeOverlaps(query[queryHits(hits)], subject[subjectHits(hits)])</code> , that is, calling <code>encodeOverlaps(query, subject, hits)</code> is equivalent to the above, but is much more efficient, especially when query and/or subject are big. Of course, when hits is supplied, query and subject are not expected to have the same length anymore.
...	Additional arguments for methods.

Details

See `?OverlapEncodings` for a short introduction to "overlap encodings".

Value

An [OverlapEncodings](#) object with the length of query and subject for `encodeOverlaps(query, subject)`, or with the length of hits for `encodeOverlaps(query, subject, hits)`.

Author(s)

H. Pages

See Also

- The [OverlapEncodings](#), [Hits](#), and [RangesList](#) classes.
- The [findOverlaps](#) generic function for computing overlaps.
- The [isCompatibleWithSplicing](#) utility function defined in the `GenomicRanges` package for detecting encodings associated with "compatible" overlaps i.e. encodings that show splicing "compatibility" between the read and the transcript involved in the associated overlap. (You might need to load the `GenomicRanges` package first.)

Examples

```
## -----
## A. BETWEEN 2 RangesList OBJECTS
## -----
## In the context of an RNA-seq experiment, encoding the overlaps
## between 2 GRangesList objects, one containing the reads (the query),
## and one containing the transcripts (the subject), can be used for
## detecting hits between reads and transcripts that are "compatible"
## with the splicing of the transcript. Here we illustrate this with 2
## RangesList objects, in order to keep things simple:
```

```

### 4 aligned reads in the query:
read1 <- IRanges(c(7, 15, 22), c(9, 19, 23)) # 2 gaps
read2 <- IRanges(c(5, 15), c(9, 17)) # 1 gap
read3 <- IRanges(c(16, 22), c(19, 24)) # 1 gap
read4 <- IRanges(c(16, 23), c(19, 24)) # 1 gap
query <- IRangesList(read1, read2, read3, read4)

### 1 transcript in the subject:
tx <- IRanges(c(1, 4, 15, 22, 38), c(2, 9, 19, 25, 47)) # 5 exons
subject <- IRangesList(tx)

### Encode the overlaps:
ovenc <- encodeOverlaps(query, subject)
ovenc
encoding(ovenc)

### Reads that are "compatible" with the transcript can be detected with
### a regular expression (the regular expression below assumes that
### reads have at most 2 gaps):
regex0 <- "(:[fgij]:[:jg]::[gf]:[:jg]...g::[gf]:)"
grepl(regex0, encoding(ovenc)) # read4 is NOT "compatible"

### This was for illustration purpose only. In practise you don't need
### (and should not) use this regular expression, but use instead the
### isCompatibleWithSplicing() utility function defined in the
### GenomicRanges package. See '?isCompatibleWithSplicing' in the
### GenomicRanges package for more information.

### -----
### B. BETWEEN 2 GRangesList OBJECTS
### -----
### With real RNA-seq data, the reads and transcripts will typically be
### stored in GRangesList objects. See '?isCompatibleWithSplicing' in the
### GenomicRanges package for more information.

```

endoapply

Endomorphisms via application of a function over an object's elements

Description

Performs the endomorphic equivalents of `lapply` and `mapply` by returning objects of the same class as the inputs rather than a list.

Usage

```
endoapply(X, FUN, ...)
```

```
mendoapply(FUN, ..., MoreArgs = NULL)
```

Arguments

X	a list, data.frame or List object.
FUN	the function to be applied to each element of X (for endoapply) or for the elements in ... (for mendoapply).
...	For endoapply, optional arguments to FUN. For mendoapply, a set of list, data.frame or List objects to compute over.
MoreArgs	a list of other arguments to FUN.

Value

endoapply returns an object of the same class as X, each element of which is the result of applying FUN to the corresponding element of X.

mendoapply returns an object of the same class as the first object specified in ..., each element of which is the result of applying FUN to the corresponding elements of

See Also

[lapply](#), [mapply](#)

Examples

```
a <- data.frame(x = 1:10, y = rnorm(10))
b <- data.frame(x = 1:10, y = rnorm(10))

endoapply(a, function(x) (x - mean(x))/sd(x))
mendoapply(function(e1, e2) (e1 - mean(e1)) * (e2 - mean(e2)), a, b)
```

expand

The expand method for uncompressing compressed data columns

Description

The expand method takes an object like a DataFrame and expands it row-wise such that columns which are compressed can each be represented as a separate row.

Usage

```
expand(x, colnames, keepEmptyRows)
```

Arguments

x	A DataFrame containing some columns that are compressed. Such as a CompressedCharacterList.
colnames	A character vector containing the names of the compressed columns that need to be expanded. The result will be expanded for each named column name in turn, so you can control the order in which the columns are expanded by the ordering of this character vector.
keepEmptyRows	TRUE or FALSE value to indicate whether or not empty values in the colnames columns should be set to NA and the adjacent data retained. If set to TRUE, and then you expanded based on a column which contains some empty elements, then any data next to those empty elements will NOT be dropped from the final result. If set to false, then data adjacent to empty elements in expanded columns will be dropped.

Value

A DataFrame that has been expanded row-wise to allow expansion of the CharacterList columns specified.

Author(s)

Herve Pages and Marc Carlson

See Also

[DataFrame-class](#)

Examples

```
aa <- CharacterList("a", paste0("d", 1:2), paste0("b", 1:3), c(), "c")
bb <- CharacterList(paste0("sna", 1:2),"foo", paste0("bar",1:3),c(),"hica")
df <- DataFrame(aa=aa, bb=bb, cc=11:15)

## expand the aa column only, and keep rows adjacent to empty values
expand(df, colnames="aa", keepEmptyRows=TRUE)

## expand the aa column only but do not keep rows
expand(df, colnames="aa", keepEmptyRows=FALSE)

## expand the aa and then the bb column, but
## keeping rows next to empty compressed values
expand(df, colnames=c("aa","bb"), keepEmptyRows=TRUE)

## expand the bb and then the aa column, but don't keep rows adjacent to
## empty values from bb and aa
expand(df, colnames=c("aa","bb"), keepEmptyRows=FALSE)
```

FilterRules-class

Collection of Filter Rules

Description

A FilterRules object is a collection of filter rules, which can be either expression or function objects. Rules can be disabled/enabled individually, facilitating experimenting with different combinations of filters.

Details

It is common to split a dataset into subsets during data analysis. When data is large, however, representing subsets (e.g. by logical vectors) and storing them as copies might become too costly in terms of space. The FilterRules class represents subsets as lightweight expression and/or function objects. Subsets can then be calculated when needed (on the fly). This avoids copying and storing a large number of subsets. Although it might take longer to frequently recalculate a subset, it often is a relatively fast operation and the space savings tend to be more than worth it when data is large.

Rules may be either expressions or functions. Evaluating an expression or invoking a function should result in a logical vector. Expressions are often more convenient, but functions (i.e. closures)

are generally safer and more powerful, because the user can specify the enclosing environment. If a rule is an expression, it is evaluated inside the `envir` argument to the `eval` method (see below). If a function, it is invoked with `envir` as its only argument. See examples.

Accessor methods

In the code snippets below, `x` is a `RangedData` object.

`active(x)`: Get the logical vector of length `length(x)`, where `TRUE` for an element indicates that the corresponding rule in `x` is active (and inactive otherwise). Note that `names(active(x))` is equal to `names(x)`.

`active(x) <- value`: Replace the active state of the filter rules. If `value` is a logical vector, it should be of length `length(x)` and indicate which rules are active. Otherwise, it can be either numeric or character vector, in which case it sets the indicated rules (after dropping `NA`'s) to active and all others to inactive. See examples.

Constructor

`FilterRules(exprs = list(), ..., active = TRUE)`: Constructs a `FilterRules` with the rules given in the list `exprs` or in `...`. The initial active state of the rules is given by `active`, which is recycled as necessary. Elements in `exprs` may be either character (parsed into an expression), a language object (coerced to an expression), an expression, or a function that takes at least one argument. **IMPORTANTLY**, all arguments in `...` are `quote()`'d and then coerced to an expression. So, for example, character data is only parsed if it is a literal. The names of the filters are taken from the names of `exprs` and `...`, if given. Otherwise, the character vectors take themselves as their name and the others are deparsed (before any coercion). Thus, it is recommended to always specify meaningful names. In any case, the names are made valid and unique.

Subsetting and Replacement

In the code snippets below, `x` is a `FilterRules` object.

`x[i]`: Subsets the filter rules using the same interface as for [Vector](#).

`x[[i]]`: Extracts an expression or function via the same interface as for [List](#).

`x[[i]] <- value`: The same interface as for [List](#). The default active state for new rules is `TRUE`.

Combining

In the code snippets below, `x` is a `FilterRules` object.

`append(x, values, after = length(x))`: Appends the values `FilterRules` instance onto `x` at the index given by `after`.

`c(x, ..., recursive = FALSE)`: Concatenates the `FilterRule` instances in `...` onto the end of `x`.

Evaluating

`eval(expr, envir = parent.frame(), enclos = if (is.list(envir) || is.pairlist(envir)) parent.frame() else baseenv())`: Evaluates a `FilterRules` instance (passed as the `expr` argument). Expression rules are evaluated in `envir`, while function rules are invoked with `envir` as their only argument. The evaluation of a rule should yield a logical vector. The results from the rule evaluations are combined via the AND operation (i.e. `&`) so that a single logical vector is returned from `eval`.

`evalSeparately(expr, envir = parent.frame(), enclos = if (is.list(envir) || is.pairlist(envir)) parent.frame() else baseenv())`: Evaluates separately each rule in a FilterRules instance (passed as the `expr` argument). Expression rules are evaluated in `envir`, while function rules are invoked with `envir` as their only argument. The evaluation of a rule should yield a logical vector. The results from the rule evaluations are combined into a logical matrix, with a column for each rule. This is essentially the parallel evaluator, while `eval` is the serial evaluator.

`subsetByFilter(x, filter)`: Evaluates `filter` on `x` and uses the result to subset `x`. The result contains only the elements in `x` for which `filter` evaluates to TRUE.

`summary(object, subject)`: Returns an integer vector with the number of elements in `subject` that pass each rule in `object`, along with a count of the elements that pass all filters.

Filter Closures

When a closure (function) is included as a filter in a FilterRules object, it is converted to a FilterClosure, which is currently nothing more than a marker class that extends function. When a FilterClosure filter is extracted, there are some accessors and utilities for manipulating it:

`params`: Gets a named list of the objects that are present in the enclosing environment (without inheritance). This assumes that a filter is constructed via a constructor function, and the objects in the frame of the constructor (typically, the formal arguments) are the parameters of the filter.

Author(s)

Michael Lawrence

See Also

[rdapply](#), which accepts a FilterRules instance to filter each space before invoking the user function.

Examples

```
## constructing a FilterRules instance

## an empty set of filters
filters <- FilterRules()

## as a simple character vector
filt1 <- c("peaks", "promoters")
filters <- FilterRules(filt1)
active(filters) # all TRUE

## with functions and expressions
filt2 <- list(peaks = expression(peaks), promoters = expression(promoters),
             find_eboxes = function(rd) rep(FALSE, nrow(rd)))
filters <- FilterRules(filt2, active = FALSE)
active(filters) # all FALSE

## direct, quoted args (character literal parsed)
filters <- FilterRules(under_peaks = peaks, in_promoters = "promoters")
filt3 <- list(under_peaks = expression(peaks),
             in_promoters = expression(promoters))

## specify both exprs and additional args
filters <- FilterRules(filt3, diffexp = de)
```



```

filtls <- c("peaks", "promoters", "introns")
filters <- FilterRules(filtls)

## set the active state directly

active(filters) <- FALSE # all FALSE
active(filters) <- TRUE # all TRUE
active(filters) <- c(FALSE, FALSE, TRUE)
active(filters)["promoters"] <- TRUE # use a filter name

## toggle the active state by name or index

active(filters) <- c(NA, 2) # NA's are dropped
active(filters) <- c("peaks", NA)

```

findOverlaps-methods *findOverlaps (and related) methods for Ranges, Views, RangesList, ViewsList, and RangedData objects*

Description

Various methods for finding/counting interval overlaps between two "range-based" objects: a query and a subject.

NOTE: This man page describes the methods that operate on a query and a subject that are both either a [Ranges](#), [Views](#), [RangesList](#), [ViewsList](#), or [RangedData](#) object. (In addition, if the query is a [Ranges](#) object, the subject can be an [IntervalTree](#) object. And if the subject is a [Ranges](#) object, the query can be an integer vector.)

See `?'findOverlaps,GenomicRanges,GenomicRanges-method'` in the [GenomicRanges](#) package for methods that operate on [GRanges](#) or [GRangesList](#) objects.

Usage

```

findOverlaps(query, subject, maxgap=0L, minoverlap=1L,
             type=c("any", "start", "end", "within", "equal"),
             select=c("all", "first", "last", "arbitrary"), ...)

countOverlaps(query, subject, maxgap=0L, minoverlap=1L,
              type=c("any", "start", "end", "within", "equal"), ...)

subsetByOverlaps(query, subject, maxgap=0L, minoverlap=1L,
                 type=c("any", "start", "end", "within", "equal"), ...)

## S4 method for signature 'Ranges,Ranges'
match(x, table, nomatch=NA_integer_, incomparables=NULL)

# Also: x %in% table

```

Arguments

query, subject Each of them can be a [Ranges](#), [Views](#), [RangesList](#), [ViewsList](#), or [RangedData](#) object. In addition, if query is a [Ranges](#) object, subject can be an [IntervalTree](#) object. And if subject is a [Ranges](#) object, query can be an integer vector to

be converted to length-one ranges. If query is a [RangesList](#) or [RangedData](#), subject must be a [RangesList](#) or [RangedData](#).

If both lists have names, each element from the subject is paired with the element from the query with the matching name, if any. Otherwise, elements are paired by position. The overlap is then computed between the pairs as described below.

If query is unsorted, it is sorted first, so it is usually better to sort up-front, to avoid a sort with each findOverlaps call.

If subject is omitted, query is queried against itself. In this case, and only this case, the ignoreSelf and ignoreRedundant arguments are allowed. By default, the result will contain hits for each range against itself, and if there is a hit from A to B, there is also a hit for B to A. If ignoreSelf is TRUE, all self matches are dropped. If ignoreRedundant is TRUE, only one of A->B and B->A is returned.

maxgap, minoverlap

Intervals with a separation of maxgap or less and a minimum of minoverlap overlapping positions, allowing for maxgap, are considered to be overlapping. maxgap should be a scalar, non-negative, integer. minoverlap should be a scalar, positive integer.

type

By default, any overlap is accepted. By specifying the type parameter, one can select for specific types of overlap. The types correspond to operations in Allen's Interval Algebra (see references). If type is start or end, the intervals are required to have matching starts or ends, respectively. While this operation seems trivial, the naive implementation using outer would be much less efficient. Specifying equal as the type returns the intersection of the start and end matches. If type is within, the query interval must be wholly contained within the subject interval. Note that all matches must additionally satisfy the minoverlap constraint described above.

The maxgap parameter has special meaning with the special overlap types. For start, end, and equal, it specifies the maximum difference in the starts, ends or both, respectively. For within, it is the maximum amount by which the query may be wider than the subject.

select

When select is "all" (the default), the results are returned as a [Hits](#) object. When select is "first", "last", or "arbitrary" the results are returned as an integer vector of length query containing the first, last, or arbitrary overlapping interval in subject, with NA indicating intervals that did not overlap any intervals in subject.

If select is "all", a [Hits](#) object is returned. For all other select the return value depends on the drop argument. When select != "all" && !drop, an [IntegerList](#) is returned, where each element of the result corresponds to a space in query. Whenselect != "all" && drop, an integer vector is returned containing indices that are offset to align with the unlisted query.

...

Further arguments to be passed to or from other methods:

- drop: All methods accept the drop argument (FALSE by default). See select argument above for the details.
- ignoreSelf, ignoreRedundant: When subject is omitted, the ignoreSelf and ignoreRedundant arguments (both FALSE by default) are allowed. See query and subject arguments above for the details.

x, table

Should either be both Ranges or Views objects, or both RangesList or RangedData objects, in which case the indices are into the unlisted table.

nomatch	The value match will assign to ranges in x that do not overlap any ranges in table.
incomparables	Currently ignored.

Details

A common type of query that arises when working with intervals is finding which intervals in one set overlap those in another.

The simplest approach is to call the `findOverlaps` function on a [Ranges](#) or other object with range information (aka "range-based object").

An [IntervalTree](#) object is a derivative of [Ranges](#) and stores its ranges as a tree that is optimized for overlap queries. Thus, for repeated queries against the same subject, it is more efficient to create an [IntervalTree](#) once for the subject using the [IntervalTree](#) constructor and then perform the queries against the [IntervalTree](#) instance.

Value

`findOverlaps` returns either a [Hits](#) object when `select="all"` (the default), or an integer vector when `select` is not "all".

`countOverlaps` returns the overlap hit count for each range in query using the specified `findOverlaps` parameters.

`subsetByOverlaps` returns the subset of query that has an overlap hit with a range in subject using the specified `findOverlaps` parameters.

`match` returns an integer vector of length `length(x)`, containing the index of the first overlapping range in table (or `nomatch` if there is no overlapping range) for each range in x.

`x %in% table` is a shortcut for finding the ranges in x that overlap any of the ranges in table. For [Ranges](#) objects, it returns a logical vector of length equal to the number of ranges in x. For [RangesList](#) and [RangedData](#) objects, it returns a [LogicalList](#) object, where each element of the result corresponds to a space in x.

Author(s)

Michael Lawrence

References

Allen's Interval Algebra: James F. Allen: Maintaining knowledge about temporal intervals. In: Communications of the ACM. 26/11/1983. ACM Press. S. 832-843, ISSN 0001-0782

See Also

- The [Hits](#) class for representing a set of hits between 2 vector-like objects.
- [findOverlaps](#), [GenomicRanges](#), [GenomicRanges-method](#) in the [GenomicRanges](#) package for methods that operate on [GRanges](#) or [GRangesList](#) objects.
- The [IntervalTree](#) class and constructor.
- The [Ranges](#), [Views](#), [RangesList](#), [ViewsList](#), and [RangedData](#) classes.
- The [IntegerList](#) and [LogicalList](#) classes.

Examples

```

query <- IRanges(c(1, 4, 9), c(5, 7, 10))
subject <- IRanges(c(2, 2, 10), c(2, 3, 12))
tree <- IntervalTree(subject)

## at most one hit per query
findOverlaps(query, tree, select = "first")
findOverlaps(query, tree, select = "last")
findOverlaps(query, tree, select = "arbitrary")

## overlap as long as distance <= 1
findOverlaps(query, tree, maxgap = 1L)

## shortcut
findOverlaps(query, subject)

query <- IRanges(c(1, 4, 9), c(5, 7, 10))
subject <- IRanges(c(2, 2), c(5, 4))
tree <- IntervalTree(subject)

## one Ranges with itself
findOverlaps(query)

## single points as query
subject <- IRanges(c(1, 6, 13), c(4, 9, 14))
findOverlaps(c(3L, 7L, 10L), subject, select = "first")

## alternative overlap types
query <- IRanges(c(1, 5, 3, 4), width=c(2, 2, 4, 6))
subject <- IRanges(c(1, 3, 5, 6), width=c(4, 4, 5, 4))

findOverlaps(query, tree, type = "start")
findOverlaps(query, tree, type = "start", maxgap = 1L)
findOverlaps(query, tree, type = "end", select = "first")
findOverlaps(query, tree, type = "within", maxgap = 1L)

```

funprog-methods

Functional programming methods for List objects

Description

The R base package defines some higher-order functions that are commonly found in Functional Programming Languages. See [?Reduce](#) for the details, and, in particular, for a description of their arguments. The IRanges package provides methods for [List](#) objects, so, in addition to be an ordinary vector or list, the x argument can also be a [List](#) object.

Usage

```

## S4 method for signature 'List'
Reduce(f, x, init, right=FALSE, accumulate=FALSE)
## S4 method for signature 'List'
Filter(f, x)
## S4 method for signature 'List'

```

```

Find(f, x, right=FALSE, nomatch=NULL)
## S4 method for signature 'List'
Map(f, ...)
## S4 method for signature 'List'
Position(f, x, right=FALSE, nomatch=NA_integer_)

```

Arguments

f, init, right, accumulate, nomatch
 See `?base::Reduce` for a description of these arguments.

x
 A [List](#) object.

...
 One or more [List](#) objects. (FIXME: Mixing [List](#) objects with ordinary lists doesn't seem to work properly at the moment.)

Author(s)

P. Aboyoun

See Also

- The [List](#) class.
- The [IntegerList](#) class and constructor for an example of a [List](#) subclass.
- [Reduce](#) for a full description of what these functions do and what they return.

Examples

```

x <- IntegerList(a=1:3, b=16:11, c=22:21, d=31:36)
x

Reduce("+", x)

Filter(is.unsorted, x)

pos1 <- Position(is.unsorted, x)
stopifnot(identical(Find(is.unsorted, x), x[[pos1]]))

pos2 <- Position(is.unsorted, x, right=TRUE)
stopifnot(identical(Find(is.unsorted, x, right=TRUE), x[[pos2]]))

y <- x * 1000L
Map("c", x, y)

```

GappedRanges-class *GappedRanges objects*

Description

The `GappedRanges` class is a vector-like container for storing a set of "gapped ranges".

Details

A "gapped range" is conceptually the union of 1 or more non-overlapping (and non-empty) ranges ordered from left to right. More precisely, a "gapped range" can be represented by a normal `IRanges` object of length ≥ 1 . In particular normality here ensures that the individual ranges are non-empty and are separated by non-empty gaps. The start of a "gapped range" is the start of its first range. The end of a "gapped range" is the end of its last range. If we ignore the gaps, then a `GappedRanges` object can be seen as a `Ranges` object.

Constructor

No constructor function is provided for `GappedRanges` objects. The coercion methods described below can be used to create `GappedRanges` objects.

Coercion

`as(from, "GappedRanges")`: Turns a `CompressedNormalIRangesList` or `CompressedIRangesList` object into a `GappedRanges` object.

`as(from, "RangesList")`: Turns a `GappedRanges` object into a `RangesList` object (more precisely the result will be a `CompressedNormalIRangesList` object).

Accessor methods

In the code snippets below, `x` is a `GappedRanges` object.

`length(x)`: Returns the number of "gapped ranges" in `x`.

`start(x)`, `end(x)`: Returns an integer vector of length `length(x)` containing the start and end (respectively) of each "gapped range" in `x`. See Details section above for the exact definitions of the start and end of a "gapped range".

`width(x)`: Defined as `end(x) - start(x) + 1L`.

`ngap(x)`: Returns an integer vector of length `length(x)` containing the number of gaps for each "gapped range" in `x`. Equivalent to `elementLengths(x) - 1L`.

`names(x)`: `NULL` or a character vector of length `length(x)`.

Subsetting and related operations

In the code snippets below, `x` is a `GappedRanges` object.

`x[i]`: Returns a new `GappedRanges` object made of the selected "gapped ranges". `i` can be a numeric, character or logical vector, or any of the types supported by the `[` method for `CompressedNormalIRangesList` objects.

`x[[i]]`: Returns the `NormalIRanges` object representing the *i*-th element in `x`. Equivalent to `as(from, "RangesList")[[i]]`. `i` can be a single numeric value or a single character string.

`elementType(x)`: Returns the type of `x[[i]]` as a single string (always "NormalIRanges"). Note that the semantic of the `[[` method for `GappedRanges` objects is different from the semantic of the method for `Ranges` objects (the latter returns an integer vector).

`elementLengths(x)`: Semantically equivalent to

```
sapply(seq_len(length(x)), function(i) length(x[[i]]))
```

but much faster. Note that the semantic of the `elementLengths` method for `GappedRanges` objects is different from the semantic of the method for `Ranges` objects (the latter returns the width of the `Ranges` object).

Combining and related operations

In the code snippets below, `x` is a `GappedRanges` object.

`c(x, ...)`: Combine `x` and the `GappedRanges` objects in `...` together. The result is an object of the same class as `x`.

Author(s)

H. Pages

See Also

[Ranges-class](#), [CompressedNormalIRangesList-class](#)

Examples

```
## The 3 following IRanges objects are normal. Each of them will be
## stored as a "gapped range" in the GappedRanges object 'gr'.
ir1 <- IRanges(start=c(11, 21, 23), end=c(15, 21, 30))
ir2 <- IRanges(start=-2, end=15)
ir3 <- IRanges(start=c(-2, 21), end=c(10, 22))
irl <- IRangesList(ir1, ir2, ir3)

gr <- as(irl, "GappedRanges")
gr

length(gr)
start(gr)
end(gr)
width(gr)
ngap(gr)
gr[-1]
gr[ngap(gr) >= 1]
gr[[1]]
as.integer(gr[[1]])
gr[[2]]
as.integer(gr[[2]])
as(gr, "RangesList")
start(as(gr, "RangesList")) # not the same as 'start(gr)'
```

Grouping-class

Grouping objects

Description

In this man page, we call "grouping" the action of dividing a collection of `NO` objects into `NG` groups (some of which may be empty). The `Grouping` class and subclasses are containers for representing groupings.

The Grouping core API

Let's give a formal description of the Grouping core API:

Groups G_i are indexed from 1 to NG ($1 \leq i \leq NG$).

Objects O_j are indexed from 1 to NO ($1 \leq j \leq NO$).

Every object must belong to one group and only one.

Given that empty groups are allowed, NG can be greater than NO .

Grouping an empty collection of objects ($NO = 0$) is supported. In that case, all the groups are empty. And only in that case, NG can be zero too (meaning there are no groups).

If x is a Grouping object:

`length(x)`: Returns the number of groups (NG).

`names(x)`: Returns the names of the groups.

`nobj(x)`: Returns the number of objects (NO). Equivalent to `length(togroup(x))`.

Going from groups to objects:

`x[[i]]`: Returns the indices of the objects (the j 's) that belong to G_i . The j 's are returned in ascending order. This provides the mapping from groups to objects (one-to-many mapping).

`grouplength(x, i=NULL)`: Returns the number of objects in G_i . Works in a vectorized fashion (unlike `x[[i]]`). `grouplength(x)` is equivalent to `grouplength(x, seq_len(length(x)))`. If i is not `NULL`, `grouplength(x, i)` is equivalent to `sapply(i, function(ii) length(x[[ii]]))`.

`members(x, i)`: Equivalent to `x[[i]]` if i is a single integer. Otherwise, if i is an integer vector of arbitrary length, it's equivalent to `sort(unlist(sapply(i, function(ii) x[[ii]]))`.

`vmembers(x, L)`: A version of `members` that works in a vectorized fashion with respect to the L argument (L must be a list of integer vectors). Returns `lapply(L, function(i) members(x, i))`.

Going from objects to groups:

`togroup(x, j=NULL)`: Returns the index i of the group that O_j belongs to. This provides the mapping from objects to groups (many-to-one mapping). Works in a vectorized fashion. `togroup(x)` is equivalent to `togroup(x, seq_len(nobj(x)))`: both return the entire mapping in an integer vector of length NO . If j is not `NULL`, `togroup(x, j)` is equivalent to `y <- togroup(x); y[j]`.

`togrouplength(x, j=NULL)`: Returns the number of objects that belong to the same group as O_j (including O_j itself). Equivalent to `grouplength(x, togroup(x, j))`.

Given that `length`, `names` and `[[` are defined for Grouping objects, those objects can be considered [List](#) objects. In particular, `as.list` works out-of-the-box on them.

One important property of any Grouping object x is that `unlist(as.list(x))` is always a permutation of `seq_len(nobj(x))`. This is a direct consequence of the fact that every object in the grouping belongs to one group and only one.

The H2LGrouping and Dups subclasses

DOCUMENT ME

The Partitioning subclass

A Partitioning container represents a block-grouping, i.e. a grouping where each group contains objects that are neighbors in the original collection of objects. More formally, a grouping x is a block-grouping iff $\text{togroup}(x)$ is sorted in increasing order (not necessarily strictly increasing).

A block-grouping object can also be seen (and manipulated) as a [Ranges](#) object where all the ranges are adjacent starting at 1 (i.e. it covers the 1:NO interval with no overlap between the ranges).

Note that a Partitioning object is both: a particular type of Grouping object and a particular type of [Ranges](#) object. Therefore all the methods that are defined for Grouping and [Ranges](#) objects can also be used on a Partitioning object. See [?Ranges](#) for a description of the [Ranges](#) API.

The Partitioning class is virtual with 2 concrete subclasses: [PartitioningByEnd](#) (only stores the end of the groups, allowing fast mapping from groups to objects), and [PartitioningByWidth](#) (only stores the width of the groups).

Constructors

[H2LGrouping](#)(high2low=integer()): [DOCUMENT ME]

[Dups](#)(high2low=integer()): [DOCUMENT ME]

[PartitioningByEnd](#)(x=integer(), NG=NULL, names=NULL): x must be either a list-like object or a sorted integer vector. NG must be either NULL or a single integer. names must be either NULL or a character vector of length NG (if supplied) or $\text{length}(x)$ (if NG is not supplied).

Returns the following [PartitioningByEnd](#) object y :

- If x is a list-like object, then the returned object y has the same length as x and is such that $\text{width}(y)$ is identical to $\text{elementLengths}(x)$.
- If x is an integer vector and NG is not supplied, then x must be sorted (checked) and contain non-NA non-negative values (NOT checked). The returned object y has the same length as x and is such that $\text{end}(y)$ is identical to x .
- If x is an integer vector and NG is supplied, then x must be sorted (checked) and contain values ≥ 1 and $\leq NG$ (checked). The returned object y is of length NG and is such that $\text{togroup}(y)$ is identical to x .

If the names argument is supplied, it is used to name the partitions.

[PartitioningByWidth](#)(x=integer(), NG=NULL, names=NULL): x must be either a list-like object or an integer vector. NG must be either NULL or a single integer. names must be either NULL or a character vector of length NG (if supplied) or $\text{length}(x)$ (if NG is not supplied).

Returns the following [PartitioningByWidth](#) object y :

- If x is a list-like object, then the returned object y has the same length as x and is such that $\text{width}(y)$ is identical to $\text{elementLengths}(x)$.
- If x is an integer vector and NG is not supplied, then x must contain non-NA non-negative values (NOT checked). The returned object y has the same length as x and is such that $\text{width}(y)$ is identical to x .
- If x is an integer vector and NG is supplied, then x must be sorted (checked) and contain values ≥ 1 and $\leq NG$ (checked). The returned object y is of length NG and is such that $\text{togroup}(y)$ is identical to x .

If the names argument is supplied, it is used to name the partitions.

Note that these constructors don't recycle their names argument (to remain consistent with what `'names<-'` does on standard vectors).

Author(s)

H. Pages

See Also[List-class](#), [Ranges-class](#), [IRanges-class](#), [successiveIRanges](#), [cumsum](#), [diff](#)**Examples**

```

showClass("Grouping") # shows (some of) the known subclasses

## -----
## A. H2LGrouping OBJECTS
## -----
high2low <- c(NA, NA, 2, 2, NA, NA, NA, 6, NA, 1, 2, NA, 6, NA, NA, 2)
h2l <- H2LGrouping(high2low)
h2l

## The Grouping core API:
length(h2l)
nobj(h2l) # same as 'length(h2l)' for H2LGrouping objects
h2l[[1]]
h2l[[2]]
h2l[[3]]
h2l[[4]]
h2l[[5]]
grouplength(h2l) # same as 'unname(sapply(h2l, length))'
grouplength(h2l, 5:2)
members(h2l, 5:2) # all the members are put together and sorted
togroup(h2l)
togroup(h2l, 5:2)
togrouplength(h2l) # same as 'grouplength(h2l, togroup(h2l))'
togrouplength(h2l, 5:2)

## The List API:
as.list(h2l)
sapply(h2l, length)

## -----
## B. Dups OBJECTS
## -----
dups1 <- as(h2l, "Dups")
dups1
duplicated(dups1) # same as 'duplicated(togroup(dups1))'

### The purpose of a Dups object is to describe the groups of duplicated
### elements in a vector-like object:
x <- c(2, 77, 4, 4, 7, 2, 8, 8, 4, 99)
x_high2low <- high2low(x)
x_high2low # same length as 'x'
dups2 <- Dups(x_high2low)
dups2
togroup(dups2)
duplicated(dups2)
togrouplength(dups2) # frequency for each element
table(x)

```

```

## -----
## C. Partitioning OBJECTS
## -----
pbe1 <- PartitioningByEnd(c(4, 7, 7, 8, 15), names=LETTERS[1:5])
pbe1 # the 3rd partition is empty

## The Grouping core API:
length(pbe1)
nobj(pbe1)
pbe1[[1]]
pbe1[[2]]
pbe1[[3]]
grouplength(pbe1) # same as 'unname(sapply(pbe1, length))' and 'width(pbe1)'
togroup(pbe1)
togrouplength(pbe1) # same as 'grouplength(pbe1, togroup(pbe1))'
names(pbe1)

## The Ranges core API:
start(pbe1)
end(pbe1)
width(pbe1)

## The List API:
as.list(pbe1)
sapply(pbe1, length)

## Replacing the names:
names(pbe1)[3] <- "empty partition"
pbe1

## Coercion to an IRanges object:
as(pbe1, "IRanges")

## Other examples:
PartitioningByEnd(c(0, 0, 19), names=LETTERS[1:3])
PartitioningByEnd() # no partition
PartitioningByEnd(integer(9)) # all partitions are empty
x <- c(1L, 5L, 5L, 6L, 8L)
pbe2 <- PartitioningByEnd(x, NG=10L)
stopifnot(identical(togroup(pbe2), x))
pbw2 <- PartitioningByWidth(x, NG=10L)
stopifnot(identical(togroup(pbw2), x))

## -----
## D. RELATIONSHIP BETWEEN Partitioning OBJECTS AND successiveIRanges()
## -----
mywidths <- c(4, 3, 0, 1, 7)

## The 3 following calls produce the same ranges:
ir <- successiveIRanges(mywidths) # IRanges instance.
pbe <- PartitioningByEnd(cumsum(mywidths)) # PartitioningByEnd instance.
pbw <- PartitioningByWidth(mywidths) # PartitioningByWidth instance.
stopifnot(identical(as(ir, "PartitioningByEnd"), pbe))
stopifnot(identical(as(ir, "PartitioningByWidth"), pbw))

```

Hits-class

*Set of hits between 2 vector-like objects***Description**

The Hits class stores a set of "hits" between the elements in one vector-like object (called the "query") and the elements in another (called the "subject"). Currently, Hits are used to represent the result of a call to [findOverlaps](#), though other operations producing "hits" are imaginable.

Details

The `as.matrix` and `as.data.frame` methods coerce a Hits object to a two column matrix or `data.frame` with one row for each hit, where the value in the first column is the index of an element in the query and the value in the second column is the index of an element in the subject.

The `as.table` method counts the number of hits for each query element and outputs the counts as a table.

To transpose a Hits `x`, so that the subject and query are interchanged, call `t(x)`. This allows, for example, counting the number of hits for each subject element using `as.table`.

When the Hits object is the result of a call to [findOverlaps](#), the actual regions of intersection between the overlapping ranges can be obtained with the `ranges` accessor.

Coercion

In the code snippets below, `x` is a Hits object.

`as.matrix(x)`: Coerces `x` to a two column integer matrix, with each row representing a hit between a query index (first column) and subject index (second column).

`as(from, "DataFrame")`: Creates a `DataFrame` by combining the result of `as.matrix(from)` with `mcols(from)`.

`as.data.frame(x)`: Attempts to coerce the result of `as(from, "DataFrame")` to a `data.frame`.

`as.table(x)`: counts the number of hits for each query element in `x` and outputs the counts as a table.

`t(x)`: Interchange the query and subject in `x`, returns a transposed Hits.

`as.list(x)`: Returns a list with an element for each query, where each element contains the indices of the subjects that have a hit with the corresponding query.

`as(x, "List")`: Like `as.list`, above.

Extraction

`x[i]`: Extracts a subset of the hits. The index argument `i` may be logical or numeric. If numeric, be sure that `i` does not contain any duplicates, which would violate the set property of Hits.

Accessors

`queryHits(x)`: Equivalent to `as.data.frame(x)[[1]]`.

`subjectHits(x)`: Equivalent to `as.data.frame(x)[[2]]`.

`countQueryHits(x)`: Counts the number of hits for each query, returning an integer vector.

`countSubjectHits(x)`: Counts the number of hits for each subject, returning an integer vector.

`ranges(x, query, subject)`: returns a Ranges holding the intersection of the ranges in the Ranges objects `query` and `subject`, which should be the same subject and query used in the call to `findOverlaps` that generated `x`. Eventually, we might store the query and subject inside `x`, in which case the arguments would be redundant.

`length(x)`: get the number of hits

`queryLength(x), nrow(x)`: get the number of elements in the query

`subjectLength(x), ncol(x)`: get the number of elements in the subject

`dim(x)`: get a two-element integer vector, essentially `c(nrow(x), ncol(x))`.

Set Operations

A Hits object is a set of hits, each from a query index to a subject index. The basic set operation API has been implemented to treat Hits in this manner. This includes `%in%`, `intersect`, `union`, and `setdiff`.

Other operations

`queryHits(x, query.map=NULL, new.queryLength=NA, subject.map=NULL, new.subjectLength=NA)`
Remaps the hits in `x` thru a "query map" and/or a "subject map" map. The query hits are remapped thru the "query map", which is specified via the `query.map` and `new.queryLength` arguments. The subject hits are remapped thru the "subject map", which is specified via the `subject.map` and `new.subjectLength` arguments.

The "query map" is conceptually a function (in the mathematical sense) and is also known as the "mapping function". It must be defined on the $1..M$ interval and take values in the $1..N$ interval, where N is `queryLength(x)` and M is the value specified by the user via the `new.queryLength` argument. Note that this mapping function doesn't need to be injective or surjective. Also it is not represented by an R function but by an integer vector of length M with no NAs. More precisely `query.map` can be `NULL` (identity map), or a vector of `queryLength(x)` non-NA integers that are ≥ 1 and \leq `new.queryLength`, or a factor of length `queryLength(x)` with no NAs (a factor is treated as an integer vector, and, if missing, `new.queryLength` is taken to be its number of levels). Note that a factor will typically be used to represent a mapping function that is not injective.

The same apply to the "subject map".

`remapHits` returns a Hits object where all the query and subject hits (accessed with `queryHits` and `subjectHits`, respectively) have been remapped thru the 2 specified maps. This remapping is actually only the 1st step of the transformation, and is followed by 2 additional steps: (2) the removal of duplicated hits, and (3) the reordering of the hits (first by query hits, then by subject hits). Note that if the 2 maps are injective then the remapping won't introduce duplicated hits, so, in that case, step (2) is a no-op (but is still performed). Also if the "query map" is strictly ascending and the "subject map" ascending then the remapping will preserve the order of the hits, so, in that case, step (3) is also a no-op (but is still performed).

Author(s)

Michael Lawrence

See Also

[findOverlaps](#), which generates an instance of this class.

Examples

```

query <- IRanges(c(1, 4, 9), c(5, 7, 10))
subject <- IRanges(c(2, 2, 10), c(2, 3, 12))
tree <- IntervalTree(subject)
overlaps <- findOverlaps(query, tree)

as.matrix(overlaps)
as.data.frame(overlaps)

as.table(overlaps) # hits per query
as.table(t(overlaps)) # hits per subject

hits1 <- remapHits(overlaps, subject.map=factor(c("e", "e", "d"), letters[1:5]))
hits1
hits2 <- remapHits(overlaps, subject.map=c(5, 5, 4), new.subjectLength=5)
hits2
stopifnot(identical(hits1, hits2))

```

HitsList-class

List of Hits objects

Description

The HitsList class stores a set of Hits objects. It's typically used to represent the result of `findOverlaps` on two [RangesList](#) objects.

Details

Roughly the same set of utilities are provided for HitsList as for Hits:

The `as.matrix` method coerces a HitsList in a similar way to Hits, except a column is prepended that indicates which space (or element in the query [RangesList](#)) to which the row corresponds.

The `as.table` method flattens or unlists the list, counts the number of hits for each query range and outputs the counts as a table, which has the same shape as from a single Hits object.

To transpose a HitsList `x`, so that the subject and query in each space are interchanged, call `t(x)`. This allows, for example, counting the number of hits for each subject element using `as.table`.

When the HitsList object is the result of a call to `findOverlaps` on two [RangesList](#) objects, the actual regions of intersection between the overlapping ranges can be obtained with the `ranges` accessor.

Coercion

In the code snippets below, `x` is a HitsList object.

`as.matrix(x)`: calls `as.matrix` on each Hits, combines them row-wise and offsets the indices so that they are aligned with the result of calling `unlist` on the query and subject.

`as.table(x)`: counts the number of hits for each query element in `x` and outputs the counts as a table, which is aligned with the result of calling `unlist` on the query.

`t(x)`: Interchange the query and subject in each space of `x`, returns a transposed HitsList.

Accessors

- `queryHits(x)`: Equivalent to `unname(as.matrix(x)[,1])`.
- `subjectHits(x)`: Equivalent to `unname(as.matrix(x)[,2])`.
- `space(x)`: gets the character vector naming the space in the query `RangesList` for each hit, or `NULL` if the query did not have any names.
- `ranges(x, query, subject)`: returns a `RangesList` holding the intersection of the ranges in the `RangesList` objects `query` and `subject`, which should be the same `subject` and `query` used in the call to `findOverlaps` that generated `x`. Eventually, we might store the `query` and `subject` inside `x`, in which case the arguments would be redundant.

Note

This class is highly experimental. It has not been well tested and may disappear at any time.

Author(s)

Michael Lawrence

See Also

[findOverlaps](#), which generates an instance of this class.

inter-range-methods	<i>Inter range transformations of a Ranges, Views, RangesList, MaskCollection, or RangedData object</i>
---------------------	---

Description

Except for `isDisjoint()` and `disjointBins()`, all the transformations described in this man page are *endomorphisms* that operate on a single "range-based" object, that is, they transform the ranges contained in the input object and return them in an object of the *same class* as the input object.

Range-based endomorphisms are grouped in 2 categories:

1. Intra range transformations like `shift()` that transform each range individually (and independently of the other ranges) and return an object of the *same length* as the input object. Those transformations are described in the [intra-range-methods](#) man page (see ?'intra-range-methods').
2. Inter range transformations like `reduce()` that transform all the ranges together as a set to produce a new set of ranges and return an object not necessarily of the same length as the input object. Those transformations are described in this man page.

Usage

```
## range()
## S4 method for signature 'Ranges'
range(x, ..., na.rm=FALSE)
## S4 method for signature 'RangesList'
range(x, ..., na.rm=FALSE)

## reduce()
reduce(x, ...)
```

```

### S4 method for signature 'Ranges'
reduce(x, drop.empty.ranges=FALSE, min.gapwidth=1L, with.inframe.attrib=FALSE)
### S4 method for signature 'Views'
reduce(x, drop.empty.ranges=FALSE, min.gapwidth=1L, with.inframe.attrib=FALSE)
### S4 method for signature 'RangesList'
reduce(x, drop.empty.ranges=FALSE, min.gapwidth=1L, with.inframe.attrib=FALSE)
### S4 method for signature 'RangedData'
reduce(x, by = character(), drop.empty.ranges=FALSE,
       min.gapwidth=1L, with.inframe.attrib=FALSE)

### gaps()
gaps(x, start=NA, end=NA)

### disjoint()
disjoint(x, ...)

### isDisjoint()
isDisjoint(x, ...)

### disjointBins()
disjointBins(x, ...)

```

Arguments

x	A Ranges , Views , RangesList , MaskCollection , or RangedData object.
start, end	<ul style="list-style-type: none"> If x is a Ranges or Views object: A single integer or NA. Use these arguments to specify the interval of reference i.e. which interval the returned gaps should be relative to. If x is a RangesList object: Integer vectors containing the coordinate bounds for each RangesList top-level element.
drop.empty.ranges	TRUE or FALSE. Should empty ranges be dropped?
min.gapwidth	Ranges separated by a gap of at least min.gapwidth positions are not merged.
with.inframe.attrib	TRUE or FALSE. For internal use.
by	A character vector.
...	For range, additional Ranges or RangesList to consider.
na.rm	Ignored

Details

Here we start by describing how each transformation operates on a [Ranges](#) object x.

`range` first combines x and the arguments in If the combined [IRanges](#) object contains at least 1 range, then `range` returns an [IRanges](#) instance with a single range, from the minimum start to the maximum end of the combined object. Otherwise (i.e. if the combined object contains no range), `IRanges()` is returned (i.e. an [IRanges](#) instance of length 0).

If x is a [RangedData](#) object, then `range` returns a [RangesList](#) object resulting from calling `range(ranges(x))`, i.e. the bounds of the ranges in each space.

`reduce` first orders the ranges in x from left to right, then merges the overlapping or adjacent ones. If x is a [RangedData](#) object, `reduce` merges the ranges in each of the spaces after grouping by the

by values columns and returns the result as a RangedData containing the reduced ranges and the by value columns.

gaps returns the "normal" Ranges object representing the set of integers that remain after the set of integers represented by x has been removed from the interval specified by the start and end arguments.

If x is a Views object, then start=NA and end=NA are interpreted as start=1 and end=length(subject(x)), respectively, so, if start and end are not specified, then gaps are extracted with respect to the entire subject.

disjoin returns a disjoint object, by finding the union of the end points in x. In other words, the result consists of a range for every interval, of maximal length, over which the set of overlapping ranges in x is the same and at least of size 1.

isDisjoint returns a logical value indicating whether the ranges x are disjoint (i.e. non-overlapping).

disjointBins segregates x into a set of bins so that the ranges in each bin are disjoint. Lower-indexed bins are filled first. The method returns an integer vector indicating the bin index for each range.

When x is in a RangesList object, doing any of the transformation above is equivalent to applying the transformation to each RangesList top-level element separately.

For range, if there are additional RangesList objects in ..., they are merged into x by name, if all objects have names, otherwise, if they are all of the same length, by position. Else, an exception is thrown.

Author(s)

H. Pages, M. Lawrence, P. Aboyoun

See Also

- [intra-range-methods](#) for intra range transformations.
- The [Ranges](#), [Views](#), [RangesList](#), [MaskCollection](#), and [RangedData](#) classes.
- The [inter-range-methods](#) man page in the GenomicRanges package for methods that operate on [GenomicRanges](#) and other objects.
- [IRanges-setops](#) for set operations on [IRanges](#) objects.
- [solveUserSEW](#) for the SEW (Start/End/Width) interface.

Examples

```
## -----
## range()
## -----

## On a Ranges object
x <- IRanges(start=c(-2, 6, 9, -4, 1, 0, -6, 3, 10),
             width=c( 5, 0, 6,  1, 4, 3,  2, 0,  3))
range(x)

## On a RangesList object
range1 <- IRanges(start=c(1, 2, 3), end=c(5, 2, 8))
range2 <- IRanges(start=c(15, 45, 20, 1), end=c(15, 100, 80, 5))
range3 <- IRanges(start=c(-2, 6, 7), width=c(8, 0, 0)) # with empty ranges
collection <- IRangesList(one=range1, range2, range3)
range(collection)
```

```

irl1 <- IRangesList(a = IRanges(c(1,2),c(4,3)), b = IRanges(c(4,6),c(10,7)))
irl2 <- IRangesList(c = IRanges(c(0,2),c(4,5)), a = IRanges(c(4,5),c(6,7)))
range(irl1, irl2) # matched by names
names(irl2) <- NULL
range(irl1, irl2) # now by position

## On a RangedData object
ranges <- IRanges(c(1,2,3),c(4,5,6))
score <- c(10L, 2L, NA)
rd <- RangedData(ranges, score)
range(rd)
rd2 <- RangedData(IRanges(c(5,2,0), c(6,3,1)))
range(rd, rd2)

## -----
## reduce()
## -----

## On a Ranges object
reduce(x)
reduce(x, drop.empty.ranges=TRUE)

## On a RangesList object. These 4 are the same:
res1 <- reduce(collection)
res2 <- IRangesList(one=reduce(range1), reduce(range2), reduce(range3))
res3 <- do.call(IRangesList, lapply(collection, reduce))
res4 <- endoapply(collection, reduce)

stopifnot(identical(res2, res1))
stopifnot(identical(res3, res1))
stopifnot(identical(res4, res1))

reduce(collection, drop.empty.ranges=TRUE)

## On a RangedData object
rd <- RangedData(
  RangesList(
    chrA=IRanges(start=c(1, 4, 6), width=c(3, 2, 4)),
    chrB=IRanges(start=c(1, 3, 6), width=c(3, 3, 4))),
  score=c(2, 7, 3, 1, 1, 1))
rd
reduce(rd)

## -----
## gaps()
## -----

## On a Ranges object
x0 <- IRanges(start=c(-2, 6, 9, -4, 1, 0, -6, 10),
  width=c( 5, 0, 6, 1, 4, 3, 2, 3))
gaps(x0)
gaps(x0, start=-6, end=20)

## On a Views object
subject <- XInteger(10, 3:-6)
v <- Views(subject, start=c(8, 3), end=c(14, 4))
gaps(v)

```

```

## On a RangesList object. These 4 are the same:
res1 <- gaps(collection)
res2 <- IRangesList(one=gaps(range1), gaps(range2), gaps(range3))
res3 <- do.call(IRangesList, lapply(collection, gaps))
res4 <- endoapply(collection, gaps)

stopifnot(identical(res2, res1))
stopifnot(identical(res3, res1))
stopifnot(identical(res4, res1))

## On a MaskCollection object
mask1 <- Mask(mask.width=29, start=c(11, 25, 28), width=c(5, 2, 2))
mask2 <- Mask(mask.width=29, start=c(3, 10, 27), width=c(5, 8, 1))
mask3 <- Mask(mask.width=29, start=c(7, 12), width=c(2, 4))
mymasks <- append(append(mask1, mask2), mask3)
mymasks
gaps(mymasks)

## -----
## disjoint()
## -----

## On a Ranges object
ir <- IRanges(c(1, 1, 4, 10), c(6, 3, 8, 10))
disjoin(ir) # IRanges(c(1, 4, 7, 10), c(3, 6, 8, 10))

## On a RangesList object
disjoin(collection)

## -----
## isDisjoint()
## -----

## On a Ranges object
isDisjoint(IRanges(c(2,5,1), c(3,7,3))) # FALSE
isDisjoint(IRanges(c(2,9,5), c(3,9,6))) # TRUE
isDisjoint(IRanges(1, 5)) # TRUE

## On a RangesList object
isDisjoint(collection)

## -----
## disjointBins()
## -----

## On a Ranges object
disjointBins(IRanges(1, 5)) # 1L
disjointBins(IRanges(c(3, 1, 10), c(5, 12, 13))) # c(2L, 1L, 2L)

## On a RangesList object
disjointBins(collection)

```

Description

Efficiently perform overlap queries with an interval tree.

Details

A common type of query that arises when working with intervals is finding which intervals in one set overlap those in another. An efficient family of algorithms for answering such queries is known as the Interval Tree. This implementation makes use of the augmented tree algorithm from the reference below, but heavily adapts it for the use case of large, sorted query sets.

The simplest approach for finding overlaps is to call the [findOverlaps](#) function on a [Ranges](#) or other object with range information. See the man page of [findOverlaps](#) for how to use this and other related functions.

An IntervalTree object is a derivative of [Ranges](#) and stores its ranges as a tree that is optimized for overlap queries. Thus, for repeated queries against the same subject, it is more efficient to create an IntervalTree once for the subject using the constructor described below and then perform the queries against the IntervalTree instance.

Constructor

IntervalTree(ranges): Creates an IntervalTree from the ranges in ranges, an object coercible to IntervalTree, such as an [IRanges](#) object.

Coercion

as(from, "IRanges"): Imports the ranges in from, an IntervalTree, to an [IRanges](#).

as(from, "IntervalTree"): Constructs an IntervalTree representing from, a Ranges object that is coercible to IRanges.

Accessors

length(x): Gets the number of ranges stored in the tree. This is a fast operation that does not bring the ranges into R.

start(x): Get the starts of the ranges.

end(x): Get the ends of the ranges.

Notes on Time Complexity

The cost of constructing an instance of the interval tree is a $O(n \cdot \lg(n))$, which makes it about as fast as other types of overlap query algorithms based on sorting. The good news is that the tree need only be built once per subject; this is useful in situations of frequent querying. Also, in this implementation the data is stored outside of R, avoiding needless copying. Of course, external storage is not always convenient, so it is possible to coerce the tree to an instance of [IRanges](#) (see the Coercion section).

For the query operation, the running time is based on the query size m and the average number of hits per query k . The output size is then $\max(mk, m)$, but we abbreviate this as mk . Note that when the multiple parameter is set to FALSE, k is fixed to 1 and drops out of this analysis. We also assume here that the query is sorted by start position (the [findOverlaps](#) function sorts the query if it is unsorted).

An upper bound for finding overlaps is $O(\min(mk \cdot \lg(n), n + mk))$. The fastest interval tree algorithm known is bounded by $O(\min(m \cdot \lg(n), n) + mk)$ but is a lot more complicated and involves

two auxillary trees. The lower bound is $\Omega(\lg(n)+mk)$, which is almost the same as for returning the answer, $\Omega(mk)$. The average is of course somewhere in between.

This analysis informs the choice of which set of ranges to process into a tree, i.e. assigning one to be the subject and the other to be the query. Note that if $m > n$, then the running time is $O(m)$, and the total operation of complexity $O(n*\lg(n) + m)$ is better than if m and n were exchanged. Thus, for once-off operations, it is often most efficient to choose the smaller set to become the tree (but k also affects this). This is reinforced by the realization that if mk is about the same in either direction, the running time depends only on n , which should be minimized. Even in cases where a tree has already been constructed for one of the sets, it can be more efficient to build a new tree when the existing tree of size n is much larger than the query set of size m , roughly when $n > m*\lg(n)$.

Author(s)

Michael Lawrence

References

Interval tree algorithm from: Cormen, Thomas H.; Leiserson, Charles E.; Rivest, Ronald L.; Stein, Clifford. Introduction to Algorithms, second edition, MIT Press and McGraw-Hill. ISBN 0-262-53196-8

See Also

[findOverlaps](#) for finding/counting interval overlaps between two "range-based" objects, [Ranges](#), the parent of this class, [Hits](#), set of hits between 2 vector-like objects.

Examples

```
query <- IRanges(c(1, 4, 9), c(5, 7, 10))
subject <- IRanges(c(2, 2, 10), c(2, 3, 12))
tree <- IntervalTree(subject)

findOverlaps(query, tree)

## query and subject are easily interchangeable
query <- IRanges(c(1, 4, 9), c(5, 7, 10))
subject <- IRanges(c(2, 2), c(5, 4))
tree <- IntervalTree(subject)

t(findOverlaps(query, tree))
# the same as:
findOverlaps(subject, query)
```

intra-range-methods	<i>Intra range transformations of a Ranges, Views, RangesList, MaskCollection, or XVectorList object</i>
---------------------	--

Description

Except for `threebands()`, all the transformations described in this man page are *endomorphisms* that operate on a single "range-based" object, that is, they transform the ranges contained in the input object and return them in an object of the *same class* as the input object.

Range-based endomorphisms are grouped in 2 categories:

1. Intra range transformations like `shift()` that transform each range individually (and independently of the other ranges) and return an object of the *same length* as the input object. Those transformations are described in this man page.
2. Inter range transformations like `reduce()` that transform all the ranges together as a set to produce a new set of ranges and return an object not necessarily of the same length as the input object. Those transformations are described in the [inter-range-methods](#) man page (see `?'inter-range-methods'`).

Usage

```
## shift()
shift(x, shift=0L, use.names=TRUE)

## narrow()
narrow(x, start=NA, end=NA, width=NA, use.names=TRUE)

## flank()
flank(x, width, start=TRUE, both=FALSE, use.names=TRUE, ...)

## reflect()
reflect(x, bounds, use.names=TRUE)

## resize()
resize(x, width, fix="start", use.names=TRUE, ...)

## restrict()
restrict(x, start=NA, end=NA, keep.all.ranges=FALSE, use.names=TRUE)

## threebands()
threebands(x, start=NA, end=NA, width=NA)
```

Arguments

<code>x</code>	A Ranges , Views , RangesList , MaskCollection , or XVectorList object.
<code>shift</code>	An integer vector containing the shift information. Recycled as necessary so that each element corresponds to a range in <code>x</code> . It can also be an IntegerList object if <code>x</code> is a RangesList object.
<code>use.names</code>	TRUE or FALSE. Should names be preserved?
<code>start, end</code>	<ul style="list-style-type: none"> • If <code>x</code> is a Ranges or Views object: A vector of integers for all functions except for <code>flank</code>. For <code>restrict</code>, the supplied <code>start</code> and <code>end</code> arguments must be vectors of integers, eventually with NAs, that specify the restriction interval(s). Recycled as necessary so that each element corresponds to a range in <code>x</code>. Same thing for <code>narrow</code> and <code>threebands</code>, except that here <code>start</code> and <code>end</code> must contain coordinates relative to the ranges in <code>x</code>. See the Details section below. For <code>flank</code>, <code>start</code> is a logical indicating whether <code>x</code> should be flanked at the start (TRUE) or the end (FALSE). Recycled as necessary so that each element corresponds to a range in <code>x</code>. • If <code>x</code> is a RangesList object: For <code>flank</code>, <code>start</code> must be either a logical vector or a LogicalList object indicating whether <code>x</code> should be flanked at the start (TRUE) or the end (FALSE). Recycled as necessary so that each element corresponds to a range in <code>x</code>. For <code>narrow</code>, <code>start</code> and <code>end</code> must be either an integer vector or an IntegerList object containing coordinates relative to the

	current ranges. For restrict, start and end must be either an integer vector or an IntegerList object (possibly containing NA's).
width	<ul style="list-style-type: none"> • If x is a Ranges or Views object: For narrow and threebands, a vector of integers, eventually with NAs. See the SEW (Start/End/Width) interface for the details (<code>?solveUserSEW</code>). For resize and flank, the width of the resized or flanking regions. Note that if both is TRUE, this is effectively doubled. Recycled as necessary so that each element corresponds to a range in x. • If x is a RangesList object: For flank and resize, either an integer vector or an IntegerList object containing the width of the flanking or resized regions. Recycled as necessary so that each element corresponds to a range in x. (Note for flank: if both is TRUE, this is effectively doubled.) For narrow, either an integer vector or a IntegerList object containing the widths to narrow to. See the SEW (Start/End/Width) interface for the details (<code>?solveUserSEW</code>).
both	If TRUE, extends the flanking region width positions <i>into</i> the range. The resulting range thus straddles the end point, with width positions on either side.
bounds	An IRanges object to serve as the reference bounds for the reflection, see below.
fix	<ul style="list-style-type: none"> • If x is a Ranges or Views object: A character vector or character-Rle of length 1 or length(x) containing the values "start", "end", and "center" denoting what to use as an anchor for each element in x. • If x is a RangesList object: A character vector of length 1, a CharacterList object, or a character-RleList object containing the values "start", "end", and "center" denoting what to use as an anchor for each element in x.
keep.all.ranges	TRUE or FALSE. Should ranges that don't overlap with the restriction interval(s) be kept? Note that "don't overlap" means that they end strictly before start - 1 or start strictly after end + 1. Ranges that end at start - 1 or start at end + 1 are always kept and their width is set to zero in the returned IRanges object.
...	Additional arguments for methods.

Details

Here we start by describing how each transformation operates on a [Ranges](#) object x.

shift shifts all the ranges in x by the amount specified by the shift argument.

narrow narrows the ranges in x i.e. each range in the returned [Ranges](#) object is a subrange of the corresponding range in x. The supplied start/end/width values are solved by a call to `solveUserSEW(width(x), start=start, end=end, width=width)` and therefore must be compliant with the rules of the SEW (Start/End/Width) interface (see `?solveUserSEW` for the details). Then each subrange is derived from the original range according to the solved start/end/width values for this range. Note that those solved values are interpreted relatively to the original range.

flank generates flanking ranges for each range in x. If start is TRUE for a given range, the flanking occurs at the start, otherwise the end. The widths of the flanks are given by the width parameter. The widths can be negative, in which case the flanking region is reversed so that it represents a prefix or suffix of the range in x. The flank operation is illustrated below for a call of the form `flank(x, 3, TRUE)`, where x indicates a range in x and - indicates the resulting flanking region:

```
---xxxxxxx
```

If start were FALSE:

```
XXXXXXXX---
```

For negative width, i.e. `flank(x, -3, FALSE)`, where `*` indicates the overlap between `x` and the result:

```
XXXX***
```

If both is `TRUE`, then, for all ranges in `x`, the flanking regions are extended *into* (or out of, if width is negative) the range, so that the result straddles the given endpoint and has twice the width given by width. This is illustrated below for `flank(x, 3, both=TRUE)`:

```
---***XXXX
```

`reflect` "reflects" or reverses each range in `x` relative to the corresponding range in `bounds`, which is recycled as necessary. Reflection preserves the width of a range, but shifts it such the distance from the left bound to the start of the range becomes the distance from the end of the range to the right bound. This is illustrated below, where `x` represents a range in `x` and `[` and `]` indicate the bounds:

```
[..xxx.....]
becomes
[.....xxx..]
```

`restrict` restricts the ranges in `x` to the interval(s) specified by the `start` and `end` arguments.

`resize` resizes the ranges to the specified width where either the `start`, `end`, or `center` is used as an anchor.

`threebands` extends the capability of `narrow` by returning the 3 ranges objects associated to the narrowing operation. The returned value `y` is a list of 3 ranges objects named "left", "middle" and "right". The middle component is obtained by calling `narrow` with the same arguments (except that names are dropped). The left and right components are also instances of the same class as `x` and they contain what has been removed on the left and right sides (respectively) of the original ranges during the narrowing.

Note that original object `x` can be reconstructed from the left and right bands with `punion(y$left, y$right, fill.gap=TRUE)`.

When `x` in a [RangesList](#) object, doing any of the transformation above is equivalent to applying the transformation to each [RangesList](#) top-level element separately.

Author(s)

H. Pages, M. Lawrence, P. Aboyoun

See Also

- [inter-range-methods](#) for inter range transformations.
- The [Ranges](#), [Views](#), [RangesList](#), [MaskCollection](#), and [XVectorList](#) classes.
- The [intra-range-methods](#) man page in the [GenomicRanges](#) package for methods that operate on [GenomicRanges](#) and other objects.
- [IRanges-setops](#) for set operations on [IRanges](#) objects.
- [solveUserSEW](#) for the SEW (Start/End/Width) interface.

Examples

```

## -----
## shift()
## -----

## On a Ranges object
ir1 <- successiveIRanges(c(19, 5, 0, 8, 5))
ir1
shift(ir1, shift=-3)

## On a RangesList object
range1 <- IRanges(start=c(1, 2, 3), end=c(5, 2, 8))
range2 <- IRanges(start=c(15, 45, 20, 1), end=c(15, 100, 80, 5))
range3 <- IRanges(start=c(-2, 6, 7), width=c(8, 0, 0)) # with empty ranges
collection <- IRangesList(one=range1, range2, range3)
shift(collection, shift=5)

## -----
## narrow()
## -----

## On a Ranges object
ir2 <- ir1[width(ir1) != 0]
narrow(ir2, start=4, end=-2)
narrow(ir2, start=-4, end=-2)
narrow(ir2, end=5, width=3)
narrow(ir2, start=c(3, 4, 2, 3), end=c(12, 5, 7, 4))

## On a RangesList object
narrow(collection[-3], start=2)
narrow(collection[-3], end=-2)

## On a MaskCollection object
mask1 <- Mask(mask.width=29, start=c(11, 25, 28), width=c(5, 2, 2))
mask2 <- Mask(mask.width=29, start=c(3, 10, 27), width=c(5, 8, 1))
mask3 <- Mask(mask.width=29, start=c(7, 12), width=c(2, 4))
mymasks <- append(append(mask1, mask2), mask3)
mymasks
narrow(mymasks, start=8)

## -----
## flank()
## -----

## On a Ranges object
ir3 <- IRanges(c(2,5,1), c(3,7,3))
flank(ir3, 2)
flank(ir3, 2, start=FALSE)
flank(ir3, 2, start=c(FALSE, TRUE, FALSE))
flank(ir3, c(2, -2, 2))
flank(ir3, 2, both = TRUE)
flank(ir3, 2, start=FALSE, both=TRUE)
flank(ir3, -2, start=FALSE, both=TRUE)

## On a RangesList object
flank(collection, width=10)

```

```

## -----
## reflect()
## -----

## On a Ranges object
bounds <- IRanges(c(0, 5, 3), c(10, 6, 9))
reflect(ir3, bounds)

## reflect() does not yet support RangesList objects!

## -----
## resize()
## -----

## On a Ranges object
resize(ir2, 200)
resize(ir2, 2, fix="end")

## On a RangesList object
resize(collection, width=200)

## -----
## restrict()
## -----

## On a Ranges object
restrict(ir1, start=12, end=34)
restrict(ir1, start=20)
restrict(ir1, start=21)
restrict(ir1, start=21, keep.all.ranges=TRUE)

## On a RangesList object
restrict(collection, start=2, end=8)

## -----
## threebands()
## -----

## On a Ranges object
z <- threebands(ir2, start=4, end=-2)
ir2b <- punion(z$left, z$right, fill.gap=TRUE)
stopifnot(identical(ir2, ir2b))
threebands(ir2, start=-5)

## threebands() does not support RangesList objects.

```

IRanges-class

IRanges and NormalIRanges objects

Description

The IRanges class is a simple implementation of the [Ranges](#) container where 2 integer vectors of the same length are used to store the start and width values. See the [Ranges](#) virtual class for a formal definition of [Ranges](#) objects and for their methods (all of them should work for IRanges objects).

Some subclasses of the IRanges class are: [NormalIRanges](#), [Views](#), etc...

A [NormalIRanges](#) object is just an IRanges object that is guaranteed to be "normal". See the Normality section in the man page for [Ranges](#) objects for the definition and properties of "normal" [Ranges](#) objects.

Constructor

See [?‘IRanges-constructor’](#).

Coercion

`as(from, "IRanges")`: Creates an IRanges instance from a Ranges object, logical vector, or integer vector. When from is a logical vector, the resulting IRanges object contains the indices for the runs of TRUE values. When from is an integer vector, the elements are either singletons or "increase by 1" sequences.

`as(from, "NormalIRanges")`: Creates a NormalIRanges instance from a logical or integer vector. When from is an integer vector, the elements must be strictly increasing.

Combining

`c(x, ..., ignore.mcols=FALSE)` Combining IRanges objects is straightforward when they do not have any metadata columns. If only one of the IRanges object has metadata columns, then the corresponding metadata columns are attached to the other IRanges object and set to NA. When multiple IRanges object have their own metadata columns, the user must ensure that each such `linkS4class{DataFrame}` have identical layouts to each other (same columns defined), in order for the combination to be successful, otherwise an error will be thrown. The user can call `c(x, ..., ignore.mcols=TRUE)` in order to combine IRanges objects with differing sets of metadata columns, which will result in the combined object having NO metadata columns.

Methods for NormalIRanges objects

`max(x)`: The maximum value in the finite set of integers represented by x.

`min(x)`: The minimum value in the finite set of integers represented by x.

Author(s)

H. Pages

See Also

[Ranges-class](#),

[IRanges-constructor](#), [IRanges-utils](#),

[intra-range-methods](#) for intra range transformations,

[inter-range-methods](#) for inter range transformations,

[IRanges-setops](#)

Examples

```

showClass("IRanges") # shows (some of) the known subclasses

## -----
## A. MANIPULATING IRanges OBJECTS
## -----
## All the methods defined for Ranges objects work on IRanges objects.
## See ?Ranges for some examples.
## Also see ?'IRanges-utils' and ?'IRanges-setops' for additional
## operations on IRanges objects.

## Combining IRanges objects
ir1 <- IRanges(c(1, 10, 20), width=5)
mcols(ir1) <- DataFrame(score=runif(3))
ir2 <- IRanges(c(101, 110, 120), width=10)
mcols(ir2) <- DataFrame(score=runif(3))
ir3 <- IRanges(c(1001, 1010, 1020), width=20)
mcols(ir3) <- DataFrame(value=runif(3))
some.iranges <- c(ir1, ir2)
## all.iranges <- c(ir1, ir2, ir3) ## This will raise an error
all.iranges <- c(ir1, ir2, ir3, ignore.mcols=TRUE)
stopifnot(is.null(mcols(all.iranges)))

## -----
## B. A NOTE ABOUT PERFORMANCE
## -----
## Using an IRanges object for storing a big set of ranges is more
## efficient than using a standard R data frame:
N <- 2000000L # nb of ranges
W <- 180L    # width of each range
start <- 1L
end <- 50000000L
set.seed(777)
range_starts <- sort(sample(end-W+1L, N))
range_widths <- rep.int(W, N)
## Instantiation is faster
system.time(x <- IRanges(start=range_starts, width=range_widths))
system.time(y <- data.frame(start=range_starts, width=range_widths))
## Subsetting is faster
system.time(x16 <- x[c(TRUE, rep.int(FALSE, 15))])
system.time(y16 <- y[c(TRUE, rep.int(FALSE, 15)), ])
## Internal representation is more compact
object.size(x16)
object.size(y16)

```

IRanges-constructor

The IRanges constructor and supporting functions

Description

The `IRanges` function is a constructor that can be used to create `IRanges` instances.

`solveUserSEW0` and `solveUserSEW` are utility functions that solve a set of user-supplied start/end/width values.

Usage

```
## IRanges constructor:
IRanges(start=NULL, end=NULL, width=NULL, names=NULL)

## Supporting functions (not for the end user):
solveUserSEW0(start=NULL, end=NULL, width=NULL)
solveUserSEW(refwidths, start=NA, end=NA, width=NA,
             rep.refwidths=FALSE,
             translate.negative.coord=TRUE,
             allow.nonnarrowing=FALSE)
```

Arguments

start, end, width	For IRanges and solveUserSEW0: NULL, or vector of integers (eventually with NAs). For solveUserSEW: vector of integers (eventually with NAs).
names	A character vector or NULL.
refwidths	Vector of non-NA non-negative integers containing the reference widths.
rep.refwidths	TRUE or FALSE. Use of rep.refwidths=TRUE is supported only when refwidths is of length 1.
translate.negative.coord, allow.nonnarrowing	TRUE or FALSE.

IRanges constructor

Return the IRanges object containing the ranges specified by start, end and width. Input falls into one of two categories:

Category 1 start, end and width are numeric vectors (or NULLs). If necessary they are recycled to the length of the longest (NULL arguments are filled with NAs). After this recycling, each row in the 3-column matrix obtained by binding those 3 vectors together is "solved" i.e. NAs are treated as unknown in the equation $end = start + width - 1$. Finally, the solved matrix is returned as an [IRanges](#) instance.

Category 2 The start argument is a logical vector or logical Rle object and IRanges(start) produces the same result as as(start, "IRanges"). Note that, in that case, the returned IRanges instance is guaranteed to be normal.

Note that the names argument is never recycled (to remain consistent with what 'names<->' does on standard vectors).

Supporting functions

```
solveUserSEW0(start=NULL, end=NULL, width=NULL):
```

```
solveUserSEW(refwidths, start=NA, end=NA, width=NA,
             rep.refwidths=FALSE,
             translate.negative.coord=TRUE,
             allow.nonnarrowing=FALSE)
```

Use of rep.refwidths=TRUE is supported only when refwidths is of length 1. If rep.refwidths=FALSE (the default) then start, end and width are recycled to the length of refwidths (it's an error if one of them is longer than refwidths, or is of zero length while refwidths is not). If rep.refwidths=TRUE then refwidths is first replicated L times where L is the length of the longest of start, end and width. After this replication, start, end and width are recycled to the new length of refwidths (L) (it's an error if one of them is of zero length while L is != 0).

From now, `refwidths`, `start`, `end` and `width` are integer vectors of equal lengths. Each row in the 3-column matrix obtained by binding those 3 vectors together must contain at least one NA (otherwise an error is returned). Then each row is "solved" i.e. the 2 following transformations are performed (*i* is the indice of the row): (1) if `translate.negative.coord` is TRUE then a negative value of `start[i]` or `end[i]` is considered to be a `-refwidths[i]`-based coordinate so `refwidths[i]+1` is added to it to make it 1-based; (2) the NAs in the row are treated as unknowns which values are deduced from the known values in the row and from `refwidths[i]`.

The exact rules for (2) are the following. Rule (2a): if the row contains at least 2 NAs, then `width[i]` must be one of them (otherwise an error is returned), and if `start[i]` is one of them it is replaced by 1, and if `end[i]` is one of them it is replaced by `refwidths[i]`, and finally `width[i]` is replaced by `end[i] - start[i] + 1`. Rule (2b): if the row contains only 1 NA, then it is replaced by the solution of the `width[i] == end[i] - start[i] + 1` equation.

Finally, the set of solved rows is returned as an [IRanges](#) object of the same length as `refwidths` (after replication if `rep.refwidths=TRUE`).

Note that an error is raised if either (1) the set of user-supplied `start/end/width` values is invalid or (2) `allow.nonnarrowing` is FALSE and the ranges represented by the solved `start/end/width` values are not narrowing the ranges represented by the user-supplied `start/end/width` values.

Author(s)

H. Pages

See Also

[IRanges-class](#), [narrow](#)

Examples

```
## -----
## A. USING THE IRanges() CONSTRUCTOR
## -----
IRanges(start=11, end=rep.int(20, 5))
IRanges(start=11, width=rep.int(20, 5))
IRanges(-2, 20) # only one range
IRanges(start=c(2, 0, NA), end=c(NA, NA, 14), width=11:0)
IRanges() # IRanges instance of length zero
IRanges(names=character())

## With logical input:
x <- IRanges(c(FALSE, TRUE, TRUE, FALSE, TRUE)) # logical vector input
isNormal(x) # TRUE
x <- IRanges(Rle(1:30) %% 5 <= 2) # logical Rle input
isNormal(x) # TRUE

## -----
## B. USING solveUserSEW()
## -----
refwidths <- c(5:3, 6:7)
refwidths

solveUserSEW(refwidths)
solveUserSEW(refwidths, start=4)
solveUserSEW(refwidths, end=3, width=2)
solveUserSEW(refwidths, start=-3)
```

```

solveUserSEW(refwidths, start=-3, width=2)
solveUserSEW(refwidths, end=-4)

## The start/end/width arguments are recycled:
solveUserSEW(refwidths, start=c(3, -4, NA), end=c(-2, NA))

## Using 'rep.refwidths=TRUE':
solveUserSEW(10, start=-(1:6), rep.refwidths=TRUE)
solveUserSEW(10, end=-(1:6), width=3, rep.refwidths=TRUE)

```

IRanges-setops

*Set operations on IRanges objects***Description**

Performs set operations on [IRanges](#) objects.

Usage

```

## Vector-wise operations:
## S4 method for signature 'IRanges,IRanges'
union(x, y,...)
## S4 method for signature 'IRanges,IRanges'
intersect(x, y,...)
## S4 method for signature 'IRanges,IRanges'
setdiff(x, y,...)

## Element-wise (aka "parallel") operations:
## S4 method for signature 'IRanges,IRanges'
punion(x, y, fill.gap=FALSE, ...)
## S4 method for signature 'IRanges,IRanges'
pintersect(x, y, resolve.empty=c("none", "max.start", "start.x"), ...)
## S4 method for signature 'IRanges,IRanges'
psetdiff(x, y, ...)
## S4 method for signature 'IRanges,IRanges'
pgap(x, y, ...)

```

Arguments

x, y	IRanges objects.
fill.gap	Logical indicating whether or not to force a union by using the rule $\text{start} = \min(\text{start}(x), \text{start}(y))$, e
resolve.empty	One of "none", "max.start", or "start.x" denoting how to handle ambiguous empty ranges formed by intersections. "none" - throw an error if an ambiguous empty range is formed, "max.start" - associate the maximum start value with any ambiguous empty range, and "start.x" - associate the start value of x with any ambiguous empty range. (See Details section below for the definition of an ambiguous range.)
...	Further arguments to be passed to or from other methods.

Details

The union, intersect and setdiff methods for [IRanges](#) objects return a "normal" [IRanges](#) object (of the same class as x) representing the union, intersection and (asymmetric!) difference of the sets of integers represented by x and y.

punion, pintersect, psetdiff and pgap are generic functions that compute the element-wise (aka "parallel") union, intersection, (asymmetric!) difference and gap between each element in x and its corresponding element in y. Methods for [IRanges](#) objects are defined. For these methods, x and y must have the same length (i.e. same number of ranges) and they return an [IRanges](#) instance of the same length as x and y where each range represents the union/intersection/difference/gap of/between the corresponding ranges in x and y.

By default, pintersect will throw an error when an "ambiguous empty range" is formed. An ambiguous empty range can occur three different ways: 1) when corresponding non-empty range elements x and y have an empty intersection, 2) if the position of an empty range element does not fall within the corresponding limits of a non-empty range element, or 3) if two corresponding empty range elements do not have the same position. For example if empty range element [22,21] is intersected with non-empty range element [1,10], an error will be produced; but if it is intersected with the range [22,28], it will produce [22,21]. As mentioned in the Arguments section above, this behavior can be changed using the resolve.empty argument.

Author(s)

H. Pages and M. Lawrence

See Also

pintersect is similar to [narrow](#), except the end points are absolute, not relative. pintersect is also similar to [restrict](#), except ranges outside of the restriction become empty and are not discarded.

[union](#),

[Ranges-class](#),

[intra-range-methods](#) for intra range transformations,

[inter-range-methods](#) for inter range transformations,

[IRanges-class](#), [IRanges-utils](#)

Examples

```
x <- IRanges(c(1, 5, -2, 0, 14), c(10, 9, 3, 11, 17))
y <- Views(as(4:-17, "XInteger"), start=c(14, 0, -5, 6, 18), end=c(20, 2, 2, 8, 20))

## Vector-wise operations:
union(x, ranges(y))
union(ranges(y), x)

intersect(x, ranges(y))
intersect(ranges(y), x)

setdiff(x, ranges(y))
setdiff(ranges(y), x)

## Element-wise (aka "parallel") operations:
try(punion(x, ranges(y)))
punion(x[3:5], ranges(y)[3:5])
punion(x, ranges(y), fill.gap=TRUE)
```



```

try(pintersect(x, ranges(y)))
pintersect(x[3:4], ranges(y)[3:4])
pintersect(x, ranges(y), resolve.empty="max.start")
psetdiff(ranges(y), x)
try(psetdiff(x, ranges(y)))
start(x)[4] <- -99
end(y)[4] <- 99
psetdiff(x, ranges(y))
pgap(x, ranges(y))

```

IRanges-utils

IRanges utility functions

Description

Utility functions for creating or modifying [IRanges](#) objects.

Usage

```

## Create an IRanges instance:
successiveIRanges(width, gapwidth=0, from=1)
breakInChunks(totalsize, chunksize)

## Turn a logical vector into a set of ranges:
whichAsIRanges(x)

## Coercion:
asNormalIRanges(x, force=TRUE)

```

Arguments

width	A vector of non-negative integers (with no NAs) specifying the widths of the ranges to create.
gapwidth	A single integer or an integer vector with one less element than the width vector specifying the widths of the gaps separating one range from the next one.
from	A single integer specifying the starting position of the first range.
totalsize	A single integer. The total size of the object to break.
chunksize	A single integer. The size of the chunks (last chunk might be smaller).
x	A logical vector for whichAsIRanges. An IRanges object for asNormalIRanges.
force	TRUE or FALSE. Should x be turned into a NormalIRanges object even if isNormal(x) is FALSE?

Details

successiveIRanges returns an [IRanges](#) instance containing the ranges that have the widths specified in the width vector and are separated by the gaps specified in gapwidth. The first range starts at position from. When gapwidth=0 and from=1 (the defaults), the returned [IRanges](#) can be seen as a partitioning of the 1:sum(width) interval. See [?Partitioning](#) for more details on this.

whichAsIRanges returns an [IRanges](#) instance containing all of the ranges where x is TRUE.

If `force=TRUE` (the default), then `asNormalIRanges` will turn `x` into a `NormalIRanges` instance by reordering and reducing the set of ranges if necessary (i.e. only if `isNormal(x)` is `FALSE`, otherwise the set of ranges will be untouched). If `force=FALSE`, then `asNormalIRanges` will turn `x` into a `NormalIRanges` instance only if `isNormal(x)` is `TRUE`, otherwise it will raise an error. Note that when `force=FALSE`, the returned object is guaranteed to contain exactly the same set of ranges than `x`. `as(x, "NormalIRanges")` is equivalent to `asNormalIRanges(x, force=TRUE)`.

Author(s)

H. Pages

See Also

[Ranges-class](#), [IRanges-class](#),
[intra-range-methods](#) for intra range transformations,
[inter-range-methods](#) for inter range transformations,
[IRanges-setops](#), [solveUserSEW](#), [successiveViews](#)

Examples

```
vec <- as.integer(c(19, 5, 0, 8, 5))

successiveIRanges(vec)

breakInChunks(600999, 50000) # 13 chunks of size 50000 (last chunk is
                             # smaller).

whichAsIRanges(vec >= 5)

x <- IRanges(start=c(-2L, 6L, 9L, -4L, 1L, 0L, -6L, 10L),
             width=c( 5L, 0L, 6L,  1L, 4L, 3L,  2L,  3L))
asNormalIRanges(x) # 3 non-empty ranges ordered from left to right and
                  # separated by gaps of width >= 1.

## More on normality:
example('IRanges-class')
isNormal(x16)           # FALSE
if (interactive())
  x16 <- asNormalIRanges(x16) # Error!
whichFirstNotNormal(x16) # 57
isNormal(x16[1:56])     # TRUE
xx <- asNormalIRanges(x16[1:56])
class(xx)
max(xx)
min(xx)
```

IRangesList-class

List of IRanges and NormalIRanges

Description

`IRangesList` and `NormalIRangesList` objects for storing `IRanges` and `NormalIRanges` objects respectively.

Constructor

IRangesList(..., universe = NULL, compress = TRUE): The ... argument accepts either a comma-separated list of IRanges objects, or a single LogicalList / logical RleList object, or 2 elements named start and end each of them being either a list of integer vectors or an IntegerList object. When IRanges objects are supplied, each of them becomes an element in the new IRangesList, in the same order, which is analogous to the [list](#) constructor. If compress, the internal storage of the data is compressed.

Coercion

unlist(x): Unlists x, an IRangesList, by concatenating all of the ranges into a single IRanges instance. If the length of x is zero, an empty IRanges is returned.

Methods for NormalIRangesList objects

max(x): An integer vector containing the maximum values of each of the elements of x.

min(x): An integer vector containing the minimum values of each of the elements of x.

Author(s)

Michael Lawrence

See Also

[RangesList](#), the parent of this class, for more functionality.

Examples

```
range1 <- IRanges(start=c(1,2,3), end=c(5,2,8))
range2 <- IRanges(start=c(15,45,20,1), end=c(15,100,80,5))
named <- IRangesList(one = range1, two = range2)
length(named) # 2
names(named) # "one" and "two"
named[[1]] # range1
unnamed <- IRangesList(range1, range2)
names(unnamed) # NULL

x <- IRangesList(start=list(c(1,2,3), c(15,45,20,1)),
                 end=list(c(5,2,8), c(15,100,80,5)))
as.list(x)
```

isConstant

Test if an atomic vector or array is constant

Description

Generic function to test if an atomic vector or array is constant or not. Currently only methods for vectors or arrays of type integer or double are implemented.

Usage

```
isConstant(x)
```

Arguments

x An atomic vector or array.

Details

Vectors of length 0 or 1 are always considered to be constant.

Value

A single logical i.e. TRUE, FALSE or NA.

Author(s)

H. Pages

See Also

[duplicated](#), [unique](#), [all.equal](#), [NA](#), [is.finite](#)

Examples

```
## -----
## A. METHOD FOR integer VECTORS
## -----

## On a vector with no NAs:
stopifnot(isConstant(rep(-29L, 10000)))

## On a vector with NAs:
stopifnot(!isConstant(c(0L, NA, -29L)))
stopifnot(is.na(isConstant(c(-29L, -29L, NA))))

## On a vector of length <= 1:
stopifnot(isConstant(NA_integer_))

## -----
## B. METHOD FOR numeric VECTORS
## -----
## This method does its best to handle rounding errors and special
## values NA, NaN, Inf and -Inf in a way that "makes sense".
## Below we only illustrate handling of rounding errors.

## Here values in 'x' are "conceptually" the same:
x <- c(11/3,
      2/3 + 4/3 + 5/3,
      50 + 11/3 - 50,
      7.00001 - 1000003/300000)
## However, due to machine rounding errors, they are not *strictly*
## equal:
duplicated(x)
unique(x)
## only *nearly* equal:
all.equal(x, rep(11/3, 4)) # TRUE

## 'isConstant(x)' uses 'all.equal()' internally to decide whether
```

```

## the values in 'x' are all the same or not:
stopifnot(isConstant(x))

## This is not perfect though:
isConstant((x - 11/3) * 1e8) # FALSE on Intel Pentium paltforms
# (but this is highly machine dependent!)

```

List-class

List objects

Description

List objects are [Vector](#) objects with a "[[" method, `elementType` and `elementLengths` method. The List class serves a similar role as `list` in base R.

It adds one slot, the `elementType` slot, to the two slots shared by all [Vector](#) objects.

The `elementType` slot is the preferred location for List subclasses to store the type of data represented in the sequence. It is designed to take a character of length 1 representing the class of the sequence elements. While the List class performs no validity checking based on `elementType`, if a subclass expects elements to be of a given type, that subclass is expected to perform the necessary validity checking. For example, the subclass [IntegerList](#) has `elementType = "integer"` and its validity method checks if this condition is TRUE.

To be functional, a class that inherits from List must define at least a "[[" method (in addition to the minimum set of [Vector](#) methods).

Construction

List objects are typically constructed by calling the constructor of a concrete implementation, such as [RangesList](#) or [IntegerList](#). A general and convenient way to convert any vector-like object into a List is to call `as(x, "List")`. This will typically yield an object from a subclass of [CompressedList](#).

Accessors

In the following code snippets, `x` is a List object.

`elementType(x)`: Get the scalar string naming the class from which all elements must derive.

`elementLengths(x)`: Get the length (or nb of row for a matrix-like object) of each of the elements. Equivalent to `sapply(x, NROW)`.

`isEmpty(x)`: Returns a logical indicating either if the sequence has no elements or if all its elements are empty.

Element extraction (list style)

In the code snippets below, `x` is a List object.

`x[[i]]`: If defined, return the selected element `i`, where `i` is an numeric or character vector of length 1.

`x$name`: Similar to `x[[name]]`, but `name` is taken literally as an element name.

Looping

In the code snippets below, `x` is a List object.

`lapply(X, FUN, ...)`: Like the standard `lapply` function defined in the base package, the `lapply` method for List objects returns a list of the same length as `X`, with each element being the result of applying `FUN` to the corresponding element of `X`.

`sapply(X, FUN, ..., simplify = TRUE, USE.NAMES = TRUE)`: Like the standard `sapply` function defined in the base package, the `sapply` method for List objects is a user-friendly version of `lapply` by default returning a vector or matrix if appropriate.

`mapply(FUN, ..., MoreArgs = NULL, SIMPLIFY = TRUE, USE.NAMES = TRUE)`: Like the standard `mapply` function defined in the base package, the `mapply` method for List objects is a multivariate version of `sapply`.

`endoapply(X, FUN, ...)`: Similar to `lapply`, but performs an endomorphism, i.e. returns an object of class(`X`).

`mendoapply(FUN, ..., MoreArgs = NULL)`: Similar to `mapply`, but performs an endomorphism across multiple objects, i.e. returns an object of class(`list(...)[[1]]`).

`revElements(x, i)`: A convenient way to do `x[[i]] <- endoapply(x[[i], rev)`. There is a fast method for `CompressedList` objects, otherwise expect it to be rather slow.

Coercion

In the code snippets below, `x` is a List object.

`as.env(x, enclos = parent.frame())`: Creates an environment from `x` with a symbol for each `names(x)`. The values are not actually copied into the environment. Rather, they are dynamically bound using `makeActiveBinding`. This prevents unnecessary copying of the data from the external vectors into R vectors. The values are cached, so that the data is not copied every time the symbol is accessed.

`as.list(x, ...)`, `as(from, "list")`: Turns `x` into a standard list.

`unlist(x, recursive = TRUE, use.names = TRUE)`: Concatenates the elements of `x` into a single `elementType(x)` object.

`relist(flesh, skeleton)`: Convert `flesh` to a list with the same structure (element lengths) as `skeleton`, a List object. This makes sense when `flesh[i]` corresponds somehow to `unlist(skeleton)[i]`.

`unsplit(value, f, drop = FALSE)`: Unlists `value`, where the order of the returned vector is as if `value` were originally created by splitting that vector on the factor `f`.

`stack(x, index.var = "name", value.var = "value")`: As with `stack` on a list, constructs a `DataFrame` with two columns: one for the unlisted values, the other indicating the name of the element from which each value was obtained. `index.var` specifies the column name for the index (source name) column and `value.var` specifies the column name for the values.

Evaluating

In the code snippets below, `envir` and `data` are List objects.

`eval(expr, envir, enclos = parent.frame())`: Converts the List object specified in `envir` to an environment using `as.env`, with `enclos` as its parent, and then evaluates `expr` within that environment.

`with(data, expr, ...)`: Equivalent to `eval(quote(expr), data, ...)`.

`within(data, expr, ...)`: Similar to `with`, except assignments made during evaluation are taken as assignments into `data`, i.e., new symbols have their value appended to `data`, and assigning new values to existing symbols results in replacement.

Author(s)

P. Aboyoun and H. Pages

See Also

- [Vector](#) for the parent class.
- The [SimpleList](#) and [CompressedList](#) classes for direct extensions of the [List](#) class.
- The [IRanges](#) class and constructor for an example of a concrete [List](#) subclass.
- [funprog-methods](#) for using functional programming methods on List objects.

Examples

```
showClass("List") # shows (some of) the known subclasses
```

MaskCollection-class *MaskCollection objects*

Description

The MaskCollection class is a container for storing a collection of masks that can be used to mask regions in a sequence.

Details

In the context of the Biostrings package, a mask is a set of regions in a sequence that need to be excluded from some computation. For example, when calling [alphabetFrequency](#) or [matchPattern](#) on a chromosome sequence, you might want to exclude some regions like the centromere or the repeat regions. This can be achieved by putting one or several masks on the sequence before calling [alphabetFrequency](#) on it.

A MaskCollection object is a vector-like object that represents such set of masks. Like standard R vectors, it has a "length" which is the number of masks contained in it. But unlike standard R vectors, it also has a "width" which determines the length of the sequences it can be "put on". For example, a MaskCollection object of width 20000 can only be put on an [XString](#) object of 20000 letters.

Each mask in a MaskCollection object *x* is just a finite set of integers that are ≥ 1 and $\leq \text{width}(x)$. When "put on" a sequence, these integers indicate the positions of the letters to mask. Internally, each mask is represented by a [NormalIRanges](#) object.

Basic accessor methods

In the code snippets below, *x* is a MaskCollection object.

`length(x)`: The number of masks in *x*.

`width(x)`: The common width of all the masks in *x*. This determines the length of the sequences that *x* can be "put on".

`active(x)`: A logical vector of the same length as *x* where each element indicates whether the corresponding mask is active or not.

`names(x)`: NULL or a character vector of the same length as *x*.

`desc(x)`: NULL or a character vector of the same length as *x*.

`nir_list(x)`: A list of the same length as *x*, where each element is a [NormalIRanges](#) object representing a mask in *x*.

Constructor

Mask(mask.width, start=NULL, end=NULL, width=NULL): Return a single mask (i.e. a MaskCollection object of length 1) of width mask.width (a single integer ≥ 1) and masking the ranges of positions specified by start, end and width. See the [IRanges](#) constructor (?IRanges) for how start, end and width can be specified. Note that the returned mask is active and unnamed.

Other methods

In the code snippets below, x is a MaskCollection object.

isEmpty(x): Return a logical vector of the same length as x, indicating, for each mask in x, whether it's empty or not.

max(x): The greatest (or last, or rightmost) masked position for each mask. This is a numeric vector of the same length as x.

min(x): The smallest (or first, or leftmost) masked position for each mask. This is a numeric vector of the same length as x.

maskedwidth(x): The number of masked position for each mask. This is an integer vector of the same length as x where all values are ≥ 0 and $\leq \text{width}(x)$.

maskedratio(x): $\text{maskedwidth}(x) / \text{width}(x)$

Subsetting and appending

In the code snippets below, x and values are MaskCollection objects.

x[i]: Return a new MaskCollection object made of the selected masks. Subscript i can be a numeric, logical or character vector.

x[[i, exact=TRUE]]: Extract the mask selected by i as a [NormalIRanges](#) object. Subscript i can be a single integer or a character string.

append(x, values, after=length(x)): Add masks in values to x.

Other methods

In the code snippets below, x is a MaskCollection object.

collapse(x): Return a MaskCollection object of length 1 obtained by collapsing all the active masks in x.

Author(s)

H. Pages

See Also

[NormalIRanges-class](#), [read.Mask](#), [MaskedXString-class](#), [reverse](#), [alphabetFrequency](#), [matchPattern](#)

Examples

```

## Making a MaskCollection object:
mask1 <- Mask(mask.width=29, start=c(11, 25, 28), width=c(5, 2, 2))
mask2 <- Mask(mask.width=29, start=c(3, 10, 27), width=c(5, 8, 1))
mask3 <- Mask(mask.width=29, start=c(7, 12), width=c(2, 4))
mymasks <- append(append(mask1, mask2), mask3)
mymasks
length(mymasks)
width(mymasks)
collapse(mymasks)

## Names and descriptions:
names(mymasks) <- c("A", "B", "C") # names should be short and unique...
mymasks
mymasks[c("C", "A")] # ...to make subsetting by names easier
desc(mymasks) <- c("you can be", "more verbose", "here")
mymasks[-2]

## Activate/deactivate masks:
active(mymasks)["B"] <- FALSE
mymasks
collapse(mymasks)
active(mymasks) <- FALSE # deactivate all masks
mymasks
active(mymasks)[-1] <- TRUE # reactivate all masks except mask 1
active(mymasks) <- !active(mymasks) # toggle all masks

## Other advanced operations:
mymasks[[2]]
length(mymasks[[2]])
mymasks[[2]][-3]
append(mymasks[-2], gaps(mymasks[2]))

```

multisplit

Split elements belonging to multiple groups

Description

This is like [split](#), except elements can belong to multiple groups, in which case they are repeated to appear in multiple elements of the return value.

Usage

```
multisplit(x, f)
```

Arguments

x	The object to split, like a vector.
f	A list-like object of vectors, the same length as x, where each element indicates the groups to which each element of x belongs.

Value

A list-like object, with an element for each unique value in the unlisted `f`, containing the elements in `x` where the corresponding element in `f` contained that value. Just try it.

Author(s)

Michael Lawrence

Examples

```
multisplit(1:3, list(letters[1:2], letters[2:3], letters[2:4]))
```

nearest-methods

Finding the nearest range neighbor

Description

The nearest, precede and follow methods find nearest neighbors between [Ranges](#) instances.

Usage

```
nearest(x, subject, ...)
## S4 method for signature 'Ranges,RangesORmissing'
nearest(x, subject,
select = c("arbitrary", "all"))
precede(x, subject = x, ...)
## S4 method for signature 'Ranges,RangesORmissing'
precede(x, subject,
select = c("first", "all"))
follow(x, subject = x, ...)
## S4 method for signature 'Ranges,RangesORmissing'
follow(x, subject,
select = c("last", "all"))
distanceToNearest(x, subject = x, ...)
## S4 method for signature 'Ranges,RangesORmissing'
distanceToNearest(x, subject,
select = c("arbitrary", "all"))
```

Arguments

<code>x</code>	The query Ranges instance.
<code>subject</code>	The subject Ranges instance, within which the nearest neighbors are found. Can be missing, in which case the query, <code>x</code> , is also the subject.
<code>select</code>	Logic for handling ties. By default, all of the methods here will select a single interval (arbitrary for nearest, the first by order in subject for precede, and the last for follow). To get all matchings, as a Hits object, use "all".
<code>...</code>	Additional arguments for methods

Details

nearest is the conventional nearest neighbor finder and returns an integer vector containing the index of the nearest neighbor range in subject for each range in x. If there is no nearest neighbor (if subject is empty), NA's are returned.

The algorithm is roughly as follows, for a range xi in x:

1. Find the ranges in subject that overlap xi. If a single range si in subject overlaps xi, si is returned as the nearest neighbor of xi. If there are multiple overlaps, one of the overlapping ranges is chosen arbitrarily.
2. If no ranges in subject overlap with xi, then the range in subject with the shortest distance from its end to the start xi or its start to the end of xi is returned.

For each range in x, precede returns the index of the interval in subject that is directly preceded by the query range. Note that any overlapping ranges are excluded. NA is returned when there are no qualifying ranges in subject.

follow is the opposite of precede: it returns the index of the range in subject that a query range in x directly follows.

distanceToNearest returns the distance for each range in x to its nearest neighbor in subject.

Value

For nearest, precede and follow, an integer vector of indices in subject, or a [Hits](#) if select is "all".

For distanceToNearest, a DataFrame with a column for the query index, subject index and distance between the pair. This may become more formal in the future.

Author(s)

M. Lawrence

See Also

[findOverlaps](#) for finding just the overlapping ranges.

The [nearest-methods](#) man page in the GenomicRanges package for methods that operate on [GenomicRanges](#) and other objects.

Examples

```
query <- IRanges(c(1, 3, 9), c(2, 7, 10))
subject <- IRanges(c(3, 5, 12), c(3, 6, 12))

nearest(query, subject) # c(1L, 1L, 3L)
nearest(query) # c(2L, 1L, 2L)

query <- IRanges(c(1, 3, 9), c(3, 7, 10))
subject <- IRanges(c(3, 2, 10), c(3, 13, 12))

precede(query, subject) # c(3L, 3L, NA)
precede(IRanges(), subject) # integer()
precede(query, IRanges()) # rep(NA _integer_, 3)
precede(query) # c(3L, 3L, NA)

follow(query, subject) # c(NA, NA, 1L)
follow(IRanges(), subject) # integer()
```

```
follow(query, IRanges()) # rep(NA_integer_, 3)
follow(query) # c(NA, NA, 2L)
```

OverlapEncodings-class *OverlapEncodings objects*

Description

The `OverlapEncodings` class is a container for storing the "overlap encodings" returned by the `encodeOverlaps` function.

Usage

```
## OverlapEncodings accessors:

## S4 method for signature 'OverlapEncodings'
length(x)
## S4 method for signature 'OverlapEncodings'
Loffset(x)
## S4 method for signature 'OverlapEncodings'
Roffset(x)
## S4 method for signature 'OverlapEncodings'
encoding(x)
## S4 method for signature 'OverlapEncodings'
levels(x)
## S4 method for signature 'OverlapEncodings'
flippedQuery(x)

## S4 method for signature 'OverlapEncodings'
Lencoding(x)
## S4 method for signature 'OverlapEncodings'
Rencoding(x)

## S4 method for signature 'OverlapEncodings'
ngap(x)
## S4 method for signature 'OverlapEncodings'
Lngap(x)
## S4 method for signature 'OverlapEncodings'
Rngap(x)

## Coercing an OverlapEncodings object:

## S4 method for signature 'OverlapEncodings'
as.data.frame(x, row.names=NULL, optional=FALSE, ...)

## Low-level related utilities:

## S4 method for signature 'character'
Lencoding(x)
## S4 method for signature 'character'
Rencoding(x)
```

```

## S4 method for signature 'character'
ngap(x)
## S4 method for signature 'character'
Lngap(x)
## S4 method for signature 'character'
Rngap(x)

## S4 method for signature 'factor'
Lencoding(x)
## S4 method for signature 'factor'
Rencoding(x)
## S4 method for signature 'factor'
ngap(x)
## S4 method for signature 'factor'
Lngap(x)
## S4 method for signature 'factor'
Rngap(x)

```

Arguments

x	An OverlapEncodings object. For the low-level utilities, x can also be a character vector or factor containing encodings.
row.names	NULL or a character vector.
optional, ...	Ignored.

Details

Given a query and a subject of the same length, both list-like objects with top-level elements typically containing multiple ranges (e.g. [RangesList](#) objects), the "overlap encoding" of the *i*-th element in query and *i*-th element in subject is a character string describing how the ranges in query[[*i*]] are *qualitatively* positioned relatively to the ranges in subject[[*i*]].

The [encodeOverlaps](#) function computes those overlap encodings and returns them in an OverlapEncodings object of the same length as query and subject.

The topic of working with overlap encodings is covered in details in the "Overlap encodings" vignette in the GenomicRanges package.

OverlapEncodings accessors

In the following code snippets, x is an OverlapEncodings object typically obtained by a call to [encodeOverlaps](#)(query, subject).

`length(x)`: Get the number of elements (i.e. encodings) in x. This is equal to `length(query)` and `length(subject)`.

`Loffset(x)`, `Roffset(x)`: Get the "left offsets" and "right offsets" of the encodings, respectively. Both are integer vectors of the same length as x.

Let's denote $Q_i = \text{query}[[i]]$, $S_i = \text{subject}[[i]]$, and $[q_1, q_2]$ the range covered by Q_i i.e. $q_1 = \min(\text{start}(Q_i))$ and $q_2 = \max(\text{end}(Q_i))$, then `Loffset(x)[i]` is the number L of ranges at the *head* of S_i that are strictly to the left of all the ranges in Q_i i.e. L is the greatest value such that $\text{end}(S_i)[k] < q_1 - 1$ for all k in `seq_len(L)`. Similarly, `Roffset(x)[i]` is the number R of ranges at the *tail* of S_i that are strictly to the right of all the ranges in Q_i i.e. R is the greatest value such that $\text{start}(S_i)[\text{length}(S_i) + 1 - k] > q_2 + 1$ for all k in `seq_len(L)`.

encoding(x): Factor of the same length as x where the i-th element is the encoding obtained by comparing each range in Qi with all the ranges in tSi = Si[(1+L):(length(Si)-R)] (tSi stands for "trimmed Si"). More precisely, here is how this encoding is obtained:

1. All the ranges in Qi are compared with tSi[1], then with tSi[2], etc... At each step (one step per range in tSi), comparing all the ranges in Qi with tSi[k] is done with rangeComparisonCodeToLetter(compare(Qi, tSi[k])). So at each step, we end up with a vector of M single letters (where M is length(Qi)).
2. Each vector obtained previously (1 vector per range in tSi, all of them of length M) is turned into a single string (called "encoding block") by pasting its individual letters together.
3. All the encoding blocks (1 per range in tSi) are pasted together into a single long string and separated by colons (":"). An additional colon is prepended to the long string and another one appended to it.
4. Finally, a special block containing the value of M is prepended to the long string. The final string is the encoding.

levels(x): Equivalent to levels(encoding(x)).

flippedQuery(x): Whether or not the top-level element in query used for computing the encoding was "flipped" before the encoding was computed. Note that this flipping generally affects the "left offset", "right offset", in addition to the encoding itself.

Lencoding(x), Rencoding(x): Extract the "left encodings" and "right encodings" of paired-end encodings.

Paired-end encodings are obtained by encoding paired-end overlaps i.e. overlaps between paired-end reads and transcripts (typically). The difference between a single-end encoding and a paired-end encoding is that all the blocks in the latter contain a "--" separator to mark the separation between the "left encoding" and the "right encoding".

See the "Overlap encodings" vignette in the GenomicRanges package for examples of paired-end encodings.

ngap(x), Lngap(x), Rngap(x): Extract the number of gaps in each encoding by looking at their first block (aka special block). If an element xi in x is a paired-end encoding, then Lngap(xi), Rngap(xi), and ngap(xi), return ngap(Lencoding(xi)), ngap(Rencoding(xi)), and Lngap(xi) + Rngap(xi), respectively.

Coercing an OverlapEncodings object

In the following code snippets, x is an OverlapEncodings object.

as.data.frame(x): Return x as a data frame with columns "Loffset", "Roffset" and "encoding".

Author(s)

H. Pages

See Also

- The "Overlap encodings" vignette in the GenomicRanges package.
- [encodeOverlaps](#).
- [compare](#) for the interpretation of the string returned by encoding.
- The [RangesList](#) class.

Examples

```

example(encodeOverlaps) # to make 'ovenc'

length(ovenc)
Loffset(ovenc)
Roffset(ovenc)
encoding(ovenc)
levels(ovenc)
nlevels(ovenc)
flippedQuery(ovenc)
ngap(ovenc)

as.data.frame(ovenc)
ngap(levels(ovenc))

```

RangedData-class

Data on ranges

Description

RangedData supports storing data, i.e. a set of variables, on a set of ranges spanning multiple spaces (e.g. chromosomes). Although the data is split across spaces, it can still be treated as one cohesive dataset when desired and extends [DataTable](#). In order to handle large datasets, the data values are stored externally to avoid copying, and the [rdapply](#) function facilitates the processing of each space separately (divide and conquer).

Details

A RangedData object consists of two primary components: a [RangesList](#) holding the ranges over multiple spaces and a parallel [SplitDataFrameList](#), holding the split data. There is also an universe slot for denoting the source (e.g. the genome) of the ranges and/or data.

There are two different modes of interacting with a RangedData. The first mode treats the object as a contiguous "data frame" annotated with range information. The accessors start, end, and width get the corresponding fields in the ranges as atomic integer vectors, undoing the division over the spaces. The `[[` and matrix-style `[]`, extraction and subsetting functions unroll the data in the same way. `[[<-` does the inverse. The number of rows is defined as the total number of ranges and the number of columns is the number of variables in the data. It is often convenient and natural to treat the data this way, at least when the data is small and there is no need to distinguish the ranges by their space.

The other mode is to treat the RangedData as a list, with an element (a virtual [Ranges/DataFrame](#) pair) for each space. The length of the object is defined as the number of spaces and the value returned by the names accessor gives the names of the spaces. The list-style `[]` subset function behaves analogously. The [rdapply](#) function provides a convenient and formal means of applying an operation over the spaces separately. This mode is helpful when ranges from different spaces must be treated separately or when the data is too large to process over all spaces at once.

Accessor methods

In the code snippets below, `x` is a RangedData object.

The following accessors treat the data as a contiguous dataset, ignoring the division into spaces:

Array accessors:

- nrow(x): The number of ranges in x.
- ncol(x): The number of data variables in x.
- dim(x): An integer vector of length two, essentially `c(nrow(x), ncol(x))`.
- rownames(x), rownames(x) <- value: Gets or sets the names of the ranges in x.
- colnames(x), colnames(x) <- value: Gets the names of the variables in x.
- dimnames(x): A list with two elements, essentially `list(rownames(x), colnames(x))`.
- dimnames(x) <- value: Sets the row and column names, where value is a list as described above.
- columnMetadata(x): Get the DataFrame of metadata along the value columns, i.e., where each column in x is represented by a row in the metadata. Note that calling `mcols(x)` returns the metadata on each space in x.
- columnMetadata(x) <- value: Set the DataFrame of metadata for the columns.
- within(data, expr, ...): Evaluates expr within data, a RangedData. Any values assigned in expr will be stored as value columns in data, unless they match one of the reserved names: ranges, start, end, width and space. Behavior is undefined if any of the range symbols are modified inconsistently. Modifications to space are ignored.

Range accessors. The type of the return value depends on the type of [Ranges](#). For [IRanges](#), an integer vector. Regardless, the number of elements is always equal to `nrow(x)`.

- start(x), start(x) <- value: Get or set the starts of the ranges. When setting the starts, value can be an integer vector of length `sum(elementLengths(ranges(x)))` or an [IntegerList](#) object of length `length(ranges(x))` and names `names(ranges(x))`.
- end(x), end(x) <- value: Get or set the ends of the ranges. When setting the ends, value can be an integer vector of length `sum(elementLengths(ranges(x)))` or an [IntegerList](#) object of length `length(ranges(x))` and names `names(ranges(x))`.
- width(x), width(x) <- value: Get or set the widths of the ranges. When setting the widths, value can be an integer vector of length `sum(elementLengths(ranges(x)))` or an [IntegerList](#) object of length `length(ranges(x))` and names `names(ranges(x))`.

These accessors make the object seem like a list along the spaces:

- length(x): The number of spaces (e.g. chromosomes) in x.
- names(x), names(x) <- value: Get or set the names of the spaces (e.g. "chr1"). NULL or a character vector of the same length as x.

Other accessors:

- universe(x), universe(x) <- value: Get or set the scalar string identifying the scope of the data in some way (e.g. genome, experimental platform, etc). The universe may be NULL.
- ranges(x), ranges(x) <- value: Gets or sets the ranges in x as a [RangesList](#).
- space(x): Gets the spaces from `ranges(x)`.
- values(x), values(x) <- value: Gets or sets the data values in x as a [SplitDataFrameList](#).
- score(x), score(x) <- value: Gets or sets the column representing a "score" in x, as a vector. This is the column named score, or, if this does not exist, the first column, if it is numeric. The get method return NULL if no suitable score column is found. The set method takes a numeric vector as its value.

Constructor

`RangedData(ranges = IRanges(), ..., space = NULL, universe = NULL)`: Creates a `RangedData` with the ranges in `ranges` and variables given by the arguments in `....`. See the constructor `DataFrame` for how the `...` arguments are interpreted.

If `ranges` is a `Ranges` object, the `space` argument is used to split of the data into spaces. If `space` is `NULL`, all of the ranges and values are placed into the same space, resulting in a single-space (length one) `RangedData` object. Otherwise, the ranges and values are split into spaces according to `space`, which is treated as a factor, like the `f` argument in `split`.

If `ranges` is a `RangesList` object, then the supplied `space` argument is ignored and its value is derived from `ranges`.

If `ranges` is not a `Ranges` or `RangesList` object, this function calls `as(ranges, "RangedData")` and returns the result if successful.

The `universe` may be specified as a scalar string by the `universe` argument.

Coercion

`as.data.frame(x, row.names=NULL, optional=FALSE, ...)`: Copy the start, end, width of the ranges and all of the variables as columns in a `data.frame`. This is a bridge to existing functionality in R, but of course care must be taken if the data is large. Note that `optional` and `...` are ignored.

`as(from, "DataFrame")`: Like `as.data.frame` above, except the result is an `DataFrame` and it probably involves less copying, especially if there is only a single space.

`as(from, "RangedData")`: Coerce from to a `RangedData`, according to the type of `from`:

`Rle`, `RleList` Converts each run to a range and stores the run values in a column named "score".

`RleViewsList` Creates a `RangedData` using the ranges given by the runs of `subject(from)` in each of the windows, with a value column `score` taken as the corresponding subject values.

`Ranges` Creates a `RangedData` with only the ranges in `from`; no data columns.

`RangesList` Creates a `RangedData` with the ranges in `from`. Also propagates the *inner* metadata columns of the `RangesList` (accessed with `mcols(unlist(from))`) to the data columns (aka values) of the `RangedData`. This makes it a *lossless* coercion and the exact reverse of the coercion from `RangedData` to `RangesList`.

`data.frame` or `DataTable` Constructs a `RangedData`, using the columns "start", "end", and, optionally, "space" columns in `from`. The other columns become data columns in the result. Any "width" column is ignored.

`as(from, "RangesList")`: Creates a `CompressedIRangesList` (a subclass of `RangesList`) made of the ranges in `from`. Also propagates the data columns (aka values) of the `RangedData` to the inner metadata columns of the `RangesList`. This makes it a *lossless* coercion and the exact reverse of the coercion from `RangesList` to `RangedData`.

`as.env(x, enclos = parent.frame())`: Creates an environment with a symbol for each variable in the frame, as well as a `ranges` symbol for the ranges. This is efficient, as no copying is performed.

Subsetting and Replacement

In the code snippets below, `x` is a `RangedData` object.

`x[i]`: Subsets `x` by indexing into its spaces, so the result is of the same class, with a different set of spaces. `i` can be numerical, logical, `NULL` or missing.

`x[i,j]`: Subsets `x` by indexing into its rows and columns. The result is of the same class, with a different set of rows and columns. The row index `i` can either treat `x` as a flat table by being a character, integer, or logical vector or treat `x` as a partitioned table by being a [RangesList](#), [LogicalList](#), or [IntegerList](#) of the same length as `x`.

`x[[i]]`: Extracts a variable from `x`, where `i` can be a character, numeric, or logical scalar that indexes into the columns. The variable is unlisted over the spaces.

For convenience, values of "space" and "ranges" are equivalent to `space(x)` and `unlist(ranges(x))` respectively.

`x$name`: similar to above, where `name` is taken literally as a column name in the data.

`x[[i]] <- value`: Sets `value` as column `i` in `x`, where `i` can be a character, numeric, or logical scalar that indexes into the columns. The length of `value` should equal `nrow(x)`. `x[[i]]` should be identical to `value` after this operation.

For convenience, `i="ranges"` is equivalent to `ranges(x) <- value`.

`x$name <- value`: similar to above, where `name` is taken literally as a column name in the data.

Splitting and Combining

In the code snippets below, `x` is a `RangedData` object.

`split(x, f, drop = FALSE)`: Split `x` according to `f`, which should be of length equal to `nrow(x)`. Note that `drop` is ignored here. The result is a [RangedDataList](#) where every element has the same length (number of spaces) but different sets of ranges within each space.

`rbind(...)`: Matches the spaces from the `RangedData` objects in `...` by name and combines them row-wise. In a way, this is the reverse of the split operation described above.

`c(x, ..., recursive = FALSE)`: Combines `x` with arguments specified in `...`, which must all be `RangedData` objects. This combination acts as if `x` is a list of spaces, meaning that the result will contain the spaces of the first concatenated with the spaces of the second, and so on. This function is useful when creating `RangedData` objects on a space-by-space basis and then needing to combine them.

Applying

There are two ways explicitly supported ways to apply a function over the spaces of a `RangedData`. The richest interface is [rdapply](#), which is described in its own man page. The simpler interface is an `lapply` method:

`lapply(X, FUN, ...)`: Applies `FUN` to each space in `X` with extra parameters in `...`

Author(s)

Michael Lawrence

See Also

[DataTable](#), the parent of this class, with more utilities. The [rdapply](#) function for applying a function to each space separately.

Examples

```

ranges <- IRanges(c(1,2,3),c(4,5,6))
filter <- c(1L, 0L, 1L)
score <- c(10L, 2L, NA)

## constructing RangedData instances

## no variables
rd <- RangedData()
rd <- RangedData(ranges)
ranges(rd)
## one variable
rd <- RangedData(ranges, score)
rd[["score"]]
## multiple variables
rd <- RangedData(ranges, filter, vals = score)
rd[["vals"]] # same as rd[["score"]] above
rd$vals
rd[["filter"]]
rd <- RangedData(ranges, score + score)
rd[["score...score"]] # names made valid
## use a universe
rd <- RangedData(ranges, universe = "hg18")
universe(rd)

## split some data over chromosomes

range2 <- IRanges(start=c(15,45,20,1), end=c(15,100,80,5))
both <- c(ranges, range2)
score <- c(score, c(0L, 3L, NA, 22L))
filter <- c(filter, c(0L, 1L, NA, 0L))
chrom <- paste("chr", rep(c(1,2), c(length(ranges), length(range2))), sep="")

rd <- RangedData(both, score, filter, space = chrom, universe = "hg18")
rd[["score"]] # identical to score
rd[1][["score"]] # identical to score[1:3]

## subsetting

## list style: [i]

rd[numeric()] # these three are all empty
rd[logical()]
rd[NULL]
rd[] # missing, full instance returned
rd[FALSE] # logical, supports recycling
rd[c(FALSE, FALSE)] # same as above
rd[TRUE] # like rd[]
rd[c(TRUE, FALSE)]
rd[1] # numeric index
rd[c(1,2)]
rd[-2]

## matrix style: [i,j]

rd[,NULL] # no columns

```

```

rd[NULL,] # no rows
rd[,1]
rd[,1:2]
rd[, "filter"]
rd[1,] # now by the rows
rd[c(1,3),]
rd[1:2, 1] # row and column
rd[c(1:2,1,3),1] ## repeating rows

## dimnames

colnames(rd)[2] <- "foo"
colnames(rd)
rownames(rd) <- head(letters, nrow(rd))
rownames(rd)

## space names

names(rd)
names(rd)[1] <- "chr1"

## variable replacement

count <- c(1L, 0L, 2L)
rd <- RangedData(ranges, count, space = c(1, 2, 1))
## adding a variable
score <- c(10L, 2L, NA)
rd[["score"]] <- score
rd[["score"]] # same as 'score'
## replacing a variable
count2 <- c(1L, 1L, 0L)
rd[["count"]] <- count2
## numeric index also supported
rd[[2]] <- score
rd[[2]] # gets 'score'
## removing a variable
rd[[2]] <- NULL
ncol(rd) # is only 1
rd$score2 <- score

## combining/splitting

rd <- RangedData(ranges, score, space = c(1, 2, 1))
c(rd[1], rd[2]) # equal to 'rd'
rd2 <- RangedData(ranges, score)
unlist(split(rd2, c(1, 2, 1))) # same as 'rd'

## applying

lapply(rd, '[', 1) # get first column in each space

```

Description

A formal list of [RangedData](#) objects. Extends and inherits all its methods from [List](#). One use case is to group together all of the samples from an experiment generating data on ranges.

Constructor

`RangedDataList(...)`: Concatenates the `RangedData` objects in ... into a new `RangedDataList`.

Other methods

`stack(x, index.var = "name")`: Concatenates the elements of `x` into a `RangedData`, with a column named by `index.var` that groups the records by their original element in `x`.

Author(s)

Michael Lawrence

See Also

[RangedData](#), the element type of this [List](#).

Examples

```
ranges <- IRanges(c(1,2,3),c(4,5,6))
a <- RangedData(IRanges(c(1,2,3),c(4,5,6)), score = c(10L, 2L, NA))
b <- RangedData(IRanges(c(1,2,4),c(4,7,5)), score = c(3L, 5L, 7L))
RangedDataList(sample1 = a, sample2 = b)
```

RangedSelection-class *Selection of ranges and columns*

Description

A `RangedSelection` represents a query against a table of interval data in terms of ranges and column names. The ranges select any table row with an overlapping interval. Note that the intervals are always returned, even if no columns are selected.

Details

Traditionally, tabular data structures have supported the `subset` function, which allows one to select a subset of the rows and columns from the table. In that case, the rows and columns are specified by two separate arguments. As querying interval data sources, especially those external to R, such as binary indexed files and databases, is increasingly common, there is a need to encapsulate the row and column specifications into a single data structure, mostly for the sake of interface cleanliness. The `RangedSelection` class fills that role.

Constructor

`RangedSelection(ranges = RangesList(), colnames = character())`: Constructors a `RangedSelection` with the given ranges and colnames.

Coercion

`as(from, "RangedSelection")`: Coerces from to a RangedSelection object. Typically, from is a [RangesList](#), the ranges of which become the ranges in the new RangedSelection.

Accessors

In the code snippets below, x is always a RangedSelection.

`ranges(x)`, `ranges(x) <- value`: Gets or sets the ranges, a [RangesList](#), that select rows with overlapping intervals.

`colnames(x)`, `colnames(x) <- value`: Gets the names, a character vector, indicating the columns.

Author(s)

Michael Lawrence

Examples

```
rl <- RangesList(chr1 = IRanges(c(1, 5), c(3, 6)))

RangedSelection(rl)
as(rl, "RangedSelection") # same as above

RangedSelection(rl, "score")
```

Ranges-class

Ranges objects

Description

The Ranges virtual class is a general container for storing a set of integer ranges.

Details

A Ranges object is a vector-like object where each element describes a "range of integer values".

A "range of integer values" is a finite set of consecutive integer values. Each range can be fully described with exactly 2 integer values which can be arbitrarily picked up among the 3 following values: its "start" i.e. its smallest (or first, or leftmost) value; its "end" i.e. its greatest (or last, or rightmost) value; and its "width" i.e. the number of integer values in the range. For example the set of integer values that are greater than or equal to -20 and less than or equal to 400 is the range that starts at -20 and has a width of 421. In other words, a range is a closed, one-dimensional interval with integer end points and on the domain of integers.

The starting point (or "start") of a range can be any integer (see `start` below) but its "width" must be a non-negative integer (see `width` below). The ending point (or "end") of a range is equal to its "start" plus its "width" minus one (see `end` below). An "empty" range is a range that contains no value i.e. a range that has a null width. Depending on the context, it can be interpreted either as just the empty *set* of integers or, more precisely, as the position *between* its "end" and its "start" (note that for an empty range, the "end" equals the "start" minus one).

The length of a Ranges object is the number of ranges in it, not the number of integer values in its ranges.

A Ranges object is considered empty iff all its ranges are empty.

Ranges objects have a vector-like semantic i.e. they only support single subscript subsetting (unlike, for example, standard R data frames which can be subsetted by row and by column).

The Ranges class itself is a virtual class. The following classes derive directly from the Ranges class: [IRanges](#) and [IntervalTree](#).

Methods

In the code snippets below, `x`, `y` and `object` are Ranges objects. Not all the functions described below will necessarily work with all kinds of Ranges objects but they should work at least for [IRanges](#) objects.

Note that many more operations on Ranges objects are described in other man pages of the [IRanges](#) package. See for example the man page for intra range transformations (e.g. `shift()`, see [?intra-range-methods](#)), or the man page for inter range transformations (e.g. `reduce()`, see [?inter-range-methods](#)), or the man page for `findOverlaps` methods (see [?findOverlaps-methods](#)), or the man page for [Ranges-List](#) objects where the `split` method for Ranges objects is documented.

`length(x)`: The number of ranges in `x`.

`start(x)`: The start values of the ranges. This is an integer vector of the same length as `x`.

`width(x)`: The number of integer values in each range. This is a vector of non-negative integers of the same length as `x`.

`end(x)`: $\text{start}(x) + \text{width}(x) - 1L$

`mid(x)`: returns the midpoint of the range, $\text{start}(x) + \text{floor}((\text{width}(x) - 1)/2)$.

`names(x)`: NULL or a character vector of the same length as `x`.

`update(object, ...)`: Convenience method for combining multiple modifications of `object` in one single call. For example `object <- update(object, start=start(object)-2L, end=end(object)+2L)` is equivalent to `start(object) <- start(object)-2L; end(object) <- end(object)+2L`.

`isEmpty(x)`: Return a logical value indicating whether `x` is empty or not.

`as.matrix(x, ...)`: Convert `x` into a 2-column integer matrix containing `start(x)` and `width(x)`. Extra arguments (...) are ignored.

`as.data.frame(x, row.names=NULL, optional=FALSE, ...)`: Convert `x` into a standard R data frame object. `row.names` must be NULL or a character vector giving the row names for the data frame, and `optional` and any additional argument (...) is ignored. See [?as.data.frame](#) for more information about these arguments.

`as.integer(x)`: Convert `x` into an integer vector, by converting each range into the integer sequence formed by `from:to` and concatenating them together.

`unlist(x, recursive = TRUE, use.names = TRUE)`: Similar to `as.integer(x)` except can add names to elements.

`x[[i]]`: Return integer vector `start(x[i]):end(x[i])` denoted by `i`. Subscript `i` can be a single integer or a character string.

`x[i]`: Return a new Ranges object (of the same type as `x`) made of the selected ranges. `i` can be a numeric vector, a logical vector, NULL or missing. If `x` is a [NormalIRanges](#) object and `i` a positive numeric subscript (i.e. a numeric vector of positive values), then `i` must be strictly increasing.

`rep(x, times, length.out, each)`: Repeats the values in `x` through one of the following conventions:

`times` Vector giving the number of times to repeat each element if of length `length(x)`, or to repeat the Ranges elements if of length 1.

- length.out Non-negative integer. The desired length of the output vector.
- each Non-negative integer. Each element of x is repeated each times.
- c(x, ...): Combine x and the Ranges objects in ... together. Any object in ... must belong to the same class as x, or to one of its subclasses, or must be NULL. The result is an object of the same class as x. NOTE: Only works for [IRanges](#) (and derived) objects for now.
- x * y: The arithmetic operation x * y is for centered zooming. It symmetrically scales the width of x by 1/y, where y is a numeric vector that is recycled as necessary. For example, x * 2 results in ranges with half their previous width but with approximately the same midpoint. The ranges have been “zoomed in”. If y is negative, it is equivalent to x * (1/abs(y)). Thus, x * -2 would double the widths in x. In other words, x has been “zoomed out”.
- x + y: Expands the ranges in x on either side by the corresponding value in the numeric vector y.

Normality

A Ranges object x is implicitly representing an arbitrary finite set of integers (that are not necessarily consecutive). This set is the set obtained by taking the union of all the values in all the ranges in x. This representation is clearly not unique: many different Ranges objects can be used to represent the same set of integers. However one and only one of them is guaranteed to be "normal".

By definition a Ranges object is said to be "normal" when its ranges are: (a) not empty (i.e. they have a non-null width); (b) not overlapping; (c) ordered from left to right; (d) not even adjacent (i.e. there must be a non empty gap between 2 consecutive ranges).

Here is a simple algorithm to determine whether x is "normal": (1) if length(x) == 0, then x is normal; (2) if length(x) == 1, then x is normal iff width(x) >= 1; (3) if length(x) >= 2, then x is normal iff:

$$\text{start}(x)[i] \leq \text{end}(x)[i] < \text{start}(x)[i+1] \leq \text{end}(x)[i+1]$$

for every $1 \leq i < \text{length}(x)$.

The obvious advantage of using a "normal" Ranges object to represent a given finite set of integers is that it is the smallest in terms of number of ranges and therefore in terms of storage space. Also the fact that we impose its ranges to be ordered from left to right makes it unique for this representation.

A special container ([NormalIRanges](#)) is provided for holding a "normal" [IRanges](#) object: a [NormalIRanges](#) object is just an [IRanges](#) object that is guaranteed to be "normal".

Here are some methods related to the notion of "normal" Ranges:

isNormal(x): Return a logical value indicating whether x is "normal" or not.

whichFirstNotNormal(x): Return NA if x is normal, or the smallest valid indice i in x for which x[1:i] is not "normal".

Author(s)

H. Pages and M. Lawrence

See Also

[Ranges-comparison](#), [intra-range-methods](#), [inter-range-methods](#), [IRanges-class](#), [IRanges-utils](#), [IRanges-setops](#), [RangedData-class](#), [IntervalTree-class](#), [update](#), [as.matrix](#), [as.data.frame](#), [rep](#)

Examples

```

x <- IRanges(start=c(2:-1, 13:15), width=c(0:3, 2:0))
x
length(x)
start(x)
width(x)
end(x)
isEmpty(x)
as.matrix(x)
as.data.frame(x)

## Subsetting:
x[4:2]          # 3 ranges
x[-1]          # 6 ranges
x[FALSE]       # 0 range
x0 <- x[width(x) == 0] # 2 ranges
isEmpty(x0)

## Use the replacement methods to resize the ranges:
width(x) <- width(x) * 2 + 1
x
end(x) <- start(x)      # equivalent to width(x) <- 0
x
width(x) <- c(2, 0, 4)
x
start(x)[3] <- end(x)[3] - 2 # resize the 3rd range
x

## Name the elements:
names(x)
names(x) <- c("range1", "range2")
x
x[is.na(names(x))] # 5 ranges
x[!is.na(names(x))] # 2 ranges

ir <- IRanges(c(1,5), c(3,10))
ir*1 # no change
ir*c(1,2) # zoom second range by 2X
ir*-2 # zoom out 2X

```

Ranges-comparison

Comparing and ordering ranges

Description

Methods for comparing and ordering the elements in one or more [Ranges](#) objects.

Usage

```

## ===== Equality and related methods =====
## -----

## S4 method for signature 'Ranges,Ranges'
e1 == e2

```

```

## S4 method for signature 'Ranges,Ranges'
e1 != e2

## S4 method for signature 'Ranges'
duplicated(x, incomparables=FALSE, fromLast=FALSE,
           method=c("auto", "quick", "hash"), ...)

## S4 method for signature 'Ranges'
unique(x, incomparables=FALSE, fromLast=FALSE,
       method=c("auto", "quick", "hash"), ...)

## ===== Ordering and related methods =====
## -----

## S4 method for signature 'Ranges,Ranges'
e1 <= e2
## S4 method for signature 'Ranges,Ranges'
e1 >= e2
## S4 method for signature 'Ranges,Ranges'
e1 < e2
## S4 method for signature 'Ranges,Ranges'
e1 > e2

## S4 method for signature 'Ranges'
order(..., na.last=TRUE, decreasing=FALSE)

## S4 method for signature 'Ranges'
sort(x, decreasing=FALSE, ...)

## S4 method for signature 'Ranges'
rank(x, na.last=TRUE,
     ties.method=c("average", "first", "random", "max", "min"))

## ===== Generalized range-wise comparison =====
## -----
compare(x, y)
rangeComparisonCodeToLetter(code)

```

Arguments

e1, e2, x, y	Ranges objects.
incomparables	Must be FALSE.
fromLast	See default S3 method for duplicated .
method	Use a Quicksort-based (method="quick") or a hash-based (method="hash") algorithm. The latter tends to give better performance, except maybe for some pathological input that we've not been able to determine so far. When method="auto" is specified, the hash-based algorithm is used as long as the length of x is $\leq 2^{29}$, otherwise the Quicksort-based algorithm is used.
...	Ranges objects for order.
na.last	Ignored.

decreasing	TRUE or FALSE.
ties.method	A character string specifying how ties are treated. Only "first" is supported for now.
code	A vector of codes as returned by compare.

Details

Two ranges are considered equal iff they share the same start and width. Note that with this definition, 2 empty ranges are generally not equal (they need to share the same start to be considered equal). This means that, when it comes to comparing ranges, an empty range is interpreted as a position between its end and start. For example, a typical usecase is comparison of insertion points defined along a string (like a DNA sequence) and represented as empty ranges.

Ranges are ordered by starting position first, and then by width. This way, the space of ranges is totally ordered. The order, sort and rank methods for [Ranges](#) objects are consistent with this order.

`duplicated(x)`: Determines which elements of `x` are equal to elements with smaller subscripts, and returns a logical vector indicating which elements are duplicates. It is semantically equivalent to `duplicated(as.data.frame(x))`. See [duplicated](#) in the base package for more details.

`unique(x)`: Removes duplicate ranges from `x`. See [unique](#) in the base package for more details.

`order(...)`: Returns a permutation which rearranges its first argument (a [Ranges](#) object) into ascending order, breaking ties by further arguments (also [Ranges](#) objects). See [order](#) in the [BiocGenerics](#) package for more information.

`sort(x)`: Sorts `x`. See [sort](#) in the base package for more details.

`rank(x, na.last=TRUE, ties.method=c("average", "first", "random", "max", "min"))`: Returns the sample ranks of the ranges in `x`. See [rank](#) in the base package for more details.

`compare(x, y)`: Performs "generalized range-wise comparison" of `x` and `y`, that is, returns an integer vector where the `i`-th element is a code describing how the `i`-th element in `x` is qualitatively positioned relatively to the `i`-th element in `y`.

Here is a summary of the 13 predefined codes (and their letter equivalents) and their meanings:

-6 a: x[i]: .oooo..... y[i]:oooo.	6 m: x[i]:oooo. y[i]: .oooo.....
-5 b: x[i]: ..oooo..... y[i]:oooo..	5 l: x[i]:oooo.. y[i]: ..oooo.....
-4 c: x[i]: ...oooo..... y[i]:oooo..	4 k: x[i]:oooo.. y[i]: ..oooo.....
-3 d: x[i]: ...ooooo... y[i]:oooo..	3 j: x[i]:oooo.. y[i]: ..oooo.....
-2 e: x[i]: ..ooooo... y[i]:oooo..	2 i: x[i]:oooo.. y[i]: ..oooo.....
-1 f: x[i]: ...oooo... y[i]:oooo..	1 h: x[i]:oooo.. y[i]: ..oooo.....
0 g: x[i]: ...ooooo... y[i]:oooo..	

Note that this way of comparing ranges is a refinement over the standard ranges comparison defined by the `==`, `!=`, `<=`, `>=`, `<` and `>` operators. In particular a code that is `< 0`, `= 0`, or `> 0`, corresponds to `x[i] < y[i]`, `x[i] == y[i]`, or `x[i] > y[i]`, respectively.

The `compare` method for `Ranges` objects is guaranteed to return predefined codes only but methods for other objects (e.g. for `GenomicRanges` objects) can return non-predefined codes. Like for the predefined codes, the sign of any non-predefined code must tell whether `x[i]` is less than, or greater than `y[i]`.

`rangeComparisonCodeToLetter(x)`: Translate the codes returned by `compare`. The 13 predefined codes are translated as follow: -6 -> a; -5 -> b; -4 -> c; -3 -> d; -2 -> e; -1 -> f; 0 -> g; 1 -> h; 2 -> i; 3 -> j; 4 -> k; 5-> l; 6 -> m. Any non-predefined code is translated to X. The translated codes are returned in a factor with 14 levels: a, b, ..., l, m, X.

See Also

[Ranges-class](#), [IRanges-class](#), [duplicated](#), [unique](#), [order](#), [sort](#), [rank](#)

Examples

```
x <- IRanges(start=c(20L, 8L, 20L, 22L, 25L, 20L, 22L, 22L),
             width=c( 4L, 0L, 11L,  5L,  0L,  9L,  5L,  0L))
x

## -----
## A. EQUALITY AND RELATED METHODS
## -----
which(width(x) == 0) # 3 empty ranges
x[2] == x[2] # TRUE
x[2] == x[5] # FALSE
x == x[4]
duplicated(x)
unique(x)

## -----
## B. ORDERING AND RELATED METHODS
## -----
x >= x[3]
order(x)
sort(x)
rank(x, ties.method="first")

## -----
## C. GENERALIZED RANGE-WISE COMPARISON OF 2 Ranges OBJECTS
## -----
x0 <- IRanges(1:11, width=4)
x0
y0 <- IRanges(6, 9)
compare(x0, y0)
compare(IRanges(4:6, width=6), y0)
compare(IRanges(6:8, width=2), y0)
compare(x0, y0) < 0 # equivalent to 'x0 < y0'
compare(x0, y0) == 0 # equivalent to 'x0 == y0'
compare(x0, y0) > 0 # equivalent to 'x0 > y0'

rangeComparisonCodeToLetter(-10:10)
rangeComparisonCodeToLetter(compare(x0, y0))
```

Description

An extension of [List](#) that holds only [Ranges](#) objects. Useful for storing ranges over a set of spaces (e.g. chromosomes), each of which requires a separate Ranges object. As a [Vector](#), RangesList may be annotated with its universe identifier (e.g. a genome) in which all of its spaces exist.

Accessors

In the code snippets below, `x` is a RangesList object.

All of these accessors collapse over the spaces:

`start(x)`, `start(x) <- value`: Get or set the starts of the ranges. When setting the starts, `value` can be an integer vector of length `sum(elementLengths(x))` or an [IntegerList](#) object of length `length(x)` and names `names(x)`.

`end(x)`, `end(x) <- value`: Get or set the ends of the ranges. When setting the starts, `value` can be an integer vector of length `sum(elementLengths(x))` or an [IntegerList](#) object of length `length(x)` and names `names(x)`.

`width(x)`, `width(x) <- value`: Get or set the widths of the ranges. When setting the starts, `value` can be an integer vector of length `sum(elementLengths(x))` or an [IntegerList](#) object of length `length(x)` and names `names(x)`.

`space(x)`: Gets the spaces of the ranges as a character vector. This is equivalent to `names(x)`, except each name is repeated according to the length of its element.

These accessors are for the universe identifier:

`universe(x)`: gets the name of the universe as a single string, if one has been specified, `NULL` otherwise.

`universe(x) <- value`: sets the name of the universe to `value`, a single string or `NULL`.

Constructor

`RangesList(..., universe = NULL)`: Each [Ranges](#) in `...` becomes an element in the new [RangesList](#), in the same order. This is analogous to the [list](#) constructor, except every argument in `...` must be derived from [Ranges](#). The universe is specified by the `universe` parameter, which should be a single string or `NULL`, to leave unspecified.

Subsetting

In the code snippets below, `x` is a RangesList object.

`x[i]`: Subset `x` by index `i`, with the same semantics as a basic [Vector](#), except `i` may itself be a [RangesList](#), in which case only the ranges in `x` that overlap with those in `i` are kept. See the [findOverlaps](#) method for more details.

Coercion

In the code snippets below, `x` and `from` are a `RangesList` object.

`as.data.frame(x, row.names = NULL, optional = FALSE)`: Coerces `x` to a `data.frame`. Essentially the same as calling `data.frame(space=rep(names(x), elementLengths(x)),`

`as.data.frame(un`

`as(from, "SimpleIRangesList")`: Coerces `from`, to a [SimpleIRangesList](#), requiring that all `Ranges` elements are coerced to internal `IRanges` elements. This is a convenient way to ensure that all `Ranges` have been imported into R (and that there is no unwanted overhead when accessing them).

`as(from, "CompressedIRangesList")`: Coerces `from`, to a [CompressedIRangesList](#), requiring that all `Ranges` elements are coerced to internal `IRanges` elements. This is a convenient way to ensure that all `Ranges` have been imported into R (and that there is no unwanted overhead when accessing them).

`as(from, "SimpleNormalIRangesList")`: Coerces `from`, to a [SimpleNormalIRangesList](#), requiring that all `Ranges` elements are coerced to internal `NormalIRanges` elements.

`as(from, "CompressedNormalIRangesList")`: Coerces `from`, to a [CompressedNormalIRangesList](#), requiring that all `Ranges` elements are coerced to internal `NormalIRanges` elements.

Arithmetic Operations

Any arithmetic operation, such as `x + y`, `x * y`, etc, where `x` is a `RangesList`, is performed identically on each element. Currently, `Ranges` supports only the `*` operator, which zooms the ranges by a numeric factor.

Author(s)

Michael Lawrence

See Also

[List](#), the parent of this class, for more functionality.

Examples

```
range1 <- IRanges(start=c(1,2,3), end=c(5,2,8))
range2 <- IRanges(start=c(15,45,20,1), end=c(15,100,80,5))
named <- RangesList(one = range1, two = range2)
length(named) # 2
start(named) # same as start(c(range1, range2))
names(named) # "one" and "two"
named[[1]] # range1
unnamed <- RangesList(range1, range2)
names(unnamed) # NULL

# edit the width of the ranges in the list
edited <- named
width(edited) <- rep(c(3,2), elementLengths(named))
edited

# same as list(range1, range2)
as.list(RangesList(range1, range2))

# coerce to data.frame
```

```
as.data.frame(named)

# set the universe
universe(named) <- "hg18"
universe(named)
RangesList(range1, range2, universe = "hg18")

## zoom in 2X
collection <- RangesList(one = range1, range2)
collection * 2
```

RangesList-utils

RangesList utility functions

Description

Utility functions for manipulating [RangesList](#) objects.

Usage

```
# Set operations
## S4 method for signature 'RangesList,RangesList'
union(x, y)
## S4 method for signature 'RangesList,RangesList'
intersect(x, y)
## S4 method for signature 'RangesList,RangesList'
setdiff(x, y)
```

Arguments

x, y A RangesList

Details

The union method performs elementwise union operations for two RangesList objects.

The intersect method performs elementwise intersect operations for two RangesList objects.

The setdiff method performs elementwise setdiff operations for two RangesList objects.

Author(s)

M. Lawrence, H. Pages, P. Aboyoun

See Also

[intra-range-methods](#), [inter-range-methods](#), [RangesList](#)

Examples

```

irl1 <- IRangesList(a = IRanges(c(1,2),c(4,3)), b = IRanges(c(4,6),c(10,7)))
irl2 <- IRangesList(c = IRanges(c(0,2),c(4,5)), a = IRanges(c(4,5),c(6,7)))

# set operations
union(irl1, irl2)
intersect(irl1, irl2)
setdiff(irl1, irl2)

```

RangesMapping-class *Mapping of ranges to another sequence*

Description

The map generic converts a set of ranges to the equivalent ranges on another sequence, through some sort of alignment between sequences, and outputs a RangesMapping object. There are three primary components of that object: the transformed ranges, the space (destination sequence) for the ranges, and the hits, a Hits object of the same length that matches each input range to a destination sequence (useful when the alignment is one/many to many). The pmap function is simpler: it treats the two inputs as parallel vectors, maps each input range via the corresponding alignment, and returns the mapped ranges. There is one result per input element, instead of the many-to-many result from map.

Usage

```

map(from, to, ...)
pmap(from, to, ...)

```

Arguments

from	Typically an object containing ranges to map.
to	Typically an object representing an alignment.
...	Arguments to pass to methods

Value

A RangesMapping object, as documented here.

RangesMapping Accessors

ranges(x): Gets the mapped ranges.

space(x): Gets the destination spaces (sequence names).

hits(x): Gets the matching between the input ranges and the destination sequences (of which there may be more than one).

dim(x): Same as dim(hits(x)).

length(x): Same as length(hits(x)).

subjectHits(x): Same as subjectHits(hits(x)).

queryHits(x): Same as queryHits(hits(x)).

RangesMapping Coercion

as(from, "RangedData"): Converts a RangesMapping into a [RangedData](#). The ranges/space in the RangedData are the ranges/space of from, and the values result from the coercion of the hits to a DataFrame.

Author(s)

Michael Lawrence

See Also

Methods on the generic map, which generates an instance of this class, are defined in other packages, like GenomicRanges.

rdapply	<i>Applying over spaces</i>
---------	-----------------------------

Description

The rdapply function applies a user function over the spaces of a [RangedData](#). The parameters to rdapply are collected into an instance of RDAApplyParams, which is passed as the sole parameter to rdapply.

Usage

```
rdapply(x, ...)
```

Arguments

x	The RDAApplyParams instance, see below for how to make one.
...	Additional arguments for methods

Details

The rdapply function is an attempt to facilitate the common operation of performing the same operation over each space (e.g. chromosome) in a RangedData. To facilitate a wide array of such tasks, the function takes a large number of options. The RDAApplyParams class is meant to help manage this complexity. In particular, it facilitates experimentation through its support for incremental changes to parameter settings.

There are two RangedData settings that are required: the user function object and the RangedData over which it is applied. The rest of the settings determine what is actually passed to the user function and how the return value is processed before relaying it to the user. The following is the description and rationale for each setting.

rangedData **REQUIRED**. The RangedData instance over which applyFun is applied.

applyFun **REQUIRED**. The user function to be applied to each space in the RangedData. The function must expect the RangedData as its first parameter and also accept the parameters specified in applyParams.

applyParams The list of additional parameters to pass to applyFun. Usually empty.

`filterRules` The instance of `FilterRules` that is used to filter each subset of the `RangedData` passed to the user function. This is an efficient and convenient means for performing the same operation over different subsets of the data on a space-by-space basis. In particular, this avoids the need to store subsets of the entire `RangedData`. A common workflow is to invoke `rdapply` with one set of active filters, enable different filters, reinvoked `rdapply`, and compare the results.

`simplify` A scalar logical (TRUE or FALSE) indicating whether the list to be returned from `rdapply` should be simplified as by `sapply`. Defaults to FALSE.

`reducerFun` The function that is used to convert the list that would otherwise be returned from `rdapply` to something more convenient. The function should take the list as its first parameter and also accept the parameters specified in `reducerParams`. This is an alternative to the primitive behavior of the `simplify` option (so `simplify` must be FALSE if this option is set). The aim is to orthogonalize the `applyFun` operation (i.e. the statistics) from the data structure of the result.

`reducerParams` A list of additional parameters to pass to `reducerFun`. Can only be set if `reducerFun` is set. Usually empty.

`iteratorFun` The function used for applying over the `RangedData`. By default, this is `lapply`, but it could also be a specialized function, like `mclapply`.

Value

By default a list holding the result of each invocation of the user function, but see details.

Constructing an RDApplParams object

`RDApplParams(rangedData, applyFun, applyParams, filterRules, simplify, reducerFun, reducerParams)`:
Constructs a `RDApplParams` object with each setting specified by the argument of the same name. See the Details section for more information.

Accessors

In the following code snippets, `x` is an `RDApplParams` object.

`rangedData(x)`, `rangedData(x) <- value`: Get or set the `RangedData` instance over which `applyFun` is applied.

`applyFun(x)`, `applyFun(x) <- value`: Get or set the user function to be applied to each space in the `RangedData`.

`applyParams(x)`, `applyParams(x) <- value`: Get or set the list of additional parameters to pass to `applyFun`.

`filterRules(x)`, `filterRules(x) <- value`: Get or set the instance of `FilterRules` that is used to filter each subset of the `RangedData` passed to the user function.

`simplify(x)`, `simplify(x) <- value`: Get or set a scalar logical (TRUE or FALSE) indicating whether the list to be returned from `rdapply` should be simplified as by `sapply`.

`reducerFun(x)`, `reducerFun(x) <- value`: Get or set the function that is used to convert the list that would otherwise be returned from `rdapply` to something more convenient.

`reducerParams(x)`, `reducerParams(x) <- value`: Get or set a list of additional parameters to pass to `reducerFun`.

`iteratorFun(x)`, `iteratorFun(x) <- value`: Get or set the function used for applying over the `RangedData`.

Author(s)

Michael Lawrence

See Also[RangedData](#), [FilterRules](#)**Examples**

```

ranges <- IRanges(c(1,2,3),c(4,5,6))
score <- c(2L, 0L, 1L)
rd <- RangedData(ranges, score, space = c("chr1","chr2","chr1"))

## a single function
countrows <- function(rd) nrow(rd)
params <- RDAApplyParams(rd, countrows)
rdapply(params) # list(chr1 = 2L, chr2 = 1L)

## with a parameter
params <- RDAApplyParams(rd, function(rd, x) nrow(rd)*x, list(x = 2))
rdapply(params) # list(chr1 = 4L, chr2 = 2L)

## add a filter
cutoff <- 0
rules <- FilterRules(filter = score > cutoff)
params <- RDAApplyParams(rd, countrows, filterRules = rules)
rdapply(params) # list(chr1 = 2L, chr2 = 0L)
rules <- FilterRules(list(fun = function(rd) rd[["score"]] < 2),
  filter = score > cutoff)
params <- RDAApplyParams(rd, countrows, filterRules = rules)
rdapply(params) # list(chr1 = 1L, chr2 = 0L)
active(filterRules(params))["filter"] <- FALSE
rdapply(params) # list(chr1 = 1L, chr2 = 1L)

## simplify
params <- RDAApplyParams(rd, countrows, simplify = TRUE)
rdapply(params) # c(chr1 = 2L, chr2 = 1L)

## reducing
params <- RDAApplyParams(rd, countrows, reducerFun = unlist,
  reducerParams = list(use.names = FALSE))
rdapply(params) ## c(2L, 1L)

```

read.Mask

*Read a mask from a file***Description**

read.agpMask and read.gapMask extract the AGAPS mask from an NCBI "agp" file or a UCSC "gap" file, respectively.

read.liftMask extracts the AGAPS mask from a UCSC "lift" file (i.e. a file containing offsets of contigs within sequences).

read.rmMask extracts the RM mask from a RepeatMasker .out file.

read.trfMask extracts the TRF mask from a Tandem Repeats Finder .bed file.

Usage

```
read.agpMask(file, seqname="?", mask.width=NA, gap.types=NULL, use.gap.types=FALSE)
read.gapMask(file, seqname="?", mask.width=NA, gap.types=NULL, use.gap.types=FALSE)
read.liftMask(file, seqname="?", mask.width=NA)
read.rmMask(file, seqname="?", mask.width=NA, use.IDs=FALSE)
read.trfMask(file, seqname="?", mask.width=NA)
```

Arguments

file	Either a character string naming a file or a connection open for reading.
seqname	The name of the sequence for which the mask must be extracted. If no sequence is specified (i.e. seqname="?") then an error is raised and the sequence names found in the file are displayed. If the file doesn't contain any information for the specified sequence, then a warning is issued and an empty mask of width mask.width is returned.
mask.width	The width of the mask to return i.e. the length of the sequence this mask will be put on. See ?'MaskCollection-class' for more information about the width of a MaskCollection object.
gap.types	NULL or a character vector containing gap types. Use this argument to filter the assembly gaps that are to be extracted from the "agp" or "gap" file based on their type. Most common gap types are "contig", "clone", "centromere", "telomere", "heterochromatin", "short_arm" and "fragment". With gap.types=NULL, all the assembly gaps described in the file are extracted. With gap.types="?", an error is raised and the gap types found in the file for the specified sequence are displayed.
use.gap.types	Whether or not the gap types provided in the "agp" or "gap" file should be used to name the ranges constituting the returned mask. See ?'IRanges-class' for more information about the names of an IRanges object.
use.IDs	Whether or not the repeat IDs provided in the RepeatMasker .out file should be used to name the ranges constituting the returned mask. See ?'IRanges-class' for more information about the names of an IRanges object.

See Also

[MaskCollection-class](#), [IRanges-class](#)

Examples

```
## -----
## A. Extract a mask of assembly gaps ("AGAPS" mask) with read.agpMask()
## -----
## Note: The hs_b36v3_chrY.agp file was obtained by downloading,
## extracting and renaming the hs_ref_chrY.agp.gz file from
##
## ftp://ftp.ncbi.nih.gov/genomes/H_sapiens/Assembled_chromosomes/
## hs_ref_chrY.agp.gz 5 KB 24/03/08 04:33:00 PM
##
## on May 9, 2008.

chrY_length <- 57772954
file1 <- system.file("extdata", "hs_b36v3_chrY.agp", package="IRanges")
mask1 <- read.agpMask(file1, seqname="chrY", mask.width=chrY_length,
```

```

        use.gap.types=TRUE)
mask1
mask1[[1]]

mask11 <- read.agpMask(file1, seqname="chrY", mask.width=chrY_length,
                      gap.types=c("centromere", "heterochromatin"))
mask11[[1]]

## -----
## B. Extract a mask of assembly gaps ("AGAPS" mask) with read.liftMask()
## -----
## Note: The hg18liftAll.lft file was obtained by downloading,
## extracting and renaming the liftAll.zip file from
##
## http://hgdownload.cse.ucsc.edu/goldenPath/hg18/bigZips/
## liftAll.zip          03-Feb-2006 11:35  5.5K
##
## on May 8, 2008.

file2 <- system.file("extdata", "hg18liftAll.lft", package="IRanges")
mask2 <- read.liftMask(file2, seqname="chr1")
mask2
if (interactive()) {
  ## contigs 7 and 8 for chrY are adjacent
  read.liftMask(file2, seqname="chrY")

  ## displays the sequence names found in the file
  read.liftMask(file2)

  ## specify an unknown sequence name
  read.liftMask(file2, seqname="chrZ", mask.width=300)
}

## -----
## C. Extract a RepeatMasker ("RM") or Tandem Repeats Finder ("TRF")
## mask with read.rmMask() or read.trfMask()
## -----
## Note: The ce2chrM.fa.out and ce2chrM.bed files were obtained by
## downloading, extracting and renaming the chromOut.zip and
## chromTrf.zip files from
##
## http://hgdownload.cse.ucsc.edu/goldenPath/ce2/bigZips/
## chromOut.zip        21-Apr-2004 09:05  2.6M
## chromTrf.zip        21-Apr-2004 09:07  182K
##
## on May 7, 2008.

## Before you can extract a mask with read.rmMask() or read.trfMask(), you
## need to know the length of the sequence that you're going to put the
## mask on:
if (interactive()) {
  library(BSgenome.Celegans.UCSC.ce2)
  chrM_length <- seqlengths(Celegans)[["chrM"]]

  ## Read the RepeatMasker .out file for chrM in ce2:
  file3 <- system.file("extdata", "ce2chrM.fa.out", package="IRanges")
  RMmask <- read.rmMask(file3, seqname="chrM", mask.width=chrM_length)
}

```

```

RMmask

## Read the Tandem Repeats Finder .bed file for chrM in ce2:
file4 <- system.file("extdata", "ce2chrM.bed", package="IRanges")
TRFmask <- read.trfMask(file4, seqname="chrM", mask.width=chrM_length)
TRFmask
desc(TRFmask) <- paste(desc(TRFmask), "[period<=12]")
TRFmask

## Put the 2 masks on chrM:
chrM <- Celegans$chrM
masks(chrM) <- RMmask # this would drop all current masks, if any
masks(chrM) <- append(masks(chrM), TRFmask)
chrM
}

```

reverse

reverse

Description

A generic function with methods for reversing a character vector, a [Views](#) object, an [XVector](#) object, an [XVectorList](#) object, or a [MaskCollection](#) object. Note that `reverse` is similar to but not the same as `rev`.

Usage

```
reverse(x, ...)
```

Arguments

x	A character vector, a Views object, an XVector object, an XVectorList object, or a MaskCollection object.
...	Additional arguments to be passed to or from methods.

Details

On an [XVector](#) object, `reverse` and `rev` are equivalent, i.e. they both reverse the order of their elements.

On a character vector, a [Views](#) object, or an [XVectorList](#) object, `reverse` reverses each element individually, without modifying the top-level order of the elements. In particular, on [XVectorList](#) object `x`, `reverse` is equivalent to `endoapply(x, rev)`.

Value

An object of the same class and length as the original object.

See Also

[Views-class](#), [XVector-class](#), [XVectorList-class](#), [MaskCollection-class](#), `endoapply`, `rev`

Examples

```

## On a character vector:
reverse(c("Hi!", "How are you?"))

## On a Views object:
v <- successiveViews(as(12:-2, "XInteger"), 1:5)
v
reverse(v)

## On an XVectorList object:
## Not run:
library(Biostrings)
library(drosophila2probe)
probes <- DNASTringSet(drosophila2probe)
reverse(probes)

## End(Not run)

## On a MaskCollection object:
mask1 <- Mask(mask.width=29, start=c(11, 25, 28), width=c(5, 2, 2))
mask2 <- Mask(mask.width=29, start=c(3, 10, 27), width=c(5, 8, 1))
mask3 <- Mask(mask.width=29, start=c(7, 12), width=c(2, 4))
mymasks <- append(append(mask1, mask2), mask3)
reverse(mymasks)

```

Rle-class

Rle objects

Description

The Rle class is a general container for storing an atomic vector that is stored in a run-length encoding format. It is based on the [rle](#) function from the base package.

Constructors

`Rle(values)`: This constructor creates an Rle instances out of an atomic vector values.

`Rle(values, lengths)`: This constructor creates an Rle instances out of an atomic vector or factor object values and an integer or numeric vector lengths with all positive elements that represent how many times each value is repeated. The length of these two vectors must be the same.

`as(from, "Rle")`: This constructor creates an Rle instances out of an atomic vector from.

Accessors

In the code snippets below, `x` is an Rle object:

`runLength(x)`: Returns the run lengths for `x`.

`runValue(x)`: Returns the run values for `x`.

`nrun(x)`: Returns the number of runs in `x`.

`start(x)`: Returns the starts of the runs for `x`.

`end(x)`: Returns the ends of the runs for `x`.

`width(x)`: Same as `runLength(x)`.

Replacers

In the code snippets below, `x` is an Rle object:

`runLength(x) <- value`: Replaces `x` with a new Rle object using run values `runValue(x)` and run lengths value.

`runValue(x) <- value`: Replaces `x` with a new Rle object using run values value and run lengths `runLength(x)`.

Coercion

In the code snippets below, `x` and `from` are Rle objects:

`as.vector(x, mode = "any"), as(from, "vector")`: Creates an atomic vector based on the values contained in `x`. The vector will be coerced to the requested mode, unless mode is "any", in which case the most appropriate type is chosen.

`as.vectorORfactor(x)`: Creates an atomic vector or factor, based on the type of values contained in `x`. This is the most general way to decompress the Rle to a native R data structure.

`as.logical(x), as(from, "logical")`: Creates a logical vector based on the values contained in `x`.

`as.integer(x), as(from, "integer")`: Creates an integer vector based on the values contained in `x`.

`as.numeric(x), as(from, "numeric")`: Creates a numeric vector based on the values contained in `x`.

`as.complex(x), as(from, "complex")`: Creates a complex vector based on the values contained in `x`.

`as.character(x), as(from, "character")`: Creates a character vector based on the values contained in `x`.

`as.raw(x), as(from, "raw")`: Creates a raw vector based on the values contained in `x`.

`as.factor(x), as(from, "factor")`: Creates a factor object based on the values contained in `x`.

`as.data.frame(x), as(from, "data.frame")`: Creates a data.frame with a single column holding the result of `as.vector(x)`.

`as(from, "IRanges")`: Creates an [IRanges](#) instance from a logical Rle. Note that this instance is guaranteed to be normal.

`as(from, "NormalIRanges")`: Creates a [NormalIRanges](#) instance from a logical Rle.

Group Generics

Rle objects have support for S4 group generic functionality:

Arith "+", "-", "*", "^", "%%", "%/%", "/"

Compare "==", ">", "<", "!=", "<=", ">="

Logic "&", "|"

Ops "Arith", "Compare", "Logic"

Math "abs", "sign", "sqrt", "ceiling", "floor", "trunc", "cummax", "cummin", "cumprod", "cumsum", "log", "log10", "log2", "log1p", "acos", "acosh", "asin", "asinh", "atan", "atanh", "exp", "expm1", "cos", "cosh", "sin", "sinh", "tan", "tanh", "gamma", "lgamma", "digamma", "trigamma"

Math2 "round", "signif"

Summary "max", "min", "range", "prod", "sum", "any", "all"

Complex "Arg", "Conj", "Im", "Mod", "Re"

See [S4groupGeneric](#) for more details.

General Methods

In the code snippets below, `x` is an Rle object:

`x[i, drop = !is.null(getOption("dropRle")) && getOption("dropRle")]`: Subsets `x` by index `i`, where `i` can be positive integers, negative integers, a logical vector of the same length as `x`, an Rle object of the same length as `x` containing logical values, or an [IRanges](#) object. When `drop = FALSE` returns an Rle object. When `drop = TRUE`, returns an atomic vector.

`x[i] <- value`: Equivalent to `seqselect(x, i) <- value`.

`x %in% table`: Returns a logical Rle representing set membership in `table`.

`aggregate(x, by, FUN, start = NULL, end = NULL, width = NULL, frequency = NULL, delta = NULL)`: Generates summaries on the specified windows and returns the result in a convenient form:

`by` An object with `start`, `end`, and `width` methods.

`FUN` The function, found via `match.fun`, to be applied to each window of `x`.

`start`, `end`, `width` the start, end, or width of the window. If `by` is missing, then must supply two of the three.

`frequency`, `delta` Optional arguments that specify the sampling frequency and increment within the window.

`...` Further arguments for `FUN`.

`simplify` A logical value specifying whether or not the result should be simplified to a vector or matrix if possible.

`append(x, values, after = length(x))`: Insert one Rle into another Rle.

`values` the Rle to insert.

`after` the subscript in `x` after which the values are to be inserted.

`c(x, ...)`: Combines a set of Rle objects.

`findRange(x, vec)`: Returns an [IRanges](#) object representing the ranges in Rle `vec` that are referenced by the indices in the integer vector `x`.

`findRun(x, vec)`: Returns an integer vector indicating the run indices in Rle `vec` that are referenced by the indices in the integer vector `x`.

`head(x, n = 6L)`: If `n` is non-negative, returns the first `n` elements of `x`. If `n` is negative, returns all but the last `abs(n)` elements of `x`.

`is.na(x)`: Returns a logical Rle indicating with values are NA.

`is.unsorted(x, na.rm = FALSE, strictly = FALSE)`: Returns a logical value specifying if `x` is unsorted.

`na.rm` remove missing values from check.

`strictly` check for `_strictly_` increasing values.

`length(x)`: Returns the underlying vector length of `x`.

`match(x, table, nomatch = NA_integer_, incomparables = NULL)`: Matches the values in `x` to `table`:

`table` the values to be matched against.

`nomatch` the value to be returned in the case when no match is found.

`incomparables` a vector of values that cannot be matched. Any value in `x` matching a value in this vector is assigned the `nomatch` value.

`rep(x, times, length.out, each), rep.int(x, times)`: Repeats the values in `x` through one of the following conventions:

`times` Vector giving the number of times to repeat each element if of length `length(x)`, or to repeat the whole vector if of length 1.

- length.out Non-negative integer. The desired length of the output vector.
- each Non-negative integer. Each element of `x` is repeated each times.
- rev(x): Reverses the order of the values in `x`.
- seqselect(x, start = NULL, end = NULL, width = NULL): Creates a new `Rle` object using consecutive subsequences from `x` specified by two of the three following values: `start`, `end`, and `width`. See [seqselect](#) for more details.
- seqselect(x, start=NULL, end=NULL, width=NULL) <- value: Similar to `window<-`, except that multiple consecutive subsequences can be replaced by a constant value. As such two of the three `start`, `end`, and `width` arguments can be used to specify the consecutive subsequences. Alternatively, `start` can take a `Ranges` object or something that can be converted to a `Ranges` object like an integer vector, logical vector or logical `Rle`.
- shiftApply(SHIFT, X, Y, FUN, ..., OFFSET = 0L, simplify = TRUE, verbose = FALSE): Let `i` be the indices in `SHIFT`, `X_i = window(X, 1 + OFFSET, length(X) - SHIFT[i])`, and `Y_i = window(Y, 1 + SHIFT[i], length(Y) - OFFSET)`. Calculates the set of `FUN(X_i, Y_i, ...)` values and return the results in a convenient form:
- SHIFT A non-negative integer vector of shift values.
- X, Y The `Rle` objects to shift.
- FUN The function, found via `match.fun`, to be applied to each set of shifted vectors.
- ... Further arguments for `FUN`.
- OFFSET A non-negative integer offset to maintain throughout the shift operations.
- simplify A logical value specifying whether or not the result should be simplified to a vector or matrix if possible.
- verbose A logical value specifying whether or not to print the `i` indices to track the iterations.
- show(object): Prints out the `Rle` object in a user-friendly way.
- sort(x, decreasing = FALSE, na.last = NA): Sorts the values in `x`.
- decreasing If `TRUE`, sort values in decreasing order. If `FALSE`, sort values in increasing order.
- na.last If `TRUE`, missing values are placed last. If `FALSE`, they are placed first. If `NA`, they are removed.
- split(x, f, drop=FALSE): Splits `x` according to `f` to create a [CompressedRleList](#) object. If `f` is a list-like object then `drop` is ignored and `f` is treated as if it was `rep(seq_len(length(f)), sapply(f, length))`, so the returned object has the same shape as `f` (it also receives the names of `f`). Otherwise, if `f` is not a list-like object, empty list elements are removed from the returned object if `drop` is `TRUE`.
- splitRanges(x): Returns a [CompressedIRangesList](#) object that contain the ranges for each of the unique run values.
- subset(x, subset): Returns a new `Rle` object made of the subset using logical vector `subset`.
- summary(object, ..., digits = max(3, getOption("digits") - 3)): Summarizes the `Rle` object using an atomic vector convention. The `digits` argument is used for number formatting with `signif()`.
- table(...): Returns a table containing the counts of the unique values.
- tail(x, n = 6L): If `n` is non-negative, returns the last `n` elements of `x`. If `n` is negative, returns all but the first `abs(n)` elements of `x`.
- unique(x, incomparables = FALSE, ...): Returns the unique run values. The `incomparables` argument takes a vector of values that cannot be compared with `FALSE` being a special value that means that all values can be compared.

`window(x, start = NA, end = NA, width = NA, frequency = NULL, delta = NULL, ...)`:
 Extract the subsequence window from `x` specified by:
`start, end, width` The start, end, or width of the window. Two of the three are required.
`frequency, delta` Optional arguments that specify the sampling frequency and increment within the window.

`window(x, start = NA, end = NA, width = NA, keepLength = TRUE) <- value`: Replace the subsequence window specified on the left (i.e. the subsequence in `x` specified by `start, end` and `width`) by `value`. `value` must either be of class `Rle`, belong to a subclass of `Rle`, be coercible to `Rle`, or be `NULL`. If `keepLength` is `TRUE`, the elements of `value` are repeated to create an `Rle` with the same number of elements as the width of the subsequence window it is replacing. If `keepLength` is `FALSE`, this replacement method can modify the length of `x`, depending on how the length of the left subsequence window compares to the length of `value`.

Logical Data Methods

In the code snippets below, `x` is an `Rle` object:

`!x`: Returns logical negation (NOT) of `x`.
`which(x)`: Returns an integer vector representing the TRUE indices of `x`.
`ifelse(x, yes, no)`: For each element of `x`, returns the corresponding element in `yes` if `TRUE`, otherwise the element in `no`. `yes` and `no` may be `Rle` objects or anything else coercible to a vector.

Numerical Data Methods

In the code snippets below, `x` is an `Rle` object:

`diff(x, lag = 1, differences = 1)`: Returns suitably lagged and iterated differences of `x`.
`lag` An integer indicating which lag to use.
`differences` An integer indicating the order of the difference.

`pmax(..., na.rm = FALSE)`, `pmax.int(..., na.rm = FALSE)`: Parallel maxima of the `Rle` input values. Removes NAs when `na.rm = TRUE`.

`pmin(..., na.rm = FALSE)`, `pmin.int(..., na.rm = FALSE)`: Parallel minima of the `Rle` input values. Removes NAs when `na.rm = TRUE`.

`which.max(x)`: Returns the index of the first element matching the maximum value of `x`.

`mean(x, na.rm = FALSE)`: Calculates the mean of `x`. Removes NAs when `na.rm = TRUE`.

`var(x, y = NULL, na.rm = FALSE)`: Calculates the variance of `x` or covariance of `x` and `y` if both are supplied. Removes NAs when `na.rm = TRUE`.

`cov(x, y, use = "everything")`, `cor(x, y, use = "everything")`: Calculates the covariance and correlation respectively of `Rle` objects `x` and `y`. The `use` argument is an optional character string giving a method for computing covariances in the presence of missing values. This must be (an abbreviation of) one of the strings "everything", "all.obs", "complete.obs", "na.or.complete", or "pairwise.complete.obs".

`sd(x, na.rm = FALSE)`: Calculates the standard deviation of `x`. Removes NAs when `na.rm = TRUE`.

`median(x, na.rm = FALSE)`: Calculates the median of `x`. Removes NAs when `na.rm = TRUE`.

`quantile(x, probs = seq(0, 1, 0.25), na.rm = FALSE, names = TRUE, type = 7, ...)`:
 Calculates the specified quantiles of `x`.
`probs` A numeric vector of probabilities with values in [0,1].

na.rm If TRUE, removes NAs from x before the quantiles are computed.

names If TRUE, the result has names describing the quantiles.

type An integer between 1 and 9 selecting one of the nine quantile algorithms detailed in [quantile](#).

... Further arguments passed to or from other methods.

mad(x, center = median(x), constant = 1.4826, na.rm = FALSE, low = FALSE, high = FALSE):
Calculates the median absolute deviation of x.

center The center to calculate the deviation from.

constant The scale factor.

na.rm If TRUE, removes NAs from x before the mad is computed.

low If TRUE, compute the 'lo-median'.

high If TRUE, compute the 'hi-median'.

IQR(x, na.rm = FALSE): Calculates the interquartile range of x.

na.rm If TRUE, removes NAs from x before the IQR is computed.

smoothEnds(y, k = 3): Smooth end points of an Rle y using subsequently smaller medians and Tukey's end point rule at the very end.

k An integer indicating the width of largest median window; must be odd.

runmean(x, k, endrule = c("drop", "constant"), na.rm = FALSE): Calculates the means for fixed width running windows across x.

k An integer indicating the fixed width of the running window. Must be odd when endrule == "constant".

endrule A character string indicating how the values at the beginning and the end (of the data) should be treated.

"drop" do not extend the running statistics to be the same length as the underlying vectors;

"constant" copies running statistic to the first values and analogously for the last ones making the smoothed ends *constant*;

na.rm A logical indicating if NA and NaN values should be removed.

runmed(x, k, endrule = c("median", "keep", "drop", "constant")): Calculates the medians for fixed width running windows across x.

k An integer indicating the fixed width of the running window. Must be odd when endrule != "drop".

endrule A character string indicating how the values at the beginning and the end (of the data) should be treated.

"keep" keeps the first and last k_2 values at both ends, where k_2 is the half-bandwidth $k_2 = k \%/\% 2$, i.e., $y[j] = x[j]$ for $j \in \{1, \dots, k_2; n - k_2 + 1, \dots, n\}$ $j = 1, \dots, k_2$ and $(n - k_2 + 1), \dots, n$;

"constant" copies the running statistic to the first values and analogously for the last ones making the smoothed ends *constant*;

"median" the default, smooths the ends by using symmetrical medians of subsequently smaller bandwidth, but for the very first and last value where Tukey's robust end-point rule is applied, see [smoothEnds](#).

runsum(x, k, endrule = c("drop", "constant"), na.rm = FALSE): Calculates the sums for fixed width running windows across x.

k An integer indicating the fixed width of the running window. Must be odd when endrule == "constant".

endrule A character string indicating how the values at the beginning and the end (of the data) should be treated.

"drop" do not extend the running statistics to be the same length as the underlying vectors;

"constant" copies running statistic to the first values and analogously for the last ones making the smoothed ends *constant*;

na.rm A logical indicating if NA and NaN values should be removed.

runwtsun(x, k, wt, endrule = c("drop", "constant"), na.rm = FALSE): Calculates the sums for fixed width running windows across x.

k An integer indicating the fixed width of the running window. Must be odd when endrule == "constant".

wt A numeric vector of length k that provides the weights to use.

endrule A character string indicating how the values at the beginning and the end (of the data) should be treated.

"drop" do not extend the running statistics to be the same length as the underlying vectors;

"constant" copies running statistic to the first values and analogously for the last ones making the smoothed ends *constant*;

na.rm A logical indicating if NA and NaN values should be removed.

runq(x, k, i, endrule = c("drop", "constant")): Calculates the order statistic for fixed width running windows across x.

k An integer indicating the fixed width of the running window. Must be odd when endrule == "constant".

i An integer indicating which order statistic to calculate.

endrule A character string indicating how the values at the beginning and the end (of the data) should be treated.

"drop" do not extend the running statistics to be the same length as the underlying vectors;

"constant" copies running statistic to the first values and analogously for the last ones making the smoothed ends *constant*;

na.rm A logical indicating if NA and NaN values should be removed.

Character Data Methods

In the code snippets below, x is an Rle object:

nchar(x, type = "chars", allowNA = FALSE): Returns an integer Rle representing the number of characters in the corresponding values of x.

type One of c("bytes", "chars", "width").

allowNA Should NA be returned for invalid multibyte strings rather than throwing an error?

substr(x, start, stop), substring(text, first, last = 1000000L): Returns a character or factor Rle containing the specified substrings beginning at start/first and ending at stop/last.

chartr(old, new, x): Returns a character or factor Rle containing a translated version of x.

old A character string specifying the characters to be translated.

new A character string specifying the translations.

tolower(x): Returns a character or factor Rle containing a lower case version of x.

toupper(x): Returns a character or factor Rle containing an upper case version of x.

sub(pattern, replacement, x, ignore.case = FALSE, perl = FALSE, fixed = FALSE, useBytes = FALSE)

Returns a character or factor Rle containing replacements based on matches determined by regular expression matching. See [sub](#) for a description of the arguments.

gsub(pattern, replacement, x, ignore.case = FALSE, perl = FALSE, fixed = FALSE, useBytes = FALSE)

Returns a character or factor Rle containing replacements based on matches determined by regular expression matching. See [gsub](#) for a description of the arguments.

paste(..., sep = " ", collapse = NULL): Returns a character or factor Rle containing a concatenation of the values in

Factor Data Methods

In the code snippets below, `x` is an Rle object:

`levels(x)`, `levels(x) <- value`: Gets and sets the factor levels, respectively.

`nlevels(x)`: Returns the number of factor levels.

Author(s)

P. Aboyoun

See Also

[rle](#), [Vector-class](#), [S4groupGeneric](#), [IRanges-class](#)

Examples

```
x <- Rle(10:1, 1:10)
x

runLength(x)
runValue(x)
nrun(x)

diff(x)
unique(x)
sort(x)
sqrt(x)
x^2 + 2 * x + 1
x[c(1,3,5,7,9)]
window(x, 4, 14)
range(x)
sum(x)
mean(x)
x > 4
aggregate(x, x > 4, mean)
aggregate(x, FUN = mean, start = 1:(length(x) - 50), end = 51:length(x))

x2 <- Rle(LETTERS[c(21:26, 25:26)], 8:1)
table(x2)

y <- Rle(c(TRUE,TRUE,FALSE,FALSE,TRUE,FALSE,TRUE,TRUE,TRUE))
y
as.vector(y)
rep(y, 10)
c(y, x > 5)

z <- c("the", "quick", "red", "fox", "jumps", "over", "the", "lazy", "brown", "dog")
z <- Rle(z, seq_len(length(z)))
chartr("a", "@", z)
toupper(z)

## -----
## runsum, runmean, runwtsum, and runq functions
## -----

## The .naive_runsum() function demonstrates the semantics of
```

```

## runsum(). This test ensures the behavior is consistent with
## base::sum().

.naive_runsum <- function(x, k, na.rm=FALSE)
  sapply(0:(length(x)-k),
        function(offset) sum(x[1:k + offset], na.rm=na.rm))

x0 <- c(1, Inf, 3, 4, 5, NA)
x <- Rle(x0)
target1 <- .naive_runsum(x0, 3, na.rm = TRUE)
target2 <- .naive_runsum(x, 3, na.rm = TRUE)
stopifnot(target1 == target2)
current <- as.vector(runsum(x, 3, na.rm = TRUE))
stopifnot(target1 == current)

## runmean() and runwtsum() :
x <- Rle(c(2, 1, NA, 0, 1, -Inf))
runmean(x, k = 3)
runmean(x, k = 3, na.rm = TRUE)
runwtsum(x, k = 3, wt = c(0.25, 0.50, 0.25))
runwtsum(x, k = 3, wt = c(0.25, 0.50, 0.25), na.rm = TRUE)

## runq() :
runq(x, k = 3, i = 1, na.rm = TRUE) ## smallest value in window
runq(x, k = 3, i = 3, na.rm = TRUE) ## largest value in window

## When na.rm = TRUE, it is possible the number of non-NA
## values in the window will be less than the 'i' specified.
## Here we request the 4th smallest value in the window,
## which translates to the value at the 4/5 (0.8) percentile.
x <- Rle(c(1, 2, 3, 4, 5))
runq(x, k=length(x), i=4, na.rm=TRUE)

## The same request on a Rle with two missing values
## finds the value at the 0.8 percentile of the vector
## at the new length of 3 after the NA's have been removed.
## This translates to round((0.8) * 3).
x <- Rle(c(1, 2, 3, NA, NA))
runq(x, k=length(x), i=4, na.rm=TRUE)

```

RleViews-class

The RleViews class

Description

The RleViews class is the basic container for storing a set of views (start/end locations) on the same Rle object.

Details

An RleViews object contains a set of views (start/end locations) on the same [Rle](#) object called "the subject vector" or simply "the subject". Each view is defined by its start and end locations: both are integers such that start <= end. An RleViews object is in fact a particular case of a [Views](#) object (the RleViews class contains the [Views](#) class) so it can be manipulated in a similar manner: see [?Views](#)

for more information. Note that two views can overlap and that a view can be "out of limits" i.e. it can start before the first element of the subject or/and end after its last element.

Author(s)

P. Aboyoun

See Also

[Views-class](#), [Rle-class](#), [Views-utils](#)

Examples

```
subject <- Rle(rep(c(3L, 2L, 18L, 0L), c(3,2,1,5)))
myViews <- Views(subject, 3:0, 5:8)
myViews
subject(myViews)
length(myViews)
start(myViews)
end(myViews)
width(myViews)
myViews[[2]]

set.seed(0)
vec <- Rle(sample(0:2, 20, replace = TRUE))
vec
Views(vec, vec > 0)
```

RleViewsList-class

List of RleViews

Description

An extension of [ViewsList](#) that holds only [RleViews](#) objects. Useful for storing coverage vectors over a set of spaces (e.g. chromosomes), each of which requires a separate [RleViews](#) object.

Details

For more information on methods available for RleViewsList objects consult the man pages for [ViewsList-class](#) and [Views-utils](#).

Constructor

RleViewsList(..., rleList, rangesList, universe = NULL): Either ... or the rleList/rangesList couplet provide the RleViews for the list. If ... is provided, each of these arguments must be RleViews objects. Alternatively, rleList and rangesList accept Rle and Ranges objects respectively that are meshed together for form the RleViewsList. The universe is specified by the universe parameter, which should be a single string or NULL, to leave unspecified.

Views(subject, start=NULL, end=NULL, width=NULL, names=NULL): Same as RleViewsList(rleList = subj

Coercion

In the code snippets below, `from` is an `RleViewsList` object:

`as(from, "IRangesList")`: Creates a `CompressedIRangesList` object containing the view locations in `from`.

`as(from, "CompressedIRangesList")`: Creates a `CompressedIRangesList` object containing the view locations in `from`.

`as(from, "SimpleIRangesList")`: Creates a `SimpleIRangesList` object containing the view locations in `from`.

Author(s)

P. Aboyoun

See Also

[ViewsList-class](#), [Views-utils](#)

Examples

```
## Rle objects
subject1 <- Rle(c(3L,2L,18L,0L), c(3,2,1,5))
set.seed(0)
subject2 <- Rle(c(0L,5L,2L,0L,3L), c(8,5,2,7,4))

## Views
rleViews1 <- Views(subject1, 3:0, 5:8)
rleViews2 <- Views(subject2, subject2 > 0)

## RleList and RangesList objects
rleList <- RleList(subject1, subject2)
rangesList <- IRangesList(IRanges(3:0, 5:8), IRanges(subject2 > 0))

## methods for construction
method1 <- RleViewsList(rleViews1, rleViews2)
method2 <- RleViewsList(rleList = rleList, rangesList = rangesList)
identical(method1, method2)

## calculation over the views
viewSums(method1)
```

runstat

Fixed width running window summaries across vector-like objects

Description

The `runsum`, `runmean`, `runwts`, `runq` functions calculate the sum, mean, weighted sum, and order statistics for fixed width running windows.

Usage

```
runsum(x, k, endrule = c("drop", "constant"), ...)
runmean(x, k, endrule = c("drop", "constant"), ...)
runwtsum(x, k, wt, endrule = c("drop", "constant"), ...)
runq(x, k, i, endrule = c("drop", "constant"), ...)
```

Arguments

x	The data object.
k	An integer indicating the fixed width of the running window. Must be odd when endrule == "constant".
wt	A numeric vector of length k that provides the weights to use.
i	An integer in [0, k] indicating which order statistic to calculate.
endrule	A character string indicating how the values at the beginning and the end (of the data) should be treated. "drop" do not extend the running statistics to be the same length as the underlying vectors; "constant" copies running statistic to the first values and analogously for the last ones making the smoothed ends <i>constant</i> ;
...	Additional arguments passed to methods. Specifically, na.rm. When na.rm = TRUE, the NA and NaN values are removed. When na.rm = FALSE, NA is returned if either NA or NaN are in the specified window.

Details

The runsum, runmean, runwtsum, and runq functions provide efficient methods for calculating the specified numeric summary by performing the looping in compiled code.

Value

An object of the same class as x.

Author(s)

P. Aboyoun and V. Obenchain

See Also

[runmed](#), [Rle-class](#), [RleList-class](#)

Examples

```
x <- Rle(1:10, 1:10)
runsum(x, k = 3)
runsum(x, k = 3, endrule = "constant")
runmean(x, k = 3)
runwtsum(x, k = 3, wt = c(0.25, 0.5, 0.25))
runq(x, k = 5, i = 3, endrule = "constant")

## Missing and non-finite values
x <- Rle(c(1, 2, NA, 0, 3, Inf, 4, NaN))
runsum(x, k = 2)
```

```
runsum(x, k = 2, na.rm = TRUE)
runmean(x, k = 2, na.rm = TRUE)
runwtsun(x, k = 2, wt = c(0.25, 0.5), na.rm = TRUE)
runq(x, k = 2, i = 2, na.rm = TRUE) ## max value in window
```

score *Score accessor and setter*

Description

Gets and sets the score of an object.

Usage

```
score(x, ...)
score(x, ...) <- value
```

Arguments

x	An object to get or set the score value of.
value	A new score value.
...	Additional arguments.

seqapply *Apply function and cast to Vector*

Description

The seqapply family of functions behaves much like the existing lapply family, except the return value is cast to a [Vector](#) subclass. This facilitates constraining computation to the Vector framework across iteration and (for seqsplit) splitting.

Usage

```
seqapply(X, FUN, ...)
mseqapply(FUN, ..., MoreArgs = NULL, USE.NAMES = TRUE)
tseqapply(X, INDEX, FUN = NULL, ...)
seqsplit(x, f, drop = FALSE)
seqby(data, INDICES, FUN, ...)
```

Arguments

X	The object over which to iterate, usually a vector or Vector
x	Like X
data	Like X
FUN	The function that is applied to each element of X
MoreArgs	Additional arguments to FUN that are treated like scalars
USE.NAMES	Whether the return values should inherit names from one of the arguments

INDEX	A list of factors to split X into subsets, each of which is passed in a separate invocation of FUN
INDICES	Like INDEX, except a single factor need not be in a list.
f	A factor or list of factors
drop	Whether to drop empty elements from the returned list
...	Extra arguments to pass to FUN

Details

These functions should be used just like their base equivalent:

```
seqapply => lapply
mseqapply => mapply
tseqapply => tapply
seqsplit => split
seqby => by
```

The only difference is that the result is cast to a Vector object. The casting logic simply looks for a common class from which all returned values inherit. It then checks for the existence of a function of the form `ClassList` where `Class` is the name of the class. If such a function is not found, the search proceeds up the hierarchy of classes. An error is thrown when hierarchy is exhausted. If `ClassList` is found, it is called with the list of return values as its only argument, under the assumption that a Vector-derived instance will be constructed.

Value

A Vector object

Author(s)

Michael Lawrence

Examples

```
starts <- IntegerList(c(1, 5), c(2, 8))
ends <- IntegerList(c(3, 8), c(5, 9))
rangesList <- mseqapply(IRanges, starts, ends)
rangeDataFrame <- stack(rangesList, "space", "ranges")
dataFrameList <- seqsplit(rangeDataFrame, rangeDataFrame$space)
starts <- seqapply(dataFrameList[, "ranges"], start)
```

SimpleList-class

Simple and Compressed List Classes

Description

The (non-virtual) SimpleList and (virtual) CompressedList classes extend the [List](#) virtual class.

Details

The SimpleList and CompressedList classes provide an implementation that subclasses can easily extend. The underlying storage in a SimpleList subclass is a list object. The underlying storage in a CompressedList object is a virtually partitioned vector-like object. For more information on the available methods, see the [List](#) man page.

Constructor

List objects are typically constructed by calling the constructor of a concrete implementation, such as [RangesList](#) or [IntegerList](#). The simplest, most generic implementation is SimpleList, which has the following constructor:

SimpleList(...): takes possibly named objects as elements for the new SimpleList object.

Calling `as(x, "List")` will convert a vector-like object into a List, usually a CompressedList. To explicitly request a SimpleList derivative, call `as(x, "SimpleList")`

Coercion

In the following code snippets, x is a SimpleList or CompressedList object.

`as.list(x)`: Copies the elements of x into a new R list object.

`unlist(x, recursive = TRUE, use.names = TRUE)`: Concatenates the elements of x into a single `elementType(x)` object.

Subsetting

In the following code snippets, x is a SimpleList or CompressedList object.

`x[i]`: In addition to normal usage, the i parameter can be a RangesList, logical RleList, LogicalList, or IntegerList object to perform subsetting within the list elements rather than across them.

`x[i] <- value`: In addition to normal usage, the i parameter can be a RangesList, logical RleList, LogicalList, or IntegerList object to perform subsetting within the list elements rather than across them.

`seqselect(x, start=NULL, end=NULL, width=NULL)`: In addition to normal usage, the start parameter can be a RangesList, logical RleList, LogicalList, or IntegerList object to perform sequence extraction within the list elements rather than across them.

`seqselect(x, start=NULL, end=NULL, width=NULL) <- value`: In addition to normal usage, the start parameter can be a RangesList, logical RleList, LogicalList, or IntegerList object to perform sequence replacement within the list elements rather than across them.

Looping

In the following code snippets, x is a SimpleList or CompressedList object.

`aggregate(x, by, FUN, start = NULL, end = NULL, width = NULL, frequency = NULL, delta = NU`

In addition to normal usage, the by parameter can be a RangesList to aggregate within the list elements rather than across them. When by is a RangesList, the output is either a SimpleAtomicList object, if possible, or a SimpleList object, if not.

Author(s)

P. Aboyoun

See Also

[List](#), [AtomicList](#) and [RangesList](#) for example implementations

Examples

```
SimpleList(a = letters, ranges = IRanges(1:10, 1:10))
```

strutils

Low-level string utilities

Description

Some low-level string utilities that operate on ordinary character vectors. For more advanced string manipulations, see the [Biostrings](#) package.

Usage

```
strsplitAsListOfIntegerVectors(x, sep=",")
```

Arguments

x	A character vector where each element is a string containing comma-separated decimal integer values.
sep	The value separator character.

Value

A list of integer vectors. The list is of the same length as the input.

Note

`strsplitAsListOfIntegerVectors` is similar to the `strsplitAsListOfIntegerVectors2` function shown in the Examples section below, except that the former generally raises an error where the latter would have inserted an NA in the returned object. More precisely:

- The latter accepts NAs in the input, the former doesn't (raises an error).
- The latter introduces NAs by coercion (with a warning), the former doesn't (raises an error).
- The latter supports "inaccurate integer conversion in coercion" when the value to coerce is > INT_MAX (then it's coerced to INT_MAX), the former doesn't (raises an error).
- The latter coerces non-integer values (e.g. 10.3) to an int by truncating them, the former doesn't (raises an error).

When it fails, `strsplitAsListOfIntegerVectors` will print an informative error message. Finally, `strsplitAsListOfIntegerVectors` is faster and uses much less memory than `strsplitAsListOfIntegerVectors2`.

Author(s)

H. Pages

See Also

[strsplit](#)

Examples

```
x <- c("1116,0,-19",
      "+55291 , 2476,",
      "19184,4269,5659,6470,6721,7469,14601",
      "7778889, 426900, -4833,5659,6470,6721,7096",
      "19184 , -99999")
y <- strsplitAsListOfIntegerVectors(x)
y

## In normal situations (i.e. when the input is well-formed),
## strsplitAsListOfIntegerVectors() does actually the same as the
## function below but is more efficient (both in speed and memory
## footprint):
strsplitAsListOfIntegerVectors2 <- function(x, sep=",")
{
  tmp <- strsplit(x, sep, fixed = TRUE)
  lapply(tmp, as.integer)
}
y2 <- strsplitAsListOfIntegerVectors2(x)
stopifnot(identical(y, y2))
```

updateObject-methods *Update an object of a class defined in IRanges to its current class definition*

Description

The IRanges package provides an extensive collection of [updateObject](#) methods for updating almost any instance of a class defined in this package.

Usage

```
## Showing usage of method defined for IntegerList objects only (usage
## is the same for all methods).
```

```
## S4 method for signature 'IntegerList'
updateObject(object, ..., verbose=FALSE)
```

Arguments

object	Object to be updated. Many (but not all) IRanges classes are supported. If no specific method is available for the object, then the default method (defined in the BiocGenerics package) is used. See ?updateObject for a description of the default method.
..., verbose	See ?updateObject .

Value

Returns a valid instance of object.

Author(s)

The Bioconductor Dev Team

See Also[updateObject](#)

Vector-class

*Vector objects***Description**

The Vector virtual class serves as the heart of the IRanges package and has over 90 subclasses. It serves a similar role as [vector](#) in base R.

The Vector class supports the storage of *global* and *element-wise* metadata:

1. The *global* metadata annotates the object as a whole: this metadata is accessed via the metadata accessor and is represented as an ordinary list;
2. The *element-wise* metadata annotates individual elements of the object: this metadata is accessed via the mcols accessor (mcols stands for *metadata columns*) and is represented as a [DataTable](#) object (i.e. as an instance of a concrete subclass of [DataTable](#), e.g. a [DataFrame](#) object), with a row for each element and a column for each metadata variable. Note that the element-wise metadata can also be NULL.

To be functional, a class that inherits from Vector must define at least a length, names and "[" method.

Accessors

In the following code snippets, x is a Vector object.

length(x): Get the number of elements in x.

NROW(x): Defined as length(x) for any Vector object that is *not* a [DataTable](#) object. If x is a [DataTable](#) object, then it's defined as nrow(x).

names(x), names(x) <- value: Get or set the names of the elements in the Vector.

rename(x, value, ...): Replace the names of x according to a mapping defined by a named character vector, formed by concatenating value with any arguments in The names of the character vector indicate the source names, and the corresponding values the destination names. This also works on a plain old vector.

nlevels(x): Returns the number of factor levels.

mcols(x, use.names=FALSE), mcols(x) <- value: Get or set the metadata columns. If use.names=TRUE and the metadata columns are not NULL, then the names of x are propagated as the row names of the returned [DataTable](#) object. When setting the metadata columns, the supplied value must be NULL or a [DataTable](#) object holding element-wise metadata.

elementMetadata(x, use.names=FALSE), elementMetadata(x) <- value, values(x, use.names=FALSE), values(x) <- value: Alternatives to mcols functions. Their use is discouraged.

Subsetting

In the code snippets below, `x` is a Vector object or regular R vector object. The R vector object methods for `window` and `seqselect` are defined in this package and the remaining methods are defined in base R.

`x[i, drop=TRUE]`: If defined, returns a new Vector object made of selected elements `i`, which can be missing; an NA-free logical, numeric, or character vector; or a logical Rle object. The `drop` argument specifies whether or not to coerce the returned sequence to a standard vector.

`x[i] <- value`: Equivalent to `seqselect(x, i) <- value`.

`window(x, start = NA, end = NA, width = NA, frequency = NULL, delta = NULL, ...)`: Extract the subsequence window from the Vector object using:

`start, end, width` The start, end, or width of the window. Two of the three are required.

`frequency, delta` Optional arguments that specify the sampling frequency and increment within the window.

In general, this is more efficient than using `"["` operator.

`window(x, start = NA, end = NA, width = NA, keepLength = TRUE) <- value`: Replace the subsequence window specified on the left (i.e. the subsequence in `x` specified by `start, end` and `width`) by `value`. `value` must either be of class `class(x)`, belong to a subclass of `class(x)`, be coercible to `class(x)`, or be `NULL`. If `keepLength` is `TRUE`, the elements of `value` are repeated to create a Vector with the same number of elements as the width of the subsequence window it is replacing. If `keepLength` is `FALSE`, this replacement method can modify the length of `x`, depending on how the length of the left subsequence window compares to the length of `value`.

`seqselect(x, start=NULL, end=NULL, width=NULL)`: Similar to `window`, except that multiple consecutive subsequences can be requested for concatenation. As such two of the three `start, end, and width` arguments can be used to specify the consecutive subsequences. Alternatively, `start` can take a Ranges object or something that can be converted to a Ranges object like an integer vector, logical vector or logical Rle. If the concatenation of the consecutive subsequences is undesirable, consider using [Views](#).

`seqselect(x, start=NULL, end=NULL, width=NULL) <- value`: Similar to `window<-`, except that multiple consecutive subsequences can be replaced by a value whose length is a divisor of the number of elements it is replacing. As such two of the three `start, end, and width` arguments can be used to specify the consecutive subsequences. Alternatively, `start` can take a Ranges object or something that can be converted to a Ranges object like an integer vector, logical vector or logical Rle.

`split(x, f, drop = FALSE) <- value`: Virtually splits `x` by the factor `f`, replaces the elements of the resulting list with the elements from the list `value`, and restores `x` to its original form. Note that this works for any Vector, even though `split` itself is not universally supported.

`head(x, n = 6L)`: If `n` is non-negative, returns the first `n` elements of the Vector object. If `n` is negative, returns all but the last `abs(n)` elements of the Vector object.

`tail(x, n = 6L)`: If `n` is non-negative, returns the last `n` elements of the Vector object. If `n` is negative, returns all but the first `abs(n)` elements of the Vector object.

`rev(x)`: Return a new Vector object made of the original elements in the reverse order.

`rep(x, times, length.out, each), rep.int(x, times)`: Repeats the values in `x` through one of the following conventions:

`times` Vector giving the number of times to repeat each element if of length `length(x)`, or to repeat the whole vector if of length 1.

`length.out` Non-negative integer. The desired length of the output vector.

each Non-negative integer. Each element of `x` is repeated each times.

`subset(x, subset)`: Return a new Vector object made of the subset using logical vector `subset`, where missing values are taken as `FALSE`.

Combining

In the code snippets below, `x` is a Vector object.

`c(x, ...)`: Combine `x` and the Vector objects in `...` together. Any object in `...` must belong to the same class as `x`, or to one of its subclasses, or must be `NULL`. The result is an object of the same class as `x`.

`append(x, values, after = length(x))`: Insert the Vector values onto `x` at the position given by `after`. `values` must have an `elementType` that extends that of `x`.

`mstack(..., .index.var = "name")`: A variant of `stack`, where the list is taken as the list of arguments in `...`, each of which should be a Vector or vector (mixing the two will not work).

Looping

In the code snippets below, `x` is a Vector object.

`tapply(X, INDEX, FUN = NULL, ..., simplify = TRUE)`: Like the standard `tapply` function defined in the base package, the `tapply` method for Vector objects applies a function to each cell of a ragged array, that is to each (non-empty) group of values given by a unique combination of the levels of certain factors.

`shiftApply(SHIFT, X, Y, FUN, ..., OFFSET = 0L, simplify = TRUE, verbose = FALSE)`: Let `i` be the indices in `SHIFT`, `X_i = window(X, 1 + OFFSET, length(X) - SHIFT[i])`, and `Y_i = window(Y, 1 + SHIFT[i], length(Y) - OFFSET)`. Calculates the set of `FUN(X_i, Y_i, ...)` values and return the results in a convenient form:

`SHIFT` A non-negative integer vector of shift values.

`X, Y` The Vector or R vector objects to shift.

`FUN` The function, found via `match.fun`, to be applied to each set of shifted vectors.

`...` Further arguments for `FUN`.

`OFFSET` A non-negative integer offset to maintain throughout the shift operations.

`simplify` A logical value specifying whether or not the result should be simplified to a vector or matrix if possible.

`verbose` A logical value specifying whether or not to print the `i` indices to track the iterations.

`aggregate(x, by, FUN, start = NULL, end = NULL, width = NULL, frequency = NULL, delta = NULL)`
Generates summaries on the specified windows and returns the result in a convenient form:

`by` An object with `start`, `end`, and `width` methods.

`FUN` The function, found via `match.fun`, to be applied to each window of `x`.

`start, end, width` the start, end, or width of the window. If `by` is missing, then must supply two of the three.

`frequency, delta` Optional arguments that specify the sampling frequency and increment within the window.

`...` Further arguments for `FUN`.

`simplify` A logical value specifying whether or not the result should be simplified to a vector or matrix if possible.

Utilities

`unique(x)`: Returns the unique elements in `x`. Requires that the Vector derivative support duplicated.

Coercion

`as(from, "data.frame"), as.data.frame(from)`: Coerces from, a `Vector`, to a `data.frame` by first coercing the `Vector` to a vector via `as.vector`. Note that many `Vector` derivatives do not support `as.vector`, so this coercion is possible only for certain types.

Author(s)

P. Aboyoun

See Also

[Rle](#) and [XRaw](#) for example implementations.

[List](#) for a direct extension that serves a similar role as `list` in base R.

[DataTable](#) which is the type of objects returned by the `mcols` accessor.

[Annotated](#) which `Vector` extends.

Examples

```
showClass("Vector") # shows (some of) the known subclasses
```

Views-class

Views objects

Description

The Views virtual class is a general container for storing a set of views on an arbitrary `Vector` object, called the "subject".

Its primary purpose is to introduce concepts and provide some facilities that can be shared by the concrete classes that derive from it.

Some direct subclasses of the Views class are: [XIntegerViews](#), [XDoubleViews](#), [RleViews](#), [XStringViews](#) (defined in the `Biostrings` package), etc...

Constructor

`Views(subject, start=NULL, end=NULL, width=NULL, names=NULL)`: This constructor is a generic function with dispatch on argument `subject`. Specific methods must be defined for the subclasses of the Views class. For example a method for [XString](#) subjects is defined in the `Biostrings` package that returns an [XStringViews](#) object. There is no default method.

The treatment of the `start`, `end` and `width` arguments is the same as with the [IRanges](#) constructor, except that, in addition, Views allows `start` to be a [Ranges](#) object. With this feature, `Views(subject, IRanges(my_starts, my_ends, my_widths, my_names))` and `Views(subject, my_starts, my_ends, my_widths, my_names)` are equivalent (except when `my_starts` is itself a [Ranges](#) object).

Coercion

In the code snippets below, `from` is a Views object:

`as(from, "IRanges")`: Creates an `IRanges` object containing the view locations in `from`.

Accessor-like methods

All the accessor-like methods defined for IRanges objects work on Views objects. In addition, the following accessors are defined for Views objects:

`subject(x)`: Return the subject of the views.

Subsetting and appending

"[" , c and "[" work on a Views object. The first two operations are just inherited from the IRanges class but now they return a Views object. However, the "[" method for Views objects has a different semantic than the method for IRanges objects.

`x[[i]]`: Extracts the view selected by `i` as an object of the same class as `subject(x)`. Subscript `i` can be a single integer or a character string. The result is the subsequence of `subject(x)` defined by `window(subject(x), start=start(x)[i], end=end(x)[i])` or an error if the view is "out of limits" (i.e. `start(x)[i] < 1` or `end(x)[i] > length(subject(x))`).

Other methods

`trim(x, use.names=TRUE)`: Equivalent to `restrict(x, start=1L, end=length(subject(x)), keep.all.ranges=TRUE)`

`subviews(x, start=NA, end=NA, width=NA, use.names=TRUE)`: `start`, `end`, and `width` arguments must be vectors of integers, eventually with NAs, that contain coordinates relative to the current ranges. Equivalent to `trim(narrow(x, start=start, end=end, width=width, use.names=use.names))`

`successiveViews(subject, width, gapwidth=0, from=1)`: Equivalent to `Views(subject, successiveIRanges(width, gapwidth, from))`. See `?successiveIRanges` for a description of the `width`, `gapwidth` and `from` arguments.

Author(s)

H. Pages

See Also

[IRanges-class](#), [Vector-class](#), [IRanges-utils](#), [XVector](#).

Some direct subclasses of the Views class: [XIntegerViews-class](#), [XDoubleViews-class](#), [RleViews-class](#), [XStringViews-class](#).

[findOverlaps](#).

Examples

```
showClass("Views") # shows (some of) the known subclasses

## Create a set of 4 views on an XInteger subject of length 10:
subject <- XInteger(10, 3:-6)
v1 <- Views(subject, start=4:1, end=4:7)

## Extract the 2nd view:
v1[[2]]

## Some views can be "out of limits"
v2 <- Views(subject, start=4:-1, end=6)
trim(v2)
subviews(v2, end=-2)
```

```

## Views on a big XInteger subject:
subject <- XInteger(99999, sample(99, 99999, replace=TRUE) - 50)
v3 <- Views(subject, start=1:99*1000, end=1:99*1001)
v3
v3[-1]
v3[[5]]

## 31 adjacent views:
successiveViews(subject, 40:10)

```

Views-utils

*Utility functions and numeric summary of Views of numerics***Description**

The slice function creates a [Views](#) object that contains the indices where the data are within the specified bounds.

The viewMins, viewMaxs, viewSums, viewMeans functions calculate the minima, maxima, sums, and means on views respectively.

Usage

```

viewApply(X, FUN, ..., simplify = TRUE)

slice(x, lower=-Inf, upper=Inf, ...)
## S4 method for signature 'Rle'
slice(x, lower=-Inf, upper=Inf,
      includeLower=TRUE, includeUpper=TRUE,
      rangesOnly = FALSE)

viewMins(x, na.rm=FALSE)
## S4 method for signature 'Views'
min(x, ..., na.rm = FALSE)
viewMaxs(x, na.rm=FALSE)
## S4 method for signature 'Views'
max(x, ..., na.rm = FALSE)
viewSums(x, na.rm=FALSE)
## S4 method for signature 'Views'
sum(x, ..., na.rm = FALSE)
viewMeans(x, na.rm=FALSE)
## S4 method for signature 'Views'
mean(x, ...)

viewWhichMins(x, na.rm=FALSE)
## S4 method for signature 'Views'
which.min(x)
viewWhichMaxs(x, na.rm=FALSE)
## S4 method for signature 'Views'
which.max(x)

viewRangeMins(x, na.rm=FALSE)
viewRangeMaxs(x, na.rm=FALSE)

```

Arguments

X	A Views object.
FUN	The function to be applied to each view in X.
...	Additional arguments to be passed on.
simplify	A logical value specifying whether or not the result should be simplified to a vector or matrix if possible.
x	An Rle , RleList , XInteger object or an integer vector for slice. An RleViews , RleViewsList , XIntegerViews or XDoubleViews object for viewMins, viewMaxs, viewSums, and viewMeans. An Rle , RleViewsList , XIntegerViews or XDoubleViews object for viewWhichMins and viewWhichMaxs.
lower, upper	The lower and upper bounds for the slice.
includeLower, includeUpper	Logical indicating whether or not the specified boundary is open or closed.
rangesOnly	For Rle and RleList objects, a logical indicating whether or not to drop the original data from the output.
na.rm	Logical indicating whether or not to include missing values in the results.

Details

The slice function is useful for finding areas of absolute maxima (peaks), absolute minima (troughs), or fluctuations within specified limits.

The viewMins, viewMaxs, viewSums, and viewMeans functions provide efficient methods for calculating the specified numeric summary by performing the looping in compiled code.

The viewWhichMins, viewWhichMaxs, viewRangeMins, and viewRangeMaxs functions provide efficient methods for finding the locations of the minima and maxima.

For convenience, methods for min, max, sum, mean, which.min and which.max are provided as wrappers around the corresponding view* functions (which might be deprecated at some point).

Value

An [RleViews](#) object for [Rle](#) or an [RleViewsList](#) for [RleList](#) containing the views when using slice with rangesOnly = FALSE. An [IRanges](#) object for [Rle](#) or a [CompressedIRangesList](#) for [RleList](#) containing the ranges when using slice with rangesOnly = TRUE. An [XIntegerViews](#) for an [XInteger](#) object when using slice. An [XDoubleViews](#) for an [XDouble](#) object when using slice.

A vector of length(x) for [RleViews](#), [XIntegerViews](#) and [XDoubleViews](#) objects, or a [SimpleList](#) object of length(x) for [RleViewsList](#) objects containing the numeric summaries for the views for viewMins, viewMaxs, viewSums, viewMeans, viewWhichMins, and viewWhichMaxs.

An [IRanges](#) object for [RleViews](#) objects or a [SimpleIRangesList](#) for [RleViewsList](#) objects containing the location ranges for viewRangeMins and viewRangeMaxs.

Author(s)

P. Aboyoun

See Also

[RleViews-class](#), [RleViewsList-class](#), [XIntegerViews-class](#), [which.min](#), [colSums](#)

Examples

```

## Views derived from vector
vec <- as.integer(c(19, 5, 0, 8, 5))
slice(vec, lower=5, upper=8)

set.seed(0)
vec <- sample(24)
vecViews <- slice(vec, lower=4, upper=16)
vecViews
viewApply(vecViews, function(x) diff(as.integer(x)))
viewMins(vecViews)
viewMaxs(vecViews)
viewSums(vecViews)
viewMeans(vecViews)
viewWhichMins(vecViews)
viewWhichMaxs(vecViews)

## Views derived from coverage
x <- IRanges(start=c(1L, 9L, 4L, 1L, 5L, 10L),
             width=c(5L, 6L, 3L, 4L, 3L, 3L))
slice(coverage(x), lower=2)
slice(coverage(x), lower=2, rangesOnly = TRUE)

```

ViewsList-class

*List of Views***Description**

An extension of [List](#) that holds only [Views](#) objects.

Details

ViewsList is a virtual class. Specialized subclasses like e.g. [RleViewsList](#) are useful for storing coverage vectors over a set of spaces (e.g. chromosomes), each of which requires a separate [RleViews](#) object.

As a [Vector](#) subclass, ViewsList may be annotated with its universe identifier (e.g. a genome) in which all of its spaces exist.

As a [List](#) subclass, ViewsList inherits all the methods available for [List](#) objects. It also presents an API that is very similar to that of [Views](#), where operations are vectorized over the elements and generally return lists.

Author(s)

P. Aboyoun and H. Pages

See Also

[List-class](#), [RleViewsList-class](#).
[findOverlaps](#).

Examples

```
showClass("ViewsList")
```

XDoubleViews-class *The XDoubleViews class*

Description

The XDoubleViews class is the basic container for storing a set of views (start/end locations) on the same XDouble object.

Details

An XDoubleViews object contains a set of views (start/end locations) on the same [XDouble](#) object called "the subject numeric vector" or simply "the subject". Each view is defined by its start and end locations: both are integers such that start <= end. An XDoubleViews object is in fact a particular case of a [Views](#) object (the XDoubleViews class contains the [Views](#) class) so it can be manipulated in a similar manner: see [?Views](#) for more information. Note that two views can overlap and that a view can be "out of limits" i.e. it can start before the first element of the subject or/and end after its last element.

Other methods

In the code snippets below, x, object, e1 and e2 are XDoubleViews objects, and i can be a numeric or logical vector.

x[[i]]: Extract a view as an [XDouble](#) object. i must be a single numeric value (a numeric vector of length 1). Can't be used for extracting a view that is "out of limits" (raise an error). The returned object has the same [XDouble](#) subtype as subject(x).

e1 == e2: A vector of logicals indicating the result of the view by view comparison. The views in the shorter of the two XDoubleViews object being compared are recycled as necessary.

e1 != e2: Equivalent to !(e1 == e2).

Author(s)

P. Aboyoun for the XIntegerViews* code, which was adapted to work over XDouble's by S. Lianoglou

See Also

[Views-class](#), [XDouble-class](#), [Views-utils](#), [XIntegerViews-class](#)

Examples

```
## One standard way to create an XDoubleViews object is to use
## the Views() constructor:
subject <- as(rnorm(6), "XDouble")
v4 <- Views(subject, start=3:0, end=5:8)
v4
subject(v4)
length(v4)
start(v4)
end(v4)
width(v4)
```



```

## Attach a comment to views #3 and #4:
names(v4)[3:4] <- "out of limits"
names(v4)

## A more programatical way to "tag" the "out of limits" views:
idx <- start(v4) < 1 | end(v4) > length(subject(v4))
names(v4)[idx] <- "out of limits"

## Extract a view as an XDouble object:
v4[[2]]

## It is an error to try to extract an "out of limits" view:
## Not run:
v4[[3]] # Error!

## End(Not run)

## Here the first view doesn't even overlap with the subject:
subject <- as(c(97, 97, 97, 45, 45, 98), "XDouble")
Views(subject, start=-3:4, end=-3:4 + c(3:6, 6:3))

## Some fast view* functionalities:
x <- rnorm(55)
bounds <- IRanges(c(1, 11, 35, 20), width=c(5, 10, 15, 28))
v <- Views(x, bounds)
val <- viewMins(v)
expect <- sapply(1:length(bounds), function(i) {
  min(x[start(bounds)[i]:end(bounds)[i]])
})
stopifnot(all(val == expect))

```

XIntegerViews-class *The XIntegerViews class*

Description

The XIntegerViews class is the basic container for storing a set of views (start/end locations) on the same XInteger object.

Details

An XIntegerViews object contains a set of views (start/end locations) on the same [XInteger](#) object called "the subject integer vector" or simply "the subject". Each view is defined by its start and end locations: both are integers such that $start \leq end$. An XIntegerViews object is in fact a particular case of a [Views](#) object (the XIntegerViews class contains the [Views](#) class) so it can be manipulated in a similar manner: see [?Views](#) for more information. Note that two views can overlap and that a view can be "out of limits" i.e. it can start before the first element of the subject or/and end after its last element.

Other methods

In the code snippets below, x, object, e1 and e2 are XIntegerViews objects, and i can be a numeric or logical vector.

`x[[i]]`: Extract a view as an [XInteger](#) object. `i` must be a single numeric value (a numeric vector of length 1). Can't be used for extracting a view that is "out of limits" (raise an error). The returned object has the same [XInteger](#) subtype as `subject(x)`.

`e1 == e2`: A vector of logicals indicating the result of the view by view comparison. The views in the shorter of the two [XIntegerViews](#) object being compared are recycled as necessary.

`e1 != e2`: Equivalent to `!(e1 == e2)`.

Author(s)

P. Aboyoun

See Also

[Views-class](#), [XInteger-class](#), [Views-utils](#), [XDoubleViews-class](#)

Examples

```
## One standard way to create an XIntegerViews object is to use
## the Views() constructor:
subject <- as(c(45, 67, 84, 67, 45, 78), "XInteger")
v4 <- Views(subject, start=3:0, end=5:8)
v4
subject(v4)
length(v4)
start(v4)
end(v4)
width(v4)

## Attach a comment to views #3 and #4:
names(v4)[3:4] <- "out of limits"
names(v4)

## A more programatical way to "tag" the "out of limits" views:
idx <- start(v4) < 1 | end(v4) > length(subject(v4))
names(v4)[idx] <- "out of limits"

## Extract a view as an XInteger object:
v4[[2]]

## It is an error to try to extract an "out of limits" view:
## Not run:
v4[[3]] # Error!

## End(Not run)

## Here the first view doesn't even overlap with the subject:
subject <- as(c(97, 97, 97, 45, 45, 98), "XInteger")
Views(subject, start=-3:4, end=-3:4 + c(3:6, 6:3))
```

XRawList-class	<i>XRawList objects</i>
----------------	-------------------------

Description

THIS IS A WORK-IN-PROGRESS!

An XRawList object is *conceptually* a list of [XRaw](#) objects.

Author(s)

H. Pages

See Also

[XRaw-class](#), [XVectorList-class](#)

XVector-class	<i>XVector objects</i>
---------------	------------------------

Description

The XVector virtual class is a general container for storing an "external vector". It inherits from the [Vector](#), which has a very rich interface.

The following classes derive directly from the XVector class:

The XRaw class is a container for storing an "external raw vector" i.e. an external sequence of bytes (stored as char values at the C level).

The XInteger class is a container for storing an "external integer vector" i.e. an external sequence of integer values (stored as int values at the C level).

The XDouble class is a container for storing an "external double vector" i.e. an external sequence of numeric values (stored as double values at the C level).

Also the [XString](#) class from the Biostrings package.

The purpose of the X* containers is to provide a "pass by address" semantic and also to avoid the overhead of copying the sequence data when a linear subsequence needs to be extracted.

Additional Subsetting operations on XVector objects

In the code snippets below, `x` is an XVector object.

`subseq(x, start=NA, end=NA, width=NA)`: Extract the subsequence from `x` specified by `start`, `end` and `width`. The supplied `start/end/width` values are solved by a call to `solveUserSEW(length(x), start=start, end=end, width=width)` and therefore must be compliant with the rules of the SEW (Start/End/Width) interface (see `?solveUserSEW` for the details).

A note about performance: `subseq` does NOT copy the sequence data of an XVector object. Hence it's very efficient and is therefore the recommended way to extract a linear subsequence (i.e. a set of consecutive elements) from an XVector object. For example, extracting a 100Mb subsequence from Human chromosome 1 (a 250Mb [DNASTring](#) object) with `subseq` is (almost) instantaneous and has (almost) no memory footprint (the cost in time and memory does not depend on the length of the original sequence or on the length of the subsequence to extract).

`subseq(x, start=NA, end=NA, width=NA) <- value`: Replace the subsequence specified on the left (i.e. the subsequence in `x` specified by `start`, `end` and `width`) by `value`. `value` must belong to the same class as `x`, or to one of its subclasses, or must be `NULL`. This replacement method can modify the length of `x`, depending on how the length of the left subsequence compares to the length of `value`. It can be used for inserting elements in `x` (specify an empty left subsequence for this) or deleting elements from `x` (use a `NULL` right value for this). Unlike the extraction method above, this replacement method always copies the sequence data of `x` (even for `XVector` objects). NOTE: Only works for `XRaw` (and derived) objects for now.

Author(s)

H. Pages

See Also

[Vector-class](#), [DNAStrng-class](#), [XVectorList-class](#), [Views-class](#), [solveUserSEW](#), [compact](#)

Examples

```
## -----
## A. XRaw OBJECTS
## -----

x1 <- XRaw(4) # values are not initialized
x1
x2 <- as(c(255, 255, 199), "XRaw")
x2
y <- c(x1, x2, NULL, x1) # NULLs are ignored
y
subseq(y, start=-4)
subseq(y, start=-4) <- x2
y

## -----
## B. XInteger OBJECTS
## -----

x3 <- XInteger(12, val=c(-1:10))
x3
length(x3)

## Subsetting
x4 <- XInteger(99999, val=sample(99, 99999, replace=TRUE) - 50)
x4
subseq(x4, start=10)
subseq(x4, start=-10)
subseq(x4, start=-20, end=-10)
subseq(x4, start=10, width=5)
subseq(x4, end=10, width=5)
subseq(x4, end=10, width=0)

x3[length(x3):1]
x3[length(x3):1, drop=FALSE]
```

XVectorList-class

XVectorList objects

Description

THIS IS A WORK-IN-PROGRESS!

An *XVectorList* object is *conceptually* a list of [XVector](#) objects.

Author(s)

H. Pages

See Also

[XVector-class](#), [XRawList-class](#), [compact](#)

Index

- !,CompressedLogicalList-method
(AtomicList), 4
- !,CompressedRleList-method (AtomicList),
4
- !,Rle-method (Rle-class), 95
- !,SimpleLogicalList-method (AtomicList), 4
- !,SimpleRleList-method (AtomicList), 4
- !=",ANY,Vector-method (Vector-class), 112
- !=",Vector,ANY-method (Vector-class), 112
- !=",Vector,Vector-method (Vector-class),
112
- *Topic **algebra**
 - runstat, 105
 - Views-utils, 117
- *Topic **arith**
 - runstat, 105
 - Views-utils, 117
- *Topic **classes**
 - Annotated-class, 3
 - AtomicList, 4
 - DataFrame-class, 10
 - DataFrameList-class, 14
 - DataTable-API, 16
 - FilterRules-class, 22
 - GappedRanges-class, 29
 - Grouping-class, 31
 - Hits-class, 36
 - HitsList-class, 38
 - IntervalTree-class, 43
 - IRanges-class, 50
 - IRangesList-class, 58
 - List-class, 61
 - MaskCollection-class, 63
 - OverlapEncodings-class, 68
 - RangedData-class, 71
 - RangedDataList-class, 76
 - RangedSelection-class, 77
 - Ranges-class, 78
 - RangesList-class, 85
 - RangesMapping-class, 88
 - rdapply, 89
 - Rle-class, 95
 - RleViews-class, 103
 - RleViewsList-class, 104
 - SimpleList-class, 108
 - Vector-class, 112
 - Views-class, 115
 - ViewsList-class, 119
 - XDoubleViews-class, 120
 - XIntegerViews-class, 121
 - XRawList-class, 123
 - XVector-class, 123
 - XVectorList-class, 125
- *Topic **manip**
 - endoapply, 20
 - multisplit, 65
 - read.Mask, 91
 - reverse, 94
 - seqapply, 107
 - updateObject-methods, 111
- *Topic **methods**
 - Annotated-class, 3
 - AtomicList, 4
 - compact, 6
 - coverage, 8
 - DataFrame-class, 10
 - DataFrameList-class, 14
 - DataTable-API, 16
 - encodeOverlaps, 18
 - expand, 21
 - FilterRules-class, 22
 - findOverlaps-methods, 25
 - funprog-methods, 28
 - GappedRanges-class, 29
 - Grouping-class, 31
 - Hits-class, 36
 - HitsList-class, 38
 - IntervalTree-class, 43
 - IRanges-class, 50
 - IRangesList-class, 58
 - List-class, 61
 - MaskCollection-class, 63
 - OverlapEncodings-class, 68
 - RangedData-class, 71
 - RangedSelection-class, 77
 - Ranges-class, 78

- Ranges-comparison, 81
- RangesList-class, 85
- RangesMapping-class, 88
- rdapply, 89
- reverse, 94
- Rle-class, 95
- RleViews-class, 103
- RleViewsList-class, 104
- runstat, 105
- score, 107
- SimpleList-class, 108
- Vector-class, 112
- Views-class, 115
- Views-utils, 117
- ViewsList-class, 119
- XDoubleViews-class, 120
- XIntegerViews-class, 121
- XRawList-class, 123
- XVector-class, 123
- XVectorList-class, 125
- *Topic utilities**
 - endoapply, 20
 - inter-range-methods, 39
 - intra-range-methods, 45
 - IRanges-constructor, 52
 - IRanges-setops, 55
 - IRanges-utils, 57
 - isConstant, 59
 - nearest-methods, 66
 - RangesList-utils, 87
 - strutils, 110
- <,ANY,Vector-method (Vector-class), 112
- <,Vector,ANY-method (Vector-class), 112
- <,Vector,Vector-method (Vector-class), 112
- <=,Ranges,Ranges-method (Ranges-comparison), 81
- ==,Ranges,Ranges-method (Ranges-comparison), 81
- ==,XDouble,XDoubleViews-method (XDoubleViews-class), 120
- ==,XDoubleViews,XDouble-method (XDoubleViews-class), 120
- ==,XDoubleViews,XDoubleViews-method (XDoubleViews-class), 120
- ==,XDoubleViews,numeric-method (XDoubleViews-class), 120
- ==,XInteger,XIntegerViews-method (XIntegerViews-class), 121
- ==,XIntegerViews,XInteger-method (XIntegerViews-class), 121
- ==,XIntegerViews,XIntegerViews-method (XIntegerViews-class), 121
- ==,XIntegerViews,integer-method (XIntegerViews-class), 121
- ==,XVector,XVector-method (XVector-class), 123
- ==,integer,XIntegerViews-method (XIntegerViews-class), 121
- ==,numeric,XDoubleViews-method (XDoubleViews-class), 120
- >,ANY,Vector-method (Vector-class), 112
- >,Vector,ANY-method (Vector-class), 112
- >,Vector,Vector-method (Vector-class), 112
- >=,ANY,Vector-method (Vector-class), 112
- >=,Vector,ANY-method (Vector-class), 112
- >=,Vector,Vector-method (Vector-class), 112
- [,CompressedIRangesList-method (IRangesList-class), 58
- [,CompressedList-method (SimpleList-class), 108
- [,CompressedSplitDataFrameList-method (DataFrameList-class), 14
- [,DataFrame-method (DataFrame-class), 10
- [,FilterRules-method (FilterRules-class), 22
- [,GappedRanges-method (GappedRanges-class), 29
- [,GroupedIRanges-method (XVectorList-class), 125
- [,Hits-method (Hits-class), 36
- [,IRanges-method (IRanges-class), 50
- [,MaskCollection-method (MaskCollection-class), 63
- [,RangedData-method (RangedData-class), 71
- [,Ranges-method (Ranges-class), 78
- [,RangesList-method (RangesList-class), 85
- [,Rle-method (Rle-class), 95
- [,SimpleIRangesList-method (IRangesList-class), 58
- [,SimpleList-method (SimpleList-class), 108
- [,SimpleRangesList-method (RangesList-class), 85
- [,SimpleSplitDataFrameList-method (DataFrameList-class), 14
- [,Vector-method (Vector-class), 112
- [,Views-method (Views-class), 115
- [,XVector-method (XVector-class), 123
- [,XVectorList-method (XVectorList-class), 125
- [,data.frame, 11
- [<-,CompressedList-method (SimpleList-class), 108
- [<-,CompressedSplitDataFrameList-method

- (DataFrameList-class), 14
- [<-,DataFrame-method (DataFrame-class), 10
- [<-,IRanges-method (IRanges-class), 50
- [<-,RangedData-method (RangedData-class), 71
- [<-,Rle-method (Rle-class), 95
- [<-,SimpleList-method (SimpleList-class), 108
- [<-,SimpleSplitDataFrameList-method (DataFrameList-class), 14
- [<-,Vector-method (Vector-class), 112
- [<-,XVectorList-method (XVectorList-class), 125
- [[,CompressedList-method (SimpleList-class), 108
- [[,CompressedNormalIRangesList-method (IRangesList-class), 58
- [[,DataFrame-method (DataFrame-class), 10
- [[,GappedRanges-method (GappedRanges-class), 29
- [[,H2LGrouping-method (Grouping-class), 31
- [[,List-method (List-class), 61
- [[,MaskCollection-method (MaskCollection-class), 63
- [[,Partitioning-method (Grouping-class), 31
- [[,RangedData-method (RangedData-class), 71
- [[,Ranges-method (Ranges-class), 78
- [[,SimpleList-method (SimpleList-class), 108
- [[,Views-method (Views-class), 115
- [[,XVectorList-method (XVectorList-class), 125
- [[,data.frame, 11
- [[<-,CompressedList-method (SimpleList-class), 108
- [[<-,DataFrame-method (DataFrame-class), 10
- [[<-,FilterRules-method (FilterRules-class), 22
- [[<-,RangedData-method (RangedData-class), 71
- [[<-,SimpleList-method (SimpleList-class), 108
- [[<-,XVectorList-method (XVectorList-class), 125
- \$.List-method (List-class), 61
- \$<-,CompressedList-method (SimpleList-class), 108
- \$<-,RangedData-method (RangedData-class), 71
- \$<-,SimpleList-method (SimpleList-class), 108
- %in%,ANY,Vector-method (Vector-class), 112
- %in%,ANY,Views-method (findOverlaps-methods), 25
- %in%,ANY,ViewsList-method (findOverlaps-methods), 25
- %in%,CompressedAtomicList,AtomicList-method (AtomicList), 4
- %in%,CompressedAtomicList,atomic-method (AtomicList), 4
- %in%,CompressedRleList,AtomicList-method (AtomicList), 4
- %in%,CompressedRleList,atomic-method (AtomicList), 4
- %in%,RangedData,RangedData-method (findOverlaps-methods), 25
- %in%,RangedData,RangesList-method (findOverlaps-methods), 25
- %in%,Ranges,Ranges-method (findOverlaps-methods), 25
- %in%,RangesList,RangedData-method (findOverlaps-methods), 25
- %in%,RangesList,RangesList-method (findOverlaps-methods), 25
- %in%,Rle,ANY-method (Rle-class), 95
- %in%,SimpleAtomicList,AtomicList-method (AtomicList), 4
- %in%,SimpleAtomicList,atomic-method (AtomicList), 4
- %in%,SimpleRleList,AtomicList-method (AtomicList), 4
- %in%,SimpleRleList,atomic-method (AtomicList), 4
- %in%,Vector,ANY-method (Vector-class), 112
- %in%,Vector,Vector-method (Vector-class), 112
- %in%,Views,ANY-method (findOverlaps-methods), 25
- %in%,Views,Views-method (findOverlaps-methods), 25
- %in%,ViewsList,ANY-method (findOverlaps-methods), 25
- %in%,ViewsList,ViewsList-method (findOverlaps-methods), 25
- active (MaskCollection-class), 63
- active,FilterRules-method (FilterRules-class), 22

- active,MaskCollection-method
(MaskCollection-class), 63
- active<- (MaskCollection-class), 63
- active<-,FilterRules-method
(FilterRules-class), 22
- active<-,MaskCollection-method
(MaskCollection-class), 63
- aggregate, 12
- aggregate,CompressedList-method
(SimpleList-class), 108
- aggregate,data.frame-method
(Vector-class), 112
- aggregate,DataTable-method
(DataTable-API), 16
- aggregate,formula-method
(DataFrame-class), 10
- aggregate,matrix-method (Vector-class),
112
- aggregate,Rle-method (Rle-class), 95
- aggregate,SimpleList-method
(SimpleList-class), 108
- aggregate,ts-method (Vector-class), 112
- aggregate,Vector-method (Vector-class),
112
- aggregate,vector-method (Vector-class), 112
- all,CompressedRleList-method
(AtomicList), 4
- all.equal, 60
- alphabetFrequency, 63, 64
- Annotated, 115
- Annotated (Annotated-class), 3
- Annotated-class, 3
- append,FilterRules,FilterRules-method
(FilterRules-class), 22
- append,MaskCollection,MaskCollection-method
(MaskCollection-class), 63
- append,Vector,Vector-method
(Vector-class), 112
- applyFun (rdapply), 89
- applyFun,RDApplyParams-method
(rdapply), 89
- applyFun<- (rdapply), 89
- applyFun<- ,RDApplyParams-method
(rdapply), 89
- applyParams (rdapply), 89
- applyParams,RDApplyParams-method
(rdapply), 89
- applyParams<- (rdapply), 89
- applyParams<- ,RDApplyParams-method
(rdapply), 89
- as.character,Rle-method (Rle-class), 95
- as.character,Vector-method (Vector-class),
112
- as.complex,Rle-method (Rle-class), 95
- as.complex,Vector-method (Vector-class),
112
- as.data.frame, 17, 79, 80
- as.data.frame,DataFrame-method
(DataFrame-class), 10
- as.data.frame,DataFrameList-method
(DataFrameList-class), 14
- as.data.frame,GappedRanges-method
(GappedRanges-class), 29
- as.data.frame,GroupedIRanges-method
(XVectorList-class), 125
- as.data.frame,Hits-method (Hits-class), 36
- as.data.frame,OverlapEncodings-method
(OverlapEncodings-class), 68
- as.data.frame,RangedData-method
(RangedData-class), 71
- as.data.frame,Ranges-method
(Ranges-class), 78
- as.data.frame,RangesList-method
(RangesList-class), 85
- as.data.frame,Rle-method (Rle-class), 95
- as.data.frame,Vector-method
(Vector-class), 112
- as.double,Vector-method (Vector-class), 112
- as.env (List-class), 61
- as.env,DataTable-method
(DataTable-API), 16
- as.env,List-method (List-class), 61
- as.env,RangedData-method
(RangedData-class), 71
- as.factor,Rle-method (Rle-class), 95
- as.integer,Ranges-method (Ranges-class),
78
- as.integer,Rle-method (Rle-class), 95
- as.integer,Vector-method (Vector-class),
112
- as.integer,XInteger-method
(XVector-class), 123
- as.integer,XRaw-method (XVector-class),
123
- as.list,CompressedAtomicList-method
(AtomicList), 4
- as.list,CompressedList-method
(SimpleList-class), 108
- as.list,CompressedNormalIRangesList-method
(IRangesList-class), 58
- as.list,Hits-method (Hits-class), 36
- as.list,List-method (List-class), 61
- as.list,Rle-method (Rle-class), 95
- as.list,SimpleList-method

- (SimpleList-class), 108
- as.logical,Rle-method (Rle-class), 95
- as.logical,Vector-method (Vector-class), 112
- as.matrix, 80
- as.matrix,DataFrame-method (DataFrame-class), 10
- as.matrix,Hits-method (Hits-class), 36
- as.matrix,HitsList-method (HitsList-class), 38
- as.matrix,Ranges-method (Ranges-class), 78
- as.matrix,Views-method (Views-class), 115
- as.matrix,ViewsList-method (ViewsList-class), 119
- as.numeric,Rle-method (Rle-class), 95
- as.numeric,Vector-method (Vector-class), 112
- as.numeric,XDouble-method (XVector-class), 123
- as.numeric,XVector-method (XVector-class), 123
- as.raw,Rle-method (Rle-class), 95
- as.raw,Vector-method (Vector-class), 112
- as.raw,XRaw-method (XVector-class), 123
- as.table,Hits-method (Hits-class), 36
- as.table,HitsList-method (HitsList-class), 38
- as.vector,AtomicList,ANY-method (AtomicList), 4
- as.vector,Rle,ANY-method (Rle-class), 95
- as.vector,XDouble,missing-method (XVector-class), 123
- as.vector,XInteger,missing-method (XVector-class), 123
- as.vector,XRaw,missing-method (XVector-class), 123
- as.vectorORfactor (Rle-class), 95
- as.vectorORfactor,Rle-method (Rle-class), 95
- asNormalIRanges (IRanges-utils), 57
- AtomicList, 4, 110
- AtomicList-class (AtomicList), 4
- breakInChunks (IRanges-utils), 57
- by,DataTable-method (DataTable-API), 16
- c,CompressedList-method (SimpleList-class), 108
- c,FilterRules-method (FilterRules-class), 22
- c,GappedRanges-method (GappedRanges-class), 29
- c,GroupedIRanges-method (XVectorList-class), 125
- c,IRanges-method (IRanges-class), 50
- c,RangedData-method (RangedData-class), 71
- c,Rle-method (Rle-class), 95
- c,SimpleList-method (SimpleList-class), 108
- c,Vector-method (Vector-class), 112
- c,XVector-method (XVector-class), 123
- c,XVectorList-method (XVectorList-class), 125
- cbind,DataFrame-method (DataFrame-class), 10
- cbind,DataFrameList-method (DataFrameList-class), 14
- cbind,DataTable-method (DataTable-API), 16
- cbind.data.frame, 11
- CharacterList, 47
- CharacterList (AtomicList), 4
- CharacterList-class (AtomicList), 4
- chartr,ANY,ANY,CompressedCharacterList-method (AtomicList), 4
- chartr,ANY,ANY,CompressedRleList-method (AtomicList), 4
- chartr,ANY,ANY,Rle-method (Rle-class), 95
- chartr,ANY,ANY,SimpleCharacterList-method (AtomicList), 4
- chartr,ANY,ANY,SimpleRleList-method (AtomicList), 4
- class:CompressedIRangesList (IRangesList-class), 58
- class:CompressedNormalIRangesList (IRangesList-class), 58
- class:DataFrame (DataFrame-class), 10
- class:DataTable (DataTable-API), 16
- class:DataTableORNULL (DataTable-API), 16
- class:Dups (Grouping-class), 31
- class:GappedRanges (GappedRanges-class), 29
- class:GroupedIRanges (XVectorList-class), 125
- class:Grouping (Grouping-class), 31
- class:H2LGrouping (Grouping-class), 31
- class:IRanges (IRanges-class), 50
- class:IRangesList (IRangesList-class), 58
- class:List (List-class), 61
- class:MaskCollection (MaskCollection-class), 63
- class:NormalIRanges (IRanges-class), 50
- class:NormalIRangesList (IRangesList-class), 58

- class:OverlapEncodings
(OverlapEncodings-class), 68
- class:Partitioning (Grouping-class), 31
- class:PartitioningByEnd (Grouping-class),
31
- class:PartitioningByWidth
(Grouping-class), 31
- class:RangedData (RangedData-class), 71
- class:Ranges (Ranges-class), 78
- class:RangesList-class (RangesList-class),
85
- class:RangesORmissing (nearest-methods),
66
- class:Rle (Rle-class), 95
- class:RleViews (RleViews-class), 103
- class:SimpleIRangesList
(IRangesList-class), 58
- class:SimpleNormalIRangesList
(IRangesList-class), 58
- class:SimpleRangesList-class
(RangesList-class), 85
- class:SimpleViewsList (ViewsList-class),
119
- class:Vector (Vector-class), 112
- class:Views (Views-class), 115
- class:ViewsList (ViewsList-class), 119
- class:XDouble (XVector-class), 123
- class:XDoubleViews (XDoubleViews-class),
120
- class:XInteger (XVector-class), 123
- class:XIntegerViews (XIntegerViews-class),
121
- class:XRaw (XVector-class), 123
- class:XRawList (XRawList-class), 123
- class:XVector (XVector-class), 123
- class:XVectorList (XVectorList-class), 125
- coerce,ANY,CompressedSplitDataFrameList-method
(DataFrameList-class), 14
- coerce,ANY,List-method (List-class), 61
- coerce,ANY,SimpleList-method
(SimpleList-class), 108
- coerce,ANY,SimpleSplitDataFrameList-method
(DataFrameList-class), 14
- coerce,AsIs,DataFrame-method
(DataFrame-class), 10
- coerce,AtomicList,CharacterList-method
(AtomicList), 4
- coerce,AtomicList,ComplexList-method
(AtomicList), 4
- coerce,AtomicList,IntegerList-method
(AtomicList), 4
- coerce,AtomicList,LogicalList-method
(AtomicList), 4
- coerce,AtomicList,NumericList-method
(AtomicList), 4
- coerce,AtomicList,RawList-method
(AtomicList), 4
- coerce,AtomicList,RleList-method
(AtomicList), 4
- coerce,AtomicList,RleViews-method
(RleViews-class), 103
- coerce,character,Rle-method (Rle-class), 95
- coerce,complex,Rle-method (Rle-class), 95
- coerce,CompressedAtomicList,list-method
(AtomicList), 4
- coerce,CompressedIRangesList,CompressedNormalIRangesList
(IRangesList-class), 58
- coerce,CompressedIRangesList,GappedRanges-method
(GappedRanges-class), 29
- coerce,CompressedNormalIRangesList,GappedRanges-method
(GappedRanges-class), 29
- coerce,CompressedRleList,CompressedIRangesList-method
(AtomicList), 4
- coerce,data.frame,DataFrame-method
(DataFrame-class), 10
- coerce,data.frame,RangedData-method
(RangedData-class), 71
- coerce,DataFrame,data.frame-method
(DataFrame-class), 10
- coerce,DataFrameList,DataFrame-method
(DataFrameList-class), 14
- coerce,DataTable,RangedData-method
(RangedData-class), 71
- coerce,factor,Rle-method (Rle-class), 95
- coerce,GappedRanges,CompressedIRangesList-method
(GappedRanges-class), 29
- coerce,GappedRanges,CompressedNormalIRangesList-method
(GappedRanges-class), 29
- coerce,GappedRanges,IRangesList-method
(GappedRanges-class), 29
- coerce,GappedRanges,NormalIRangesList-method
(GappedRanges-class), 29
- coerce,GappedRanges,RangesList-method
(GappedRanges-class), 29
- coerce,Hits,DataFrame-method (Hits-class),
36
- coerce,Hits,List-method (Hits-class), 36
- coerce,Hits,list-method (Hits-class), 36
- coerce,integer,DataFrame-method
(DataFrame-class), 10
- coerce,integer,IRanges-method
(IRanges-class), 50
- coerce,integer,List-method (List-class), 61
- coerce,integer,NormalIRanges-method

- (IRanges-class), 50
- coerce, integer, Rle-method (Rle-class), 95
- coerce, integer, XVector-method (XVector-class), 123
- coerce, IntervalTree, IRanges-method (IntervalTree-class), 43
- coerce, IRanges, IntervalTree-method (IntervalTree-class), 43
- coerce, IRanges, NormalIRanges-method (IRanges-utils), 57
- coerce, List, CompressedSplitDataFrameList-method (DataFrameList-class), 14
- coerce, list, DataFrame-method (DataFrame-class), 10
- coerce, List, list-method (List-class), 61
- coerce, List, SimpleSplitDataFrameList-method (DataFrameList-class), 14
- coerce, logical, IRanges-method (IRanges-class), 50
- coerce, logical, NormalIRanges-method (IRanges-class), 50
- coerce, logical, Rle-method (Rle-class), 95
- coerce, LogicalList, CompressedIRangesList-method (RangesList-class), 85
- coerce, LogicalList, CompressedNormalIRangesList-method (RangesList-class), 85
- coerce, LogicalList, IRangesList-method (RangesList-class), 85
- coerce, LogicalList, NormalIRangesList-method (RangesList-class), 85
- coerce, LogicalList, SimpleIRangesList-method (RangesList-class), 85
- coerce, LogicalList, SimpleNormalIRangesList-method (RangesList-class), 85
- coerce, MaskCollection, NormalIRanges-method (MaskCollection-class), 63
- coerce, matrix, DataFrame-method (DataFrame-class), 10
- coerce, NULL, DataFrame-method (DataFrame-class), 10
- coerce, numeric, IRanges-method (IRanges-class), 50
- coerce, numeric, NormalIRanges-method (IRanges-class), 50
- coerce, numeric, Rle-method (Rle-class), 95
- coerce, numeric, XDouble-method (XVector-class), 123
- coerce, numeric, XInteger-method (XVector-class), 123
- coerce, numeric, XRaw-method (XVector-class), 123
- coerce, numeric, XVector-method (XVector-class), 123
- coerce, RangedData, CompressedIRangesList-method (RangedData-class), 71
- coerce, RangedData, DataFrame-method (RangedData-class), 71
- coerce, RangedData, IRangesList-method (RangedData-class), 71
- coerce, RangedData, RangesList-method (RangedData-class), 71
- coerce, Ranges, IntervalTree-method (IntervalTree-class), 43
- coerce, Ranges, IRanges-method (IRanges-class), 50
- coerce, Ranges, PartitioningByEnd-method (Grouping-class), 31
- coerce, Ranges, PartitioningByWidth-method (Grouping-class), 31
- coerce, Ranges, RangedData-method (RangedData-class), 71
- coerce, RangesList, CompressedIRangesList-method (RangesList-class), 85
- coerce, RangesList, CompressedNormalIRangesList-method (RangesList-class), 85
- coerce, RangesList, IRangesList-method (RangesList-class), 85
- coerce, RangesList, NormalIRangesList-method (RangesList-class), 85
- coerce, RangesList, RangedData-method (RangedData-class), 71
- coerce, RangesList, RangedSelection-method (RangedSelection-class), 77
- coerce, RangesList, SimpleIRangesList-method (RangesList-class), 85
- coerce, RangesList, SimpleNormalIRangesList-method (RangesList-class), 85
- coerce, RangesMapping, RangedData-method (RangesMapping-class), 88
- coerce, raw, Rle-method (Rle-class), 95
- coerce, raw, XRaw-method (XVector-class), 123
- coerce, raw, XVector-method (XVector-class), 123
- coerce, Rle, character-method (Rle-class), 95
- coerce, Rle, complex-method (Rle-class), 95
- coerce, Rle, data.frame-method (Rle-class), 95
- coerce, Rle, factor-method (Rle-class), 95
- coerce, Rle, integer-method (Rle-class), 95
- coerce, Rle, IRanges-method (Rle-class), 95
- coerce, Rle, list-method (Rle-class), 95
- coerce, Rle, logical-method (Rle-class), 95
- coerce, Rle, NormalIRanges-method

- (Rle-class), 95
- coerce,Rle,numeric-method (Rle-class), 95
- coerce,Rle,RangedData-method (RangedData-class), 71
- coerce,Rle,raw-method (Rle-class), 95
- coerce,Rle,vector-method (Rle-class), 95
- coerce,RleList,CompressedIRangesList-method (RangesList-class), 85
- coerce,RleList,CompressedNormalIRangesList-method (RangesList-class), 85
- coerce,RleList,IRangesList-method (RangesList-class), 85
- coerce,RleList,NormalIRangesList-method (RangesList-class), 85
- coerce,RleList,RangedData-method (RangedData-class), 71
- coerce,RleList,SimpleIRangesList-method (RangesList-class), 85
- coerce,RleList,SimpleNormalIRangesList-method (RangesList-class), 85
- coerce,RleViewsList,CompressedIRangesList-method (RleViewsList-class), 104
- coerce,RleViewsList,IRangesList-method (RleViewsList-class), 104
- coerce,RleViewsList,RangedData-method (RangedData-class), 71
- coerce,RleViewsList,SimpleIRangesList-method (RleViewsList-class), 104
- coerce,SimpleIRangesList,SimpleNormalIRangesList-method (IRangesList-class), 58
- coerce,SplitDataFrameList,DataFrame-method (DataFrameList-class), 14
- coerce,table,DataFrame-method (DataFrame-class), 10
- coerce,vector,AtomicList-method (AtomicList), 4
- coerce,Vector,character-method (Vector-class), 112
- coerce,Vector,complex-method (Vector-class), 112
- coerce,vector,CompressedCharacterList-method (AtomicList), 4
- coerce,vector,CompressedComplexList-method (AtomicList), 4
- coerce,vector,CompressedIntegerList-method (AtomicList), 4
- coerce,vector,CompressedLogicalList-method (AtomicList), 4
- coerce,vector,CompressedNumericList-method (AtomicList), 4
- coerce,vector,CompressedRawList-method (AtomicList), 4
- coerce,vector,CompressedRleList-method (AtomicList), 4
- coerce,Vector,data.frame-method (Vector-class), 112
- coerce,Vector,DataFrame-method (DataFrame-class), 10
- coerce,vector,DataFrame-method (DataFrame-class), 10
- coerce,Vector,double-method (Vector-class), 112
- coerce,Vector,integer-method (Vector-class), 112
- coerce,Vector,logical-method (Vector-class), 112
- coerce,Vector,numeric-method (Vector-class), 112
- coerce,Vector,raw-method (Vector-class), 112
- coerce,vector,Rle-method (Rle-class), 95
- coerce,vector,SimpleCharacterList-method (AtomicList), 4
- coerce,vector,SimpleComplexList-method (AtomicList), 4
- coerce,vector,SimpleIntegerList-method (AtomicList), 4
- coerce,vector,SimpleLogicalList-method (AtomicList), 4
- coerce,vector,SimpleNumericList-method (AtomicList), 4
- coerce,vector,SimpleRawList-method (AtomicList), 4
- coerce,vector,SimpleRleList-method (AtomicList), 4
- coerce,Vector,vector-method (Vector-class), 112
- coerce,Vector,Views-method (Views-class), 115
- coerce,Views,IRanges-method (Views-class), 115
- coerce,Views,NormalIRanges-method (Views-class), 115
- coerce,Views,Ranges-method (Views-class), 115
- coerce,xtabs,DataFrame-method (DataFrame-class), 10
- collapse (MaskCollection-class), 63
- collapse,MaskCollection-method (MaskCollection-class), 63
- colnames,CompressedSplitDataFrameList-method (DataFrameList-class), 14
- colnames,DataFrame-method (DataFrame-class), 10

- colnames,DataFrameList-method
(DataFrameList-class), 14
- colnames,RangedData-method
(RangedData-class), 71
- colnames,RangedSelection-method
(RangedSelection-class), 77
- colnames,SimpleSplitDataFrameList-method
(DataFrameList-class), 14
- colnames<-,CompressedSplitDataFrameList-method
(DataFrameList-class), 14
- colnames<-,DataFrame-method
(DataFrame-class), 10
- colnames<-,RangedData-method
(RangedData-class), 71
- colnames<-,RangedSelection-method
(RangedSelection-class), 77
- colnames<-,SimpleDataFrameList-method
(DataFrameList-class), 14
- colSums, 118
- columnMetadata (DataFrameList-class), 14
- columnMetadata,CompressedSplitDataFrameList-method
(DataFrameList-class), 14
- columnMetadata,RangedData-method
(RangedData-class), 71
- columnMetadata,SimpleSplitDataFrameList-method
(DataFrameList-class), 14
- columnMetadata<- (DataFrameList-class),
14
- columnMetadata<-,CompressedSplitDataFrameList-method
(DataFrameList-class), 14
- columnMetadata<-,RangedData-method
(RangedData-class), 71
- columnMetadata<-,SimpleSplitDataFrameList-method
(DataFrameList-class), 14
- compact, 6, 124, 125
- compact,ANY-method (compact), 6
- compact,XVector-method (compact), 6
- compact,XVectorList-method (compact), 6
- compare, 70
- compare (Ranges-comparison), 81
- compare,Ranges,Ranges-method
(Ranges-comparison), 81
- complete.cases, 17
- complete.cases,DataTable-method
(DataTable-API), 16
- Complex,CompressedAtomicList-method
(AtomicList), 4
- Complex,Rle-method (Rle-class), 95
- Complex,SimpleAtomicList-method
(AtomicList), 4
- ComplexList (AtomicList), 4
- ComplexList-class (AtomicList), 4
- CompressedAtomicList-class (AtomicList),
4
- CompressedCharacterList (AtomicList), 4
- CompressedCharacterList-class
(AtomicList), 4
- CompressedComplexList (AtomicList), 4
- CompressedComplexList-class
(AtomicList), 4
- CompressedIntegerList (AtomicList), 4
- CompressedIntegerList-class (AtomicList),
4
- CompressedIRangesList, 4, 30, 86, 98, 118
- CompressedIRangesList
(IRangesList-class), 58
- CompressedIRangesList-class
(IRangesList-class), 58
- CompressedList, 61–63
- CompressedList (SimpleList-class), 108
- CompressedList-class (SimpleList-class),
108
- CompressedLogicalList (AtomicList), 4
- CompressedLogicalList-class (AtomicList),
4
- CompressedNormalIRangesList, 4, 30, 86
- CompressedNormalIRangesList
(IRangesList-class), 58
- CompressedNormalIRangesList-class, 31
- CompressedNormalIRangesList-class
(IRangesList-class), 58
- CompressedNumericList (AtomicList), 4
- CompressedNumericList-class
(AtomicList), 4
- CompressedRawList (AtomicList), 4
- CompressedRawList-class (AtomicList), 4
- CompressedRleList, 98
- CompressedRleList (AtomicList), 4
- CompressedRleList-class (AtomicList), 4
- CompressedSplitDataFrameList, 4, 11
- CompressedSplitDataFrameList-class
(DataFrameList-class), 14
- cor,IntegerList,AtomicList-method
(AtomicList), 4
- cor,LogicalList,AtomicList-method
(AtomicList), 4
- cor,NumericList,AtomicList-method
(AtomicList), 4
- cor,Rle,Rle-method (Rle-class), 95
- cor,RleList,AtomicList-method
(AtomicList), 4
- countOverlaps (findOverlaps-methods), 25
- countOverlaps,ANY,Views-method
(findOverlaps-methods), 25

- countOverlaps,ANY,ViewsList-method
(findOverlaps-methods), 25
- countOverlaps,RangedData,RangedData-method
(findOverlaps-methods), 25
- countOverlaps,RangedData,RangesList-method
(findOverlaps-methods), 25
- countOverlaps,Ranges,Ranges-method
(findOverlaps-methods), 25
- countOverlaps,RangesList,RangedData-method
(findOverlaps-methods), 25
- countOverlaps,RangesList,RangesList-method
(findOverlaps-methods), 25
- countOverlaps,Views,ANY-method
(findOverlaps-methods), 25
- countOverlaps,Views,Views-method
(findOverlaps-methods), 25
- countOverlaps,ViewsList,ANY-method
(findOverlaps-methods), 25
- countOverlaps,ViewsList,ViewsList-method
(findOverlaps-methods), 25
- countQueryHits (Hits-class), 36
- countQueryHits,Hits-method (Hits-class),
36
- countSubjectHits (Hits-class), 36
- countSubjectHits,Hits-method (Hits-class),
36
- cov,IntegerList,AtomicList-method
(AtomicList), 4
- cov,LogicalList,AtomicList-method
(AtomicList), 4
- cov,NumericList,AtomicList-method
(AtomicList), 4
- cov,Rle,Rle-method (Rle-class), 95
- cov,RleList,AtomicList-method
(AtomicList), 4
- coverage, 8
- coverage,IRanges-method (coverage), 8
- coverage,MaskCollection-method
(coverage), 8
- coverage,numeric-method (coverage), 8
- coverage,RangedData-method (coverage), 8
- coverage,RangesList-method (coverage), 8
- coverage,Views-method (coverage), 8
- cummax,CompressedAtomicList-method
(AtomicList), 4
- cummin,CompressedAtomicList-method
(AtomicList), 4
- cumprod,CompressedAtomicList-method
(AtomicList), 4
- cumsum, 34
- cumsum,CompressedAtomicList-method
(AtomicList), 4
- data.frame, 11, 16, 18
- DataFrame, 14–16, 18, 71, 73, 112
- DataFrame (DataFrame-class), 10
- DataFrame-class, 10, 22
- DataFrameList (DataFrameList-class), 14
- DataFrameList-class, 14
- DataTable, 10, 12, 18, 71, 74, 112, 115
- DataTable (DataTable-API), 16
- DataTable-API, 16
- DataTable-class (DataTable-API), 16
- DataTable-stats, 18, 18
- DataTableORNULL (DataTable-API), 16
- DataTableORNULL-class
(DataTable-API), 16
- desc (MaskCollection-class), 63
- desc,MaskCollection-method
(MaskCollection-class), 63
- desc<- (MaskCollection-class), 63
- desc<- ,MaskCollection-method
(MaskCollection-class), 63
- diff, 34
- diff,IntegerList-method (AtomicList), 4
- diff,NumericList-method (AtomicList), 4
- diff,Rle-method (Rle-class), 95
- diff,RleList-method (AtomicList), 4
- dim,DataFrameList-method
(DataFrameList-class), 14
- dim,DataTable-method (DataTable-API),
16
- dim,Hits-method (Hits-class), 36
- dim,RangesMapping-method
(RangesMapping-class), 88
- dimnames,DataFrameList-method
(DataFrameList-class), 14
- dimnames,DataTable-method
(DataTable-API), 16
- dimnames<- ,DataFrameList-method
(DataFrameList-class), 14
- dimnames<- ,DataTable-method
(DataTable-API), 16
- disjoin (inter-range-methods), 39
- disjoin,CompressedIRangesList-method
(inter-range-methods), 39
- disjoin,Ranges-method
(inter-range-methods), 39
- disjoin,RangesList-method
(inter-range-methods), 39
- disjointBins (inter-range-methods), 39
- disjointBins,Ranges-method
(inter-range-methods), 39
- disjointBins,RangesList-method
(inter-range-methods), 39

- distance (nearest-methods), 66
- distance,Ranges,Ranges-method (nearest-methods), 66
- distanceToNearest (nearest-methods), 66
- distanceToNearest,Ranges,RangesORmissing-method (nearest-methods), 66
- DNAStrng, 123
- DNAStrng-class, 124
- drop,AtomicList-method (AtomicList), 4
- duplicate, 60, 82–84
- duplicate,DataTable-method (DataTable-API), 16
- duplicate,Dups-method (Grouping-class), 31
- duplicate,Ranges-method (Ranges-comparison), 81
- Dups (Grouping-class), 31
- Dups-class (Grouping-class), 31
- elementLengths (List-class), 61
- elementLengths,ANY-method (List-class), 61
- elementLengths,CompressedList-method (List-class), 61
- elementLengths,GappedRanges-method (GappedRanges-class), 29
- elementLengths,List-method (List-class), 61
- elementLengths,list-method (List-class), 61
- elementLengths,RangedData-method (RangedData-class), 71
- elementLengths,Ranges-method (Ranges-class), 78
- elementLengths,Views-method (Views-class), 115
- elementMetadata (Vector-class), 112
- elementMetadata,Vector-method (Vector-class), 112
- elementMetadata<- (Vector-class), 112
- elementMetadata<-,Vector-method (Vector-class), 112
- elementType (List-class), 61
- elementType,List-method (List-class), 61
- elementType,vector-method (List-class), 61
- encodeOverlaps, 18, 68–70
- encodeOverlaps,Ranges,RangesList-method (encodeOverlaps), 18
- encodeOverlaps,RangesList,Ranges-method (encodeOverlaps), 18
- encodeOverlaps,RangesList,RangesList-method (encodeOverlaps), 18
- encodeOverlaps1 (encodeOverlaps), 18
- encoding (OverlapEncodings-class), 68
- end,CompressedIRangesList-method (IRangesList-class), 58
- end,GappedRanges-method (GappedRanges-class), 29
- end,IntervalTree-method (IntervalTree-class), 43
- end,PartitioningByEnd-method (Grouping-class), 31
- end,PartitioningByWidth-method (Grouping-class), 31
- end,RangedData-method (RangedData-class), 71
- end,Ranges-method (Ranges-class), 78
- end,RangesList-method (RangesList-class), 85
- end,Rle-method (Rle-class), 95
- end,SimpleViewsList-method (ViewsList-class), 119
- end,Views-method (Views-class), 115
- end<- (Ranges-class), 78
- end<-,IRanges-method (IRanges-class), 50
- end<-,RangedData-method (RangedData-class), 71
- end<-,RangesList-method (RangesList-class), 85
- end<-,Views-method (Views-class), 115
- endoapply, 20, 94
- endoapply,CompressedList-method (SimpleList-class), 108
- endoapply,data.frame-method (endoapply), 20
- endoapply,List-method (List-class), 61
- endoapply,list-method (endoapply), 20
- endoapply,RangedData-method (RangedData-class), 71
- endoapply,SimpleList-method (SimpleList-class), 108
- eval (List-class), 61
- eval,expression,List-method (List-class), 61
- eval,FilterRules,ANY-method (FilterRules-class), 22
- eval,language,List-method (List-class), 61
- evalSeparately (FilterRules-class), 22
- evalSeparately,FilterRules-method (FilterRules-class), 22
- expand, 21
- expand,DataFrame-method (expand), 21
- Filter,List-method (funprog-methods), 28
- FilterRules, 90, 91
- FilterRules (FilterRules-class), 22

- filterRules (rdapply), 89
- filterRules,RDApplyParams-method (rdapply), 89
- FilterRules-class, 22
- filterRules<- (rdapply), 89
- filterRules<- ,RDApplyParams-method (rdapply), 89
- Find,List-method (funprog-methods), 28
- findOverlaps, 19, 36–39, 44, 45, 67, 85, 116, 119
- findOverlaps (findOverlaps-methods), 25
- findOverlaps,ANY,missing-method (findOverlaps-methods), 25
- findOverlaps,ANY,Views-method (findOverlaps-methods), 25
- findOverlaps,ANY,ViewsList-method (findOverlaps-methods), 25
- findOverlaps,GenomicRanges,GenomicRanges-method, 27
- findOverlaps,integer,Ranges-method (findOverlaps-methods), 25
- findOverlaps,RangedData,RangedData-method (findOverlaps-methods), 25
- findOverlaps,RangedData,RangesList-method (findOverlaps-methods), 25
- findOverlaps,Ranges,IntervalTree-method (findOverlaps-methods), 25
- findOverlaps,Ranges,Ranges-method (findOverlaps-methods), 25
- findOverlaps,RangesList,RangedData-method (findOverlaps-methods), 25
- findOverlaps,RangesList,RangesList-method (findOverlaps-methods), 25
- findOverlaps,Views,ANY-method (findOverlaps-methods), 25
- findOverlaps,Views,Views-method (findOverlaps-methods), 25
- findOverlaps,ViewsList,ANY-method (findOverlaps-methods), 25
- findOverlaps,ViewsList,ViewsList-method (findOverlaps-methods), 25
- findOverlaps-methods, 25
- findRange (Rle-class), 95
- findRange,Rle-method (Rle-class), 95
- findRun (Rle-class), 95
- findRun,Rle-method (Rle-class), 95
- first (Ranges-class), 78
- first,Ranges-method (Ranges-class), 78
- flank (intra-range-methods), 45
- flank,CompressedIRangesList-method (intra-range-methods), 45
- flank,Ranges-method (intra-range-methods), 45
- flank,RangesList-method (intra-range-methods), 45
- flippedQuery (OverlapEncodings-class), 68
- flippedQuery,OverlapEncodings-method (OverlapEncodings-class), 68
- follow (nearest-methods), 66
- follow,Ranges,RangesORmissing-method (nearest-methods), 66
- funprog-methods, 28, 63
- GappedRanges (GappedRanges-class), 29
- GappedRanges-class, 29
- gaps (inter-range-methods), 39
- gaps,CompressedIRangesList-method (inter-range-methods), 39
- gaps,IRanges-method (inter-range-methods), 39
- gaps,MaskCollection-method (inter-range-methods), 39
- gaps,Ranges-method (inter-range-methods), 39
- gaps,RangesList-method (inter-range-methods), 39
- gaps,Views-method (inter-range-methods), 39
- GenomicRanges, 41, 48, 67, 84
- GRanges, 25, 27
- GRangesList, 19, 25, 27
- GroupedIRanges (XVectorList-class), 125
- GroupedIRanges-class (XVectorList-class), 125
- Grouping (Grouping-class), 31
- Grouping-class, 31
- grouplength (Grouping-class), 31
- grouplength,Grouping-method (Grouping-class), 31
- grouplength,H2LGrouping-method (Grouping-class), 31
- grouplength,Partitioning-method (Grouping-class), 31
- grouprank (Grouping-class), 31
- grouprank,H2LGrouping-method (Grouping-class), 31
- gsub, 101
- gsub,ANY,ANY,CompressedCharacterList-method (AtomicList), 4
- gsub,ANY,ANY,CompressedRleList-method (AtomicList), 4
- gsub,ANY,ANY,Rle-method (Rle-class), 95
- gsub,ANY,ANY,SimpleCharacterList-method (AtomicList), 4

- gsub,ANY,ANY,SimpleRleList-method (AtomicList), 4
- H2LGrouping (Grouping-class), 31
- H2LGrouping-class (Grouping-class), 31
- head,DataTable-method (DataTable-API), 16
- head,Vector-method (Vector-class), 112
- high2low (Grouping-class), 31
- high2low,H2LGrouping-method (Grouping-class), 31
- high2low,Vector-method (Grouping-class), 31
- high2low,vector-method (Grouping-class), 31
- Hits, 19, 26, 27, 45, 67, 88
- Hits (Hits-class), 36
- hits (RangesMapping-class), 88
- Hits-class, 36
- HitsList-class, 38
- ifelse,Rle-method (Rle-class), 95
- IntegerList, 26, 27, 29, 46, 47, 61, 74, 109
- IntegerList (AtomicList), 4
- IntegerList-class (AtomicList), 4
- inter-range-methods, 39, 41, 46, 48, 51, 56, 58, 80, 87
- intersect,CompressedIRangesList,CompressedIRangesList-method (IRangesList-class), 58
- intersect,Hits,Hits-method (Hits-class), 36
- intersect,IRanges,IRanges-method (IRanges-sets), 55
- intersect,RangesList,RangesList-method (RangesList-utils), 87
- IntervalTree, 25, 27, 79
- IntervalTree (IntervalTree-class), 43
- IntervalTree-class, 43, 80
- intra-range-methods, 39, 41, 45, 48, 51, 56, 58, 80, 87
- IQR,IntegerList-method (AtomicList), 4
- IQR,LogicalList-method (AtomicList), 4
- IQR,NumericList-method (AtomicList), 4
- IQR,Rle-method (Rle-class), 95
- IQR,RleList-method (AtomicList), 4
- IRanges, 9, 40, 41, 44, 47, 48, 53–58, 63, 64, 72, 79, 80, 92, 96, 97, 115, 118
- IRanges (IRanges-constructor), 52
- IRanges-class, 10, 34, 50, 54, 56, 58, 80, 84, 92, 102, 116
- IRanges-constructor, 51, 52
- IRanges-sets, 41, 48, 51, 55, 58, 80
- IRanges-utils, 51, 56, 57, 80, 116
- IRangesList, 58
- IRangesList (IRangesList-class), 58
- IRangesList-class, 58
- is.finite, 60
- is.na, 17
- is.na,CompressedAtomicList-method (AtomicList), 4
- is.na,CompressedRleList-method (AtomicList), 4
- is.na,DataTable-method (DataTable-API), 16
- is.na,Rle-method (Rle-class), 95
- is.na,SimpleAtomicList-method (AtomicList), 4
- is.na,SimpleRleList-method (AtomicList), 4
- is.unsorted,Rle-method (Rle-class), 95
- isCompatibleWithSplicing, 19
- isConstant, 59
- isConstant,array-method (isConstant), 59
- isConstant,integer-method (isConstant), 59
- isConstant,numeric-method (isConstant), 59
- isDisjoint (inter-range-methods), 39
- isDisjoint,Ranges-method (inter-range-methods), 39
- isDisjoint,RangesList-method (inter-range-methods), 39
- isEmpty (List-class), 61
- isEmpty,ANY-method (List-class), 61
- isEmpty,CompressedList-method (SimpleList-class), 108
- isEmpty,NormalIRanges-method (IRanges-class), 50
- isEmpty,Ranges-method (Ranges-class), 78
- isEmpty,SimpleList-method (SimpleList-class), 108
- isNormal (Ranges-class), 78
- isNormal,CompressedIRangesList-method (IRangesList-class), 58
- isNormal,IRanges-method (IRanges-class), 50
- isNormal,Ranges-method (Ranges-class), 78
- isNormal,RangesList-method (IRangesList-class), 58
- isNormal,SimpleIRangesList-method (IRangesList-class), 58
- iteratorFun (rdapply), 89
- iteratorFun,RDApplyParams-method (rdapply), 89
- iteratorFun<- (rdapply), 89
- iteratorFun<- ,RDApplyParams-method (rdapply), 89
- lapply, 20, 21, 62

- lapply,CompressedAtomicList-method
(AtomicList), 4
- lapply,CompressedList-method
(SimpleList-class), 108
- lapply,List-method (List-class), 61
- lapply,RangedData-method
(RangedData-class), 71
- lapply,SimpleList-method
(SimpleList-class), 108
- last (Ranges-class), 78
- last,Ranges-method (Ranges-class), 78
- Lencoding (OverlapEncodings-class), 68
- Lencoding,character-method
(OverlapEncodings-class), 68
- Lencoding,factor-method
(OverlapEncodings-class), 68
- Lencoding,OverlapEncodings-method
(OverlapEncodings-class), 68
- length,CompressedList-method
(SimpleList-class), 108
- length,GappedRanges-method
(GappedRanges-class), 29
- length,H2LGrouping-method
(Grouping-class), 31
- length,Hits-method (Hits-class), 36
- length,IntervalTree-method
(IntervalTree-class), 43
- length,MaskCollection-method
(MaskCollection-class), 63
- length,OverlapEncodings-method
(OverlapEncodings-class), 68
- length,PartitioningByEnd-method
(Grouping-class), 31
- length,PartitioningByWidth-method
(Grouping-class), 31
- length,RangedData-method
(RangedData-class), 71
- length,Ranges-method (Ranges-class), 78
- length,RangesMapping-method
(RangesMapping-class), 88
- length,Rle-method (Rle-class), 95
- length,SimpleList-method
(SimpleList-class), 108
- length,Views-method (Views-class), 115
- length,XVector-method (XVector-class),
123
- length,XVectorList-method
(XVectorList-class), 125
- length<-,H2LGrouping-method
(Grouping-class), 31
- levels,OverlapEncodings-method
(OverlapEncodings-class), 68
- levels,Rle-method (Rle-class), 95
- levels<-,Rle-method (Rle-class), 95
- List, 4, 5, 14, 23, 28, 29, 32, 63, 77, 85, 86,
108–110, 115, 119
- List (List-class), 61
- list, 59, 61, 85, 115
- List-class, 34, 61, 119
- Lngap (OverlapEncodings-class), 68
- Lngap,character-method
(OverlapEncodings-class), 68
- Lngap,factor-method
(OverlapEncodings-class), 68
- Lngap,OverlapEncodings-method
(OverlapEncodings-class), 68
- Loffset (OverlapEncodings-class), 68
- Loffset,OverlapEncodings-method
(OverlapEncodings-class), 68
- LogicalList, 27, 46, 74
- LogicalList (AtomicList), 4
- LogicalList-class (AtomicList), 4
- low2high (Grouping-class), 31
- low2high,H2LGrouping-method
(Grouping-class), 31
- mad,IntegerList-method (AtomicList), 4
- mad,LogicalList-method (AtomicList), 4
- mad,NumericList-method (AtomicList), 4
- mad,Rle-method (Rle-class), 95
- mad,RleList-method (AtomicList), 4
- makeActiveBinding, 17, 62
- map (RangesMapping-class), 88
- Map,List-method (funprog-methods), 28
- mapply, 20, 21, 62
- mapply,List-method (List-class), 61
- Mask (MaskCollection-class), 63
- MaskCollection, 9, 40, 41, 46, 48, 92, 94
- MaskCollection (MaskCollection-class), 63
- MaskCollection-class, 10, 63, 92, 94
- MaskCollection.show_frame
(MaskCollection-class), 63
- maskedratio (MaskCollection-class), 63
- maskedratio,MaskCollection-method
(MaskCollection-class), 63
- maskedwidth (MaskCollection-class), 63
- maskedwidth,MaskCollection-method
(MaskCollection-class), 63
- MaskedXString-class, 64
- match,ANY, Views-method
(findOverlaps-methods), 25
- match,ANY, ViewsList-method
(findOverlaps-methods), 25
- match,CompressedAtomicList,atomic-method
(AtomicList), 4

- match,CompressedAtomicList,AtomicList-method (AtomicList), 4
- match,CompressedRleList,atomic-method (AtomicList), 4
- match,CompressedRleList,AtomicList-method (AtomicList), 4
- match,Hits,Hits-method (Hits-class), 36
- match,RangedData,RangedData-method (findOverlaps-methods), 25
- match,RangedData,RangesList-method (findOverlaps-methods), 25
- match,Ranges,Ranges-method (findOverlaps-methods), 25
- match,RangesList,RangedData-method (findOverlaps-methods), 25
- match,RangesList,RangesList-method (findOverlaps-methods), 25
- match,Rle,ANY-method (Rle-class), 95
- match,SimpleAtomicList,atomic-method (AtomicList), 4
- match,SimpleAtomicList,AtomicList-method (AtomicList), 4
- match,SimpleRleList,atomic-method (AtomicList), 4
- match,SimpleRleList,AtomicList-method (AtomicList), 4
- match,Views,ANY-method (findOverlaps-methods), 25
- match,Views,Views-method (findOverlaps-methods), 25
- match,ViewsList,ANY-method (findOverlaps-methods), 25
- match,ViewsList,ViewsList-method (findOverlaps-methods), 25
- matchMatrix (Hits-class), 36
- matchPattern, 63, 64
- Math,CompressedAtomicList-method (AtomicList), 4
- Math,Rle-method (Rle-class), 95
- Math,SimpleAtomicList-method (AtomicList), 4
- Math2,CompressedAtomicList-method (AtomicList), 4
- Math2,Rle-method (Rle-class), 95
- Math2,SimpleAtomicList-method (AtomicList), 4
- max,CompressedNormalIRangesList-method (IRangesList-class), 58
- max,MaskCollection-method (MaskCollection-class), 63
- max,NormalIRanges-method (IRanges-class), 50
- max,SimpleNormalIRangesList-method (IRangesList-class), 58
- max,Views-method (Views-utils), 117
- mcols (Vector-class), 112
- mcols,Vector-method (Vector-class), 112
- mcols<- (Vector-class), 112
- mcols<-,Vector-method (Vector-class), 112
- mean,IntegerList-method (AtomicList), 4
- mean,LogicalList-method (AtomicList), 4
- mean,NumericList-method (AtomicList), 4
- mean,Rle-method (Rle-class), 95
- mean,RleList-method (AtomicList), 4
- mean,Views-method (Views-utils), 117
- median,IntegerList-method (AtomicList), 4
- median,LogicalList-method (AtomicList), 4
- median,NumericList-method (AtomicList), 4
- median,Rle-method (Rle-class), 95
- median,RleList-method (AtomicList), 4
- members (Grouping-class), 31
- members,Grouping-method (Grouping-class), 31
- members,H2LGrouping-method (Grouping-class), 31
- mendoapply (endoapply), 20
- mendoapply,CompressedList-method (SimpleList-class), 108
- mendoapply,data.frame-method (endoapply), 20
- mendoapply,List-method (List-class), 61
- mendoapply,list-method (endoapply), 20
- mendoapply,SimpleList-method (SimpleList-class), 108
- merge, 17
- merge,data.frame,DataTable-method (DataTable-API), 16
- merge,DataTable,data.frame-method (DataTable-API), 16
- merge,DataTable,DataTable-method (DataTable-API), 16
- merge,missing,RangesList-method (RangesList-utils), 87
- merge,RangesList,missing-method (RangesList-utils), 87
- merge,RangesList,RangesList-method (RangesList-utils), 87
- metadata (Annotated-class), 3
- metadata,Annotated-method (Annotated-class), 3
- metadata<- (Annotated-class), 3
- metadata<-,Annotated-method (Annotated-class), 3

- mid (Ranges-class), 78
- mid,Ranges-method (Ranges-class), 78
- min,CompressedNormalIRangesList-method (IRangesList-class), 58
- min,MaskCollection-method (MaskCollection-class), 63
- min,NormalIRanges-method (IRanges-class), 50
- min,SimpleNormalIRangesList-method (IRangesList-class), 58
- min,Views-method (Views-utils), 117
- mseqapply (seqapply), 107
- mstack (Vector-class), 112
- mstack,Vector-method (Vector-class), 112
- mstack,vector-method (Vector-class), 112
- multisplit, 65

- NA, 60
- na.exclude, 17
- na.exclude (DataTable-API), 16
- na.exclude,DataTable-method (DataTable-API), 16
- na.omit, 17
- na.omit (DataTable-API), 16
- na.omit,DataTable-method (DataTable-API), 16
- names,CompressedList-method (SimpleList-class), 108
- names,GappedRanges-method (GappedRanges-class), 29
- names,IRanges-method (IRanges-class), 50
- names,MaskCollection-method (MaskCollection-class), 63
- names,Partitioning-method (Grouping-class), 31
- names,RangedData-method (RangedData-class), 71
- names,SimpleList-method (SimpleList-class), 108
- names,Views-method (Views-class), 115
- names,XVectorList-method (XVectorList-class), 125
- names<-,CompressedList-method (SimpleList-class), 108
- names<-,GappedRanges-method (GappedRanges-class), 29
- names<-,IRanges-method (IRanges-class), 50
- names<-,MaskCollection-method (MaskCollection-class), 63
- names<-,Partitioning-method (Grouping-class), 31
- names<-,RangedData-method (RangedData-class), 71
- names<-,SimpleList-method (SimpleList-class), 108
- names<-,Views-method (Views-class), 115
- names<-,XVectorList-method (XVectorList-class), 125
- narrow, 54, 56
- narrow (intra-range-methods), 45
- narrow,CompressedIRangesList-method (intra-range-methods), 45
- narrow,MaskCollection-method (intra-range-methods), 45
- narrow,Ranges-method (intra-range-methods), 45
- narrow,RangesList-method (intra-range-methods), 45
- narrow,Views-method (intra-range-methods), 45
- narrow,XVectorList-method (intra-range-methods), 45
- nchar,CompressedCharacterList-method (AtomicList), 4
- nchar,CompressedRleList-method (AtomicList), 4
- nchar,Rle-method (Rle-class), 95
- nchar,SimpleCharacterList-method (AtomicList), 4
- nchar,SimpleRleList-method (AtomicList), 4
- ncol,CompressedSplitDataFrameList-method (DataFrameList-class), 14
- ncol,DataFrame-method (DataFrame-class), 10
- ncol,DataFrameList-method (DataFrameList-class), 14
- NCOL,DataTable-method (DataTable-API), 16
- ncol,RangedData-method (RangedData-class), 71
- ncol,SimpleSplitDataFrameList-method (DataFrameList-class), 14
- nearest (nearest-methods), 66
- nearest,Ranges,RangesORmissing-method (nearest-methods), 66
- nearest-methods, 66, 67
- newViews (Views-class), 115
- ngap (GappedRanges-class), 29
- ngap,character-method (OverlapEncodings-class), 68
- ngap,factor-method (OverlapEncodings-class), 68

- ngap,GappedRanges-method
(GappedRanges-class), 29
- ngap,OverlapEncodings-method
(OverlapEncodings-class), 68
- nir_list (MaskCollection-class), 63
- nir_list,MaskCollection-method
(MaskCollection-class), 63
- nlevels,Vector-method (Vector-class), 112
- nobj (Grouping-class), 31
- nobj,H2LGrouping-method
(Grouping-class), 31
- nobj,PartitioningByEnd-method
(Grouping-class), 31
- nobj,PartitioningByWidth-method
(Grouping-class), 31
- NormalIRanges, 30, 57, 58, 63, 64, 79, 80, 96
- NormalIRanges (IRanges-class), 50
- NormalIRanges-class, 64
- NormalIRanges-class (IRanges-class), 50
- NormalIRangesList, 58
- NormalIRangesList (IRangesList-class), 58
- NormalIRangesList-class
(IRangesList-class), 58
- nrow,DataFrame-method
(DataFrame-class), 10
- nrow,DataFrameList-method
(DataFrameList-class), 14
- NROW,DataTable-method
(DataTable-API), 16
- nrow,RangedData-method
(RangedData-class), 71
- NROW,Vector-method (Vector-class), 112
- nrun (Rle-class), 95
- nrun,Rle-method (Rle-class), 95
- NumericList (AtomicList), 4
- NumericList-class (AtomicList), 4

- object.size, 8
- Ops,atomic,AtomicList-method
(AtomicList), 4
- Ops,atomic,CompressedAtomicList-method
(AtomicList), 4
- Ops,AtomicList,atomic-method
(AtomicList), 4
- Ops,CompressedAtomicList,atomic-method
(AtomicList), 4
- Ops,CompressedAtomicList,CompressedAtomicList-method (AtomicList), 4
(AtomicList), 4
- Ops,CompressedAtomicList,SimpleAtomicList-method (AtomicList), 4
(AtomicList), 4
- Ops,CompressedIRangesList,ANY-method
(intra-range-methods), 45

- Ops,Ranges,ANY-method
(intra-range-methods), 45
- Ops,Ranges,numeric-method
(intra-range-methods), 45
- Ops,RangesList,ANY-method
(intra-range-methods), 45
- Ops,Rle,Rle-method (Rle-class), 95
- Ops,Rle,vector-method (Rle-class), 95
- Ops,SimpleAtomicList,CompressedAtomicList-method
(AtomicList), 4
- Ops,SimpleAtomicList,SimpleAtomicList-method
(AtomicList), 4
- Ops,vector,Rle-method (Rle-class), 95
- order, 83, 84
- order,Ranges-method (Ranges-comparison),
81
- OverlapEncodings, 19
- OverlapEncodings
(OverlapEncodings-class), 68
- OverlapEncodings-class, 68

- params (FilterRules-class), 22
- params,FilterClosure-method
(FilterRules-class), 22
- Partitioning (Grouping-class), 31
- Partitioning-class (Grouping-class), 31
- PartitioningByEnd (Grouping-class), 31
- PartitioningByEnd-class (Grouping-class),
31
- PartitioningByWidth (Grouping-class), 31
- PartitioningByWidth-class
(Grouping-class), 31
- paste,Rle-method (Rle-class), 95
- pgap (IRanges-setops), 55
- pgap,IRanges,IRanges-method
(IRanges-setops), 55
- pintersect (IRanges-setops), 55
- pintersect,IRanges,IRanges-method
(IRanges-setops), 55
- pmap (RangesMapping-class), 88
- pmax,IntegerList-method (AtomicList), 4
- pmax,NumericList-method (AtomicList), 4
- pmax,Rle-method (Rle-class), 95
- pmax,RleList-method (AtomicList), 4
- pmax.int,IntegerList-method (AtomicList),
4
- pmax.int,NumericList-method
- pmax.int,Rle-method (Rle-class), 95
- pmax.int,RleList-method (AtomicList), 4
- pmin,IntegerList-method (AtomicList), 4
- pmin,NumericList-method (AtomicList), 4
- pmin,Rle-method (Rle-class), 95

- pmin,RleList-method (AtomicList), 4
- pmin.int,IntegerList-method (AtomicList), 4
- pmin.int,NumericList-method (AtomicList), 4
- pmin.int,Rle-method (Rle-class), 95
- pmin.int,RleList-method (AtomicList), 4
- Position,List-method (funprog-methods), 28
- precede (nearest-methods), 66
- precede,Ranges,RangesORmissing-method (nearest-methods), 66
- psetdiff (IRanges-setops), 55
- psetdiff,IRanges,IRanges-method (IRanges-setops), 55
- punion (IRanges-setops), 55
- punion,IRanges,IRanges-method (IRanges-setops), 55

- quantile, 100
- quantile,IntegerList-method (AtomicList), 4
- quantile,LogicalList-method (AtomicList), 4
- quantile,NumericList-method (AtomicList), 4
- quantile,Rle-method (Rle-class), 95
- quantile,RleList-method (AtomicList), 4
- queryHits (Hits-class), 36
- queryHits,Hits-method (Hits-class), 36
- queryHits,HitsList-method (HitsList-class), 38
- queryHits,RangesMapping-method (RangesMapping-class), 88
- queryLength, 19
- queryLength (Hits-class), 36
- queryLength,Hits-method (Hits-class), 36

- range,CompressedIRangesList-method (inter-range-methods), 39
- range,RangedData-method (inter-range-methods), 39
- range,Ranges-method (inter-range-methods), 39
- range,RangesList-method (inter-range-methods), 39
- rangeComparisonCodeToLetter (Ranges-comparison), 81
- RangedData, 9, 12, 15, 16, 25–27, 40, 41, 77, 89, 91
- RangedData (RangedData-class), 71
- rangedData (rdapply), 89
- rangedData,RDApplyParams-method (rdapply), 89

- RangedData-class, 71, 80
- rangedData<- (rdapply), 89
- rangedData<- ,RDApplyParams-method (rdapply), 89
- RangedDataList, 74
- RangedDataList (RangedDataList-class), 76
- RangedDataList-class, 76
- RangedSelection (RangedSelection-class), 77
- RangedSelection-class, 77
- Ranges, 25, 27, 30, 33, 40, 41, 44–48, 50, 51, 66, 71–73, 81–85, 115
- Ranges (Ranges-class), 78
- ranges (Views-class), 115
- ranges,CompressedRleList-method (AtomicList), 4
- ranges,Hits-method (Hits-class), 36
- ranges,HitsList-method (HitsList-class), 38
- ranges,RangedData-method (RangedData-class), 71
- ranges,RangedSelection-method (RangedSelection-class), 77
- ranges,RangesMapping-method (RangesMapping-class), 88
- ranges,Rle-method (Rle-class), 95
- ranges,RleList-method (AtomicList), 4
- ranges,SimpleViewsList-method (ViewsList-class), 119
- ranges,Views-method (Views-class), 115
- Ranges-class, 31, 34, 51, 56, 58, 78, 84
- Ranges-comparison, 80, 81
- ranges<- (Views-class), 115
- ranges<- ,RangedData-method (RangedData-class), 71
- ranges<- ,RangedSelection-method (RangedSelection-class), 77
- ranges<- ,Views-method (Views-class), 115
- RangesList, 9, 19, 25–27, 30, 38, 40, 41, 46–48, 59, 61, 69–74, 78, 79, 87, 109, 110
- RangesList (RangesList-class), 85
- RangesList-class, 85
- RangesList-utils, 87
- RangesList_encodeOverlaps (encodeOverlaps), 18
- RangesMapping-class, 88
- RangesORmissing (nearest-methods), 66
- RangesORmissing-class (nearest-methods), 66
- rank, 83, 84
- rank,Ranges-method (Ranges-comparison),

- 81
- RawList (AtomicList), 4
- RawList-class (AtomicList), 4
- rbind,DataFrame-method
(DataFrame-class), 10
- rbind,DataFrameList-method
(DataFrameList-class), 14
- rbind,DataTable-method (DataTable-API),
16
- rbind,RangedData-method
(RangedData-class), 71
- rbind.data.frame, 11
- rdapply, 24, 71, 74, 89
- rdapply,RDApplyParams-method
(rdapply), 89
- RDApplyParams (rdapply), 89
- RDApplyParams-class (rdapply), 89
- read.agpMask (read.Mask), 91
- read.gapMask (read.Mask), 91
- read.liftMask (read.Mask), 91
- read.Mask, 64, 91
- read.rmMask (read.Mask), 91
- read.trfMask (read.Mask), 91
- Reduce, 28, 29
- reduce, 46
- reduce (inter-range-methods), 39
- reduce,CompressedIRangesList-method
(inter-range-methods), 39
- reduce,IRanges-method
(inter-range-methods), 39
- Reduce,List-method (funprog-methods), 28
- reduce,RangedData-method
(inter-range-methods), 39
- reduce,Ranges-method
(inter-range-methods), 39
- reduce,RangesList-method
(inter-range-methods), 39
- reduce,Views-method
(inter-range-methods), 39
- reducerFun (rdapply), 89
- reducerFun,RDApplyParams-method
(rdapply), 89
- reducerFun<- (rdapply), 89
- reducerFun<-,RDApplyParams-method
(rdapply), 89
- reducerParams (rdapply), 89
- reducerParams,RDApplyParams-method
(rdapply), 89
- reducerParams<- (rdapply), 89
- reducerParams<-,RDApplyParams-method
(rdapply), 89
- reflect (intra-range-methods), 45
- reflect,Ranges-method
(intra-range-methods), 45
- relist,ANY,List-method (List-class), 61
- remapHits (Hits-class), 36
- rename (Vector-class), 112
- rename,Vector-method (Vector-class), 112
- rename,vector-method (Vector-class), 112
- Rencoding (OverlapEncodings-class), 68
- Rencoding,character-method
(OverlapEncodings-class), 68
- Rencoding,factor-method
(OverlapEncodings-class), 68
- Rencoding,OverlapEncodings-method
(OverlapEncodings-class), 68
- rep, 80
- rep,Rle-method (Rle-class), 95
- rep,Vector-method (Vector-class), 112
- rep.int,Rle-method (Rle-class), 95
- rep.int,Vector-method (Vector-class), 112
- resize (intra-range-methods), 45
- resize,CompressedIRangesList-method
(intra-range-methods), 45
- resize,Ranges-method
(intra-range-methods), 45
- resize,RangesList-method
(intra-range-methods), 45
- restrict, 56
- restrict (intra-range-methods), 45
- restrict,CompressedIRangesList-method
(intra-range-methods), 45
- restrict,Ranges-method
(intra-range-methods), 45
- restrict,RangesList-method
(intra-range-methods), 45
- rev, 94
- rev,Rle-method (Rle-class), 95
- rev,Vector-method (Vector-class), 112
- rev,XVector-method (reverse), 94
- revElements (List-class), 61
- revElements,CompressedList-method
(SimpleList-class), 108
- revElements,List-method (List-class), 61
- reverse, 64, 94
- reverse,character-method (reverse), 94
- reverse,IRanges-method (reverse), 94
- reverse,MaskCollection-method (reverse),
94
- reverse,NormalIRanges-method (reverse),
94
- reverse,SharedRaw-method (reverse), 94
- reverse,SharedVector_Pool-method
(reverse), 94

- reverse,Views-method (reverse), 94
- reverse,XVector-method (reverse), 94
- reverse,XVectorList-method (reverse), 94
- Rle, 9, 73, 103, 115, 118
- Rle (Rle-class), 95
- rle, 95, 102
- Rle,missing,missing-method (Rle-class), 95
- Rle,vectorORfactor,integer-method (Rle-class), 95
- Rle,vectorORfactor,missing-method (Rle-class), 95
- Rle,vectorORfactor,numeric-method (Rle-class), 95
- Rle-class, 10, 95, 104, 106
- RleList, 73, 118
- RleList (AtomicList), 4
- RleList,AtomicList,RleList-method (AtomicList), 4
- RleList-class, 106
- RleList-class (AtomicList), 4
- RleViews, 104, 115, 118, 119
- RleViews (RleViews-class), 103
- RleViews-class, 103, 116, 118
- RleViewsList, 73, 118, 119
- RleViewsList (RleViewsList-class), 104
- RleViewsList-class, 104, 118, 119
- Rngap (OverlapEncodings-class), 68
- Rngap,character-method (OverlapEncodings-class), 68
- Rngap,factor-method (OverlapEncodings-class), 68
- Rngap,OverlapEncodings-method (OverlapEncodings-class), 68
- Roffset (OverlapEncodings-class), 68
- Roffset,OverlapEncodings-method (OverlapEncodings-class), 68
- rownames,DataFrame-method (DataFrame-class), 10
- rownames,DataFrameList-method (DataFrameList-class), 14
- rownames,RangedData-method (RangedData-class), 71
- rownames<-,CompressedSplitDataFrameList-method (DataFrameList-class), 14
- rownames<-,DataFrame-method (DataFrame-class), 10
- rownames<-,RangedData-method (RangedData-class), 71
- rownames<-,SimpleDataFrameList-method (DataFrameList-class), 14
- runLength (Rle-class), 95
- runLength,CompressedRleList-method (AtomicList), 4
- runLength,Rle-method (Rle-class), 95
- runLength,RleList-method (AtomicList), 4
- runLength<- (Rle-class), 95
- runLength<- ,Rle-method (Rle-class), 95
- runmean (runstat), 105
- runmean,Rle-method (Rle-class), 95
- runmean,RleList-method (AtomicList), 4
- runmed, 106
- runmed,CompressedIntegerList-method (AtomicList), 4
- runmed,NumericList-method (AtomicList), 4
- runmed,Rle-method (Rle-class), 95
- runmed,RleList-method (AtomicList), 4
- runmed,SimpleIntegerList-method (AtomicList), 4
- runq (runstat), 105
- runq,Rle-method (Rle-class), 95
- runq,RleList-method (AtomicList), 4
- runstat, 105
- runsum (runstat), 105
- runsum,Rle-method (Rle-class), 95
- runsum,RleList-method (AtomicList), 4
- runValue (Rle-class), 95
- runValue,CompressedRleList-method (AtomicList), 4
- runValue,Rle-method (Rle-class), 95
- runValue,RleList-method (AtomicList), 4
- runValue<- (Rle-class), 95
- runValue<- ,Rle-method (Rle-class), 95
- runwts (runstat), 105
- runwts,Rle-method (Rle-class), 95
- runwts,RleList-method (AtomicList), 4
- S4groupGeneric, 5, 96, 102
- safeExplode (strutils), 110
- sapply, 62, 90
- sapply,List-method (List-class), 61
- save, 8
- score, 107
- score,RangedData-method (RangedData-class), 71
- score<- (score), 107
- score<- ,RangedData-method (RangedData-class), 71
- sd,IntegerList-method (AtomicList), 4
- sd,LogicalList-method (AtomicList), 4
- sd,NumericList-method (AtomicList), 4
- sd,Rle-method (Rle-class), 95
- sd,RleList-method (AtomicList), 4
- seqapply, 107
- seqby (seqapply), 107

- seqselect, 98
- seqselect (Vector-class), 112
- seqselect, ANY-method (Vector-class), 112
- seqselect, CompressedList-method (SimpleList-class), 108
- seqselect, DataFrame-method (DataFrame-class), 10
- seqselect, DataTable-method (DataTable-API), 16
- seqselect, factor-method (Vector-class), 112
- seqselect, GappedRanges-method (GappedRanges-class), 29
- seqselect, GroupedIRanges-method (XVectorList-class), 125
- seqselect, IRanges-method (IRanges-class), 50
- seqselect, NULL-method (Vector-class), 112
- seqselect, RangedData-method (RangedData-class), 71
- seqselect, Rle-method (Rle-class), 95
- seqselect, SimpleList-method (SimpleList-class), 108
- seqselect, Vector-method (Vector-class), 112
- seqselect, vector-method (Vector-class), 112
- seqselect, XVector-method (XVector-class), 123
- seqselect, XVectorList-method (XVectorList-class), 125
- seqselect<- (Vector-class), 112
- seqselect<-, CompressedAtomicList-method (AtomicList), 4
- seqselect<-, CompressedList-method (SimpleList-class), 108
- seqselect<-, DataTable-method (DataTable-API), 16
- seqselect<-, factor-method (Vector-class), 112
- seqselect<-, IRanges-method (IRanges-class), 50
- seqselect<-, RangedData-method (RangedData-class), 71
- seqselect<-, Rle-method (Rle-class), 95
- seqselect<-, SimpleAtomicList-method (AtomicList), 4
- seqselect<-, SimpleList-method (SimpleList-class), 108
- seqselect<-, Vector-method (Vector-class), 112
- seqselect<-, vector-method (Vector-class), 112
- seqsplit (seqapply), 107
- setdiff, CompressedIRangesList, CompressedIRangesList-method (IRangesList-class), 58
- setdiff, Hits, Hits-method (Hits-class), 36
- setdiff, IRanges, IRanges-method (IRanges-setops), 55
- setdiff, RangesList, RangesList-method (RangesList-utils), 87
- SharedVector, 7
- SharedVector_Pool, 7
- shift, 39
- shift (intra-range-methods), 45
- shift, CompressedIRangesList-method (intra-range-methods), 45
- shift, Ranges-method (intra-range-methods), 45
- shift, RangesList-method (intra-range-methods), 45
- shift, Views-method (intra-range-methods), 45
- shiftApply (Vector-class), 112
- shiftApply, Rle, Rle-method (Rle-class), 95
- shiftApply, Vector, Vector-method (Vector-class), 112
- shiftApply, vector, vector-method (Vector-class), 112
- show, AtomicList-method (AtomicList), 4
- show, DataTable-method (DataTable-API), 16
- show, Dups-method (Grouping-class), 31
- show, FilterClosure-method (FilterRules-class), 22
- show, GappedRanges-method (GappedRanges-class), 29
- show, GroupedIRanges-method (XVectorList-class), 125
- show, Grouping-method (Grouping-class), 31
- show, Hits-method (Hits-class), 36
- show, List-method (List-class), 61
- show, MaskCollection-method (MaskCollection-class), 63
- show, OverlapEncodings-method (OverlapEncodings-class), 68
- show, RangedData-method (RangedData-class), 71
- show, Ranges-method (Ranges-class), 78
- show, RangesList-method (RangesList-class), 85
- show, Rle-method (Rle-class), 95
- show, RleList-method (AtomicList), 4
- show, RleViews-method (RleViews-class), 103
- show, SplitDataFrameList-method (SplitDataFrameList-class), 103

- (DataFrameList-class), 14
- show,XDouble-method (XVector-class), 123
- show,XDoubleViews-method
 - (XDoubleViews-class), 120
- show,XIntegerViews-method
 - (XIntegerViews-class), 121
- show,XVector-method (XVector-class), 123
- SimpleAtomicList-class (AtomicList), 4
- SimpleCharacterList (AtomicList), 4
- SimpleCharacterList-class (AtomicList), 4
- SimpleComplexList (AtomicList), 4
- SimpleComplexList-class (AtomicList), 4
- SimpleDataFrameList-class
 - (DataFrameList-class), 14
- SimpleIntegerList (AtomicList), 4
- SimpleIntegerList-class (AtomicList), 4
- SimpleIRangesList, 4, 86, 118
- SimpleIRangesList (IRangesList-class), 58
- SimpleIRangesList-class
 - (IRangesList-class), 58
- SimpleList, 63, 118
- SimpleList (SimpleList-class), 108
- SimpleList-class, 108
- SimpleLogicalList (AtomicList), 4
- SimpleLogicalList-class (AtomicList), 4
- SimpleNormalIRangesList, 4, 86
- SimpleNormalIRangesList
 - (IRangesList-class), 58
- SimpleNormalIRangesList-class
 - (IRangesList-class), 58
- SimpleNumericList (AtomicList), 4
- SimpleNumericList-class (AtomicList), 4
- SimpleRangesList (RangesList-class), 85
- SimpleRangesList-class (RangesList-class), 85
- SimpleRawList (AtomicList), 4
- SimpleRawList-class (AtomicList), 4
- SimpleRleList, 9
- SimpleRleList (AtomicList), 4
- SimpleRleList-class (AtomicList), 4
- SimpleRleViewsList-class
 - (RleViewsList-class), 104
- SimpleSplitDataFrameList, 4
- SimpleSplitDataFrameList-class
 - (DataFrameList-class), 14
- SimpleViewsList (ViewsList-class), 119
- SimpleViewsList-class (ViewsList-class), 119
- simplify (rdapply), 89
- simplify,RDApplyParams-method
 - (rdapply), 89
- simplify<- (rdapply), 89
- simplify<- ,RDApplyParams-method
 - (rdapply), 89
- slice (Views-utils), 117
- slice,integer-method (Views-utils), 117
- slice,numeric-method (Views-utils), 117
- slice,Rle-method (Views-utils), 117
- slice,RleList-method (Views-utils), 117
- slice,XDouble-method (Views-utils), 117
- slice,XInteger-method (Views-utils), 117
- smoothEnds, 100
- smoothEnds,CompressedIntegerList-method
 - (AtomicList), 4
- smoothEnds,NumericList-method
 - (AtomicList), 4
- smoothEnds,Rle-method (Rle-class), 95
- smoothEnds,RleList-method (AtomicList), 4
- smoothEnds,SimpleIntegerList-method
 - (AtomicList), 4
- solveUserSEW, 41, 47, 48, 58, 124
- solveUserSEW (IRanges-constructor), 52
- solveUserSEW0 (IRanges-constructor), 52
- sort, 83, 84
- sort,AtomicList-method (AtomicList), 4
- sort,Ranges-method (Ranges-comparison), 81
- sort,Rle-method (Rle-class), 95
- sort,Vector-method (Vector-class), 112
- space (RangesList-class), 85
- space,HitsList-method (HitsList-class), 38
- space,RangedData-method
 - (RangedData-class), 71
- space,RangesList-method
 - (RangesList-class), 85
- space,RangesMapping-method
 - (RangesMapping-class), 88
- split, 65, 73
- split,RangedData-method
 - (RangedData-class), 71
- split,Vector-method (Vector-class), 112
- split<- ,Vector-method (Vector-class), 112
- SplitDataFrameList, 71, 72
- SplitDataFrameList (DataFrameList-class), 14
- SplitDataFrameList-class
 - (DataFrameList-class), 14
- splitRanges (Rle-class), 95
- splitRanges,Rle-method (Rle-class), 95
- splitRanges,vectorORfactor-method
 - (Rle-class), 95
- stack, 62, 114
- stack,DataFrameList-method

- (DataFrameList-class), 14
- stack,List-method (List-class), 61
- stack,RangedDataList-method (RangedDataList-class), 76
- start,CompressedIRangesList-method (IRangesList-class), 58
- start,GappedRanges-method (GappedRanges-class), 29
- start,IntervalTree-method (IntervalTree-class), 43
- start,IRanges-method (IRanges-class), 50
- start,PartitioningByEnd-method (Grouping-class), 31
- start,PartitioningByWidth-method (Grouping-class), 31
- start,RangedData-method (RangedData-class), 71
- start,Ranges-method (Ranges-class), 78
- start,RangesList-method (RangesList-class), 85
- start,Rle-method (Rle-class), 95
- start,SimpleViewsList-method (ViewsList-class), 119
- start,Views-method (Views-class), 115
- start<- (Ranges-class), 78
- start<-,IRanges-method (IRanges-class), 50
- start<-,RangedData-method (RangedData-class), 71
- start<-,RangesList-method (RangesList-class), 85
- start<-,Views-method (Views-class), 115
- strsplit, 110
- strsplitAsListOffIntegerVectors (strutils), 110
- strutils, 110
- sub, 101
- sub,ANY,ANY,CompressedCharacterList-method (AtomicList), 4
- sub,ANY,ANY,CompressedRleList-method (AtomicList), 4
- sub,ANY,ANY,Rle-method (Rle-class), 95
- sub,ANY,ANY,SimpleCharacterList-method (AtomicList), 4
- sub,ANY,ANY,SimpleRleList-method (AtomicList), 4
- subject (Views-class), 115
- subject,SimpleRleViewsList-method (RleViewsList-class), 104
- subject,Views-method (Views-class), 115
- subjectHits (Hits-class), 36
- subjectHits,Hits-method (Hits-class), 36
- subjectHits,HitsList-method (HitsList-class), 38
- subjectHits,RangesMapping-method (RangesMapping-class), 88
- subjectLength, 19
- subjectLength (Hits-class), 36
- subjectLength,Hits-method (Hits-class), 36
- subseq, 8
- subseq (XVector-class), 123
- subseq,XVector-method (XVector-class), 123
- subseq,XVectorList-method (XVectorList-class), 125
- subseq<- (XVector-class), 123
- subseq<-,XVector-method (XVector-class), 123
- subset, 77
- subset,DataTable-method (DataTable-API), 16
- subset,Vector-method (Vector-class), 112
- subsetByFilter (FilterRules-class), 22
- subsetByFilter,ANY,FilterRules-method (FilterRules-class), 22
- subsetByOverlaps (findOverlaps-methods), 25
- subsetByOverlaps,ANY,ANY-method (findOverlaps-methods), 25
- subsetByOverlaps,RangedData,RangedData-method (findOverlaps-methods), 25
- subsetByOverlaps,RangedData,RangesList-method (findOverlaps-methods), 25
- subsetByOverlaps,RangesList,RangedData-method (findOverlaps-methods), 25
- subsetByOverlaps,RangesList,RangesList-method (findOverlaps-methods), 25
- substr,Rle-method (Rle-class), 95
- substring,Rle-method (Rle-class), 95
- subviews (Views-class), 115
- subviews,Views-method (Views-class), 115
- successiveIRanges, 34
- successiveIRanges (IRanges-utils), 57
- successiveViews, 58
- successiveViews (Views-class), 115
- sum,CompressedIntegerList-method (AtomicList), 4
- sum,CompressedLogicalList-method (AtomicList), 4
- sum,CompressedNumericList-method (AtomicList), 4
- sum,Views-method (Views-utils), 117
- Summary,AtomicList-method (AtomicList), 4
- summary,CompressedIRangesList-method

(IRangesList-class), 58
 Summary,CompressedRleList-method
 (AtomicList), 4
 summary,FilterRules-method
 (FilterRules-class), 22
 Summary,Rle-method (Rle-class), 95
 summary,Rle-method (Rle-class), 95
 Summary,Views-method (Views-utils), 117
 svn.time (strutils), 110

t,Hits-method (Hits-class), 36
 t,HitsList-method (HitsList-class), 38
 table,CompressedAtomicList-method
 (AtomicList), 4
 table,Rle-method (Rle-class), 95
 table,SimpleAtomicList-method
 (AtomicList), 4
 tail,DataTable-method (DataTable-API),
 16
 tail,Vector-method (Vector-class), 112
 tapply, 114
 tapply,Vector-method (Vector-class), 112
 threebands (intra-range-methods), 45
 threebands,IRanges-method
 (intra-range-methods), 45
 threebands,XVectorList-method
 (intra-range-methods), 45
 tofactor (Grouping-class), 31
 togroup (Grouping-class), 31
 togroup,ANY-method (Grouping-class), 31
 togroup,H2LGrouping-method
 (Grouping-class), 31
 togrouplength (Grouping-class), 31
 togrouplength,Grouping-method
 (Grouping-class), 31
 togrouprank (Grouping-class), 31
 togrouprank,H2LGrouping-method
 (Grouping-class), 31
 tolower,CompressedCharacterList-method
 (AtomicList), 4
 tolower,CompressedRleList-method
 (AtomicList), 4
 tolower,Rle-method (Rle-class), 95
 tolower,SimpleCharacterList-method
 (AtomicList), 4
 tolower,SimpleRleList-method
 (AtomicList), 4
 toupper,CompressedCharacterList-method
 (AtomicList), 4
 toupper,CompressedRleList-method
 (AtomicList), 4
 toupper,Rle-method (Rle-class), 95

toupper,SimpleCharacterList-method
 (AtomicList), 4
 toupper,SimpleRleList-method
 (AtomicList), 4
 trim (Views-class), 115
 trim,Views-method (Views-class), 115
 tseqapply (seqapply), 107

union, 56
 union,CompressedIRangesList,CompressedIRangesList-method
 (IRangesList-class), 58
 union,Hits,Hits-method (Hits-class), 36
 union,IRanges,IRanges-method
 (IRanges-setops), 55
 union,RangesList,RangesList-method
 (RangesList-utils), 87
 unique, 60, 83, 84
 unique,AtomicList-method (AtomicList), 4
 unique,CompressedRleList-method
 (AtomicList), 4
 unique,DataTable-method
 (DataTable-API), 16
 unique,Ranges-method
 (Ranges-comparison), 81
 unique,Rle-method (Rle-class), 95
 unique,SimpleRleList-method
 (AtomicList), 4
 unique,Vector-method (Vector-class), 112
 universe (RangesList-class), 85
 universe,RangedData-method
 (RangedData-class), 71
 universe,RangesList-method
 (RangesList-class), 85
 universe,ViewsList-method
 (ViewsList-class), 119
 universe<- (RangesList-class), 85
 universe<- ,RangedData-method
 (RangedData-class), 71
 universe<- ,RangesList-method
 (RangesList-class), 85
 universe<- ,ViewsList-method
 (ViewsList-class), 119
 unlist,CompressedList-method
 (SimpleList-class), 108
 unlist,IRangesList-method
 (IRangesList-class), 58
 unlist,List-method (List-class), 61
 unlist,RangedDataList-method
 (RangedDataList-class), 76
 unlist,Ranges-method (Ranges-class), 78
 unlist,SimpleNormalIRangesList-method
 (IRangesList-class), 58

- unlist_list_of_XVectorList
(XVectorList-class), 125
- unsplit,List-method (List-class), 61
- unsplit_list_of_XVectorList
(XVectorList-class), 125
- update, 80
- update,IRanges-method (IRanges-class), 50
- update,Ranges-method (Ranges-class), 78
- updateObject, 111, 112
- updateObject,AnnotatedList-method
(updateObject-methods), 111
- updateObject,CharacterList-method
(updateObject-methods), 111
- updateObject,ComplexList-method
(updateObject-methods), 111
- updateObject,FilterRules-method
(updateObject-methods), 111
- updateObject,IntegerList-method
(updateObject-methods), 111
- updateObject,IntervalTree-method
(updateObject-methods), 111
- updateObject,IRanges-method
(updateObject-methods), 111
- updateObject,IRangesList-method
(updateObject-methods), 111
- updateObject,LogicalList-method
(updateObject-methods), 111
- updateObject,MaskCollection-method
(updateObject-methods), 111
- updateObject,NormalIRanges-method
(updateObject-methods), 111
- updateObject,NumericList-method
(updateObject-methods), 111
- updateObject,RangedData-method
(updateObject-methods), 111
- updateObject,RangedDataList-method
(updateObject-methods), 111
- updateObject,RangesList-method
(updateObject-methods), 111
- updateObject,RawList-method
(updateObject-methods), 111
- updateObject,RDApplyParams-method
(updateObject-methods), 111
- updateObject,Rle-method
(updateObject-methods), 111
- updateObject,RleList-method
(updateObject-methods), 111
- updateObject,RleViews-method
(updateObject-methods), 111
- updateObject,SplitXDataFrameList-method
(updateObject-methods), 111
- updateObject,XDataFrame-method
(updateObject-methods), 111
- updateObject,XDataFrameList-method
(updateObject-methods), 111
- updateObject,XIntegerViews-method
(updateObject-methods), 111
- updateObject,XVector-method
(updateObject-methods), 111
- updateObject-methods, 111
- values (Vector-class), 112
- values,RangedData-method
(RangedData-class), 71
- values,Vector-method (Vector-class), 112
- values<- (Vector-class), 112
- values<-,RangedData-method
(RangedData-class), 71
- values<-,Vector-method (Vector-class), 112
- var,IntegerList,AtomicList-method
(AtomicList), 4
- var,IntegerList,missing-method
(AtomicList), 4
- var,LogicalList,AtomicList-method
(AtomicList), 4
- var,LogicalList,missing-method
(AtomicList), 4
- var,NumericList,AtomicList-method
(AtomicList), 4
- var,NumericList,missing-method
(AtomicList), 4
- var,Rle,missing-method (Rle-class), 95
- var,Rle,Rle-method (Rle-class), 95
- var,RleList,AtomicList-method
(AtomicList), 4
- var,RleList,missing-method (AtomicList), 4
- Vector, 3, 10, 12, 23, 61, 63, 85, 107, 115,
119, 123
- Vector (Vector-class), 112
- vector, 112
- Vector-class, 102, 112, 116, 124
- viewApply (Views-utils), 117
- viewApply,RleViews-method (Views-utils),
117
- viewApply,RleViewsList-method
(Views-utils), 117
- viewApply,Views-method (Views-utils), 117
- viewMaxs (Views-utils), 117
- viewMaxs,RleViews-method (Views-utils),
117
- viewMaxs,RleViewsList-method
(Views-utils), 117
- viewMaxs,XDoubleViews-method
(Views-utils), 117

- viewMaxs,XIntegerViews-method
(Views-utils), 117
- viewMeans (Views-utils), 117
- viewMeans,RleViews-method (Views-utils),
117
- viewMeans,RleViewsList-method
(Views-utils), 117
- viewMeans,XDoubleViews-method
(Views-utils), 117
- viewMeans,XIntegerViews-method
(Views-utils), 117
- viewMins (Views-utils), 117
- viewMins,RleViews-method (Views-utils),
117
- viewMins,RleViewsList-method
(Views-utils), 117
- viewMins,XDoubleViews-method
(Views-utils), 117
- viewMins,XIntegerViews-method
(Views-utils), 117
- viewRangeMaxs (Views-utils), 117
- viewRangeMaxs,RleViews-method
(Views-utils), 117
- viewRangeMaxs,RleViewsList-method
(Views-utils), 117
- viewRangeMins (Views-utils), 117
- viewRangeMins,RleViews-method
(Views-utils), 117
- viewRangeMins,RleViewsList-method
(Views-utils), 117
- Views, 9, 25, 27, 40, 41, 46–48, 51, 94, 103,
113, 117, 119–121
- Views (Views-class), 115
- Views,integer-method
(XIntegerViews-class), 121
- Views,numeric-method
(XDoubleViews-class), 120
- Views,Rle-method (RleViews-class), 103
- Views,RleList-method (RleViewsList-class),
104
- Views,XDouble-method
(XDoubleViews-class), 120
- Views,XInteger-method
(XIntegerViews-class), 121
- Views-class, 10, 94, 104, 115, 120, 122, 124
- Views-utils, 104, 105, 117, 120, 122
- ViewsList, 25, 27, 104
- ViewsList (ViewsList-class), 119
- ViewsList-class, 104, 105, 119
- viewSums (Views-utils), 117
- viewSums,RleViews-method (Views-utils),
117
- viewSums,RleViewsList-method
(Views-utils), 117
- viewSums,XDoubleViews-method
(Views-utils), 117
- viewSums,XIntegerViews-method
(Views-utils), 117
- viewWhichMaxs (Views-utils), 117
- viewWhichMaxs,RleViews-method
(Views-utils), 117
- viewWhichMaxs,RleViewsList-method
(Views-utils), 117
- viewWhichMaxs,XDoubleViews-method
(Views-utils), 117
- viewWhichMaxs,XIntegerViews-method
(Views-utils), 117
- viewWhichMins (Views-utils), 117
- viewWhichMins,RleViews-method
(Views-utils), 117
- viewWhichMins,RleViewsList-method
(Views-utils), 117
- viewWhichMins,XDoubleViews-method
(Views-utils), 117
- viewWhichMins,XIntegerViews-method
(Views-utils), 117
- vmembers (Grouping-class), 31
- vmembers,Grouping-method
(Grouping-class), 31
- vmembers,H2LGrouping-method
(Grouping-class), 31
- which,CompressedLogicalList-method
(AtomicList), 4
- which,CompressedRleList-method
(AtomicList), 4
- which,Rle-method (Rle-class), 95
- which,SimpleLogicalList-method
(AtomicList), 4
- which,SimpleRleList-method (AtomicList),
4
- which.max,CompressedRleList-method
(AtomicList), 4
- which.max,Rle-method (Rle-class), 95
- which.max,Views-method (Views-utils), 117
- which.min, 118
- which.min,CompressedRleList-method
(AtomicList), 4
- which.min,Views-method (Views-utils), 117
- whichAsIRanges (IRanges-utils), 57
- whichFirstNotNormal (Ranges-class), 78
- whichFirstNotNormal,Ranges-method
(Ranges-class), 78
- whichFirstNotNormal,RangesList-method
(IRangesList-class), 58

- width (Ranges-class), 78
- width,CompressedIRangesList-method (IRangesList-class), 58
- width,IRanges-method (IRanges-class), 50
- width,MaskCollection-method (MaskCollection-class), 63
- width,PartitioningByEnd-method (Grouping-class), 31
- width,PartitioningByWidth-method (Grouping-class), 31
- width,RangedData-method (RangedData-class), 71
- width,Ranges-method (Ranges-class), 78
- width,RangesList-method (RangesList-class), 85
- width,Rle-method (Rle-class), 95
- width,SimpleViewsList-method (ViewsList-class), 119
- width,Views-method (Views-class), 115
- width,XVectorList-method (XVectorList-class), 125
- width<- (Ranges-class), 78
- width<-,IRanges-method (IRanges-class), 50
- width<-,RangedData-method (RangedData-class), 71
- width<-,RangesList-method (RangesList-class), 85
- width<-,Views-method (Views-class), 115
- window,DataTable-method (DataTable-API), 16
- window,factor-method (Vector-class), 112
- window,GappedRanges-method (GappedRanges-class), 29
- window,GroupedIRanges-method (XVectorList-class), 125
- window,IRanges-method (IRanges-class), 50
- window,NULL-method (Vector-class), 112
- window,Rle-method (Rle-class), 95
- window,Vector-method (Vector-class), 112
- window,vector-method (Vector-class), 112
- window,XVector-method (XVector-class), 123
- window,XVectorList-method (XVectorList-class), 125
- window<-,DataTable-method (DataTable-API), 16
- window<-,factor-method (Vector-class), 112
- window<-,RangedData-method (RangedData-class), 71
- window<-,Vector-method (Vector-class), 112
- window<-,vector-method (Vector-class), 112
- with,List-method (List-class), 61
- within,List-method (List-class), 61
- within,RangedData-method (RangedData-class), 71
- XDouble, 118, 120
- XDouble (XVector-class), 123
- XDouble-class, 120
- XDouble-class (XVector-class), 123
- XDoubleViews, 115, 118
- XDoubleViews (XDoubleViews-class), 120
- XDoubleViews-class, 116, 120, 122
- XInteger, 118, 121, 122
- XInteger (XVector-class), 123
- XInteger-class, 122
- XInteger-class (XVector-class), 123
- XIntegerViews, 115, 118
- XIntegerViews (XIntegerViews-class), 121
- XIntegerViews-class, 116, 118, 120, 121
- XNumeric (XVector-class), 123
- XRaw, 115, 123
- XRaw (XVector-class), 123
- XRaw-class, 123
- XRaw-class (XVector-class), 123
- XRawList, 7
- XRawList (XRawList-class), 123
- XRawList-class, 123, 125
- XString, 63, 115, 123
- XStringViews, 115
- XStringViews-class, 116
- xtabs, 18
- xtabs,DataTable-method (DataTable-stats), 18
- xvcopy (compact), 6
- xvcopy,SharedVector-method (compact), 6
- xvcopy,SharedVector_Pool-method (compact), 6
- xvcopy,XRawList-method (compact), 6
- xvcopy,XVector-method (compact), 6
- XVector, 7, 94, 116, 125
- XVector (XVector-class), 123
- XVector-class, 8, 94, 123, 125
- XVectorList, 7, 46, 48, 94
- XVectorList (XVectorList-class), 125
- XVectorList-class, 8, 94, 123, 124, 125