

gahgu95ccdf

February 8, 2012

| | |
|-------------|--------------------|
| gahgu95ccdf | <i>gahgu95ccdf</i> |
|-------------|--------------------|

Description

environment describing the CDF file

| | |
|-------------|--------------------|
| gahgu95cdim | <i>gahgu95cdim</i> |
|-------------|--------------------|

Description

environment describing the CDF dimensions

| | |
|-------------|---|
| <i>i2xy</i> | <i>Convert (x,y)-coordinates to single-number indices and back.</i> |
|-------------|---|

Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

Usage

```
i2xy(i)  
xy2i(x, y)
```

Arguments

| | |
|----------|---|
| <i>x</i> | numeric. x-coordinate (from 1 to 640) |
| <i>y</i> | numeric. y-coordinate (from 1 to 640) |
| <i>i</i> | numeric. single-number index (from 1 to 409600) |

Details

Type `i2xy` and `xy2i` at the **R** prompt to view the function definitions.

See Also

[gahgu95ccdf](#)

Examples

```
xy2i(5,5)
i      = 1:(640*640)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

Index

*Topic **datasets**

gahgu95ccdf, [1](#)

gahgu95cdim, [1](#)

i2xy, [1](#)

gahgu95ccdf, [1](#), [2](#)

gahgu95cdim, [1](#)

i2xy, [1](#)

xy2i ([i2xy](#)), [1](#)