# Package 'ObMiTi'

March 13, 2025

Type Package
Title Ob/ob Mice Data on Normal and High Fat Diet
<b>Version</b> 1.14.0
<b>Year</b> 2021
<b>Description</b> The package provide RNA-seq count for 2 strains of mus musclus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received either chow diet or high fat diet. RNA expression was measured after 20 weeks in 7 tissues.
License GPL-3
URL https://github.com/OmarElAshkar/ObMiTi
BugReports https://github.com/OmarElAshkar/ObMiTi/issues
Encoding UTF-8
RoxygenNote 7.1.1
<b>Depends</b> R (>= 4.1), SummarizedExperiment, ExperimentHub
Suggests knitr, rmarkdown, BiocManager, GenomicFeatures, S4Vectors, devtools, testthat
VignetteBuilder knitr
biocViews ExperimentHub, GEO, RNASeqData
git_url https://git.bioconductor.org/packages/ObMiTi
git_branch RELEASE_3_20
git_last_commit 654990d
git_last_commit_date 2024-10-29
Repository Bioconductor 3.20
Date/Publication 2025-03-13
Author Omar Elashkar [aut, cre] ( <a href="https://orcid.org/0000-0002-5505-778X">https://orcid.org/0000-0002-5505-778X</a> ),  Mahmoud Ahmed [aut] ( <a href="https://orcid.org/0000-0002-4377-6541">https://orcid.org/0000-0002-4377-6541</a> )
Maintainer Omar Elashkar <omar.i.elashkar@gmail.com></omar.i.elashkar@gmail.com>
Contents
ObMiTi
Index 3

2 ObMiTi

ObMiTi

ObMiTi package

### **Description**

Title: Ob/ob Mice Data on Normal and High Fat Diet The package provide RNA-seq count for 2 strains of mus musclus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received either chow diet or high fat diet. RNA expression was measured after 12 weeks in 7 tissues.

#### **Details**

The dataset can be accessed through the ExperimentHub as a RangedSummarizedExperiment object contains:

**assay** The read counts matrix.

colData The phenotype data of the samples

rowRanges The feature data and annotation of the peaks.

**metadata** extra details about the sample and associated phenotype studies. This is a data. frame of bibliography information of the studies from which the samples were collected for.

### **Examples**

```
# load the data object
library(ExperimentHub)

# query package resources on ExperimentHub
eh <- ExperimentHub()
query(eh, "ObMiTi")

# load data from ExperimentHub
ob_counts <- query(eh, "ObMiTi")[[1]]

# print object
ob_counts</pre>
```

# Index

 $\texttt{ObMiTi}, \textcolor{red}{2}$