

# Package ‘BiocIO’

January 19, 2026

**Title** Standard Input and Output for Bioconductor Packages

**Version** 1.20.0

**Description** The `BiocIO` package contains high-level abstract classes and generics used by developers to build IO functionality within the Bioconductor suite of packages. Implements `import()` and `export()` standard generics for importing and exporting biological data formats. `import()` supports whole-file as well as chunk-wise iterative import. The `import()` interface optionally provides a standard mechanism for 'lazy' access via `filter()` (on row or element-like components of the file resource), `select()` (on column-like components of the file resource) and `collect()`. The `import()` interface optionally provides transparent access to remote (e.g. via https) as well as local access. Developers can register a file extension, e.g., `.loom` for dispatch from character-based URIs to specific `import()` / `export()` methods based on classes representing file types, e.g., `LoomFile()`.

**License** Artistic-2.0

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.2

**Depends** R (>= 4.3.0)

**Imports** BiocGenerics, S4Vectors, methods, tools

**Suggests** testthat, knitr, rmarkdown, BiocStyle

**Collate** 'BiocFile.R' 'import\_export.R' 'compression.R' 'utils.R'

**VignetteBuilder** knitr

**biocViews** Annotation, DataImport

**BugReports** <https://github.com/Bioconductor/BiocIO/issues>

**Date** 2024-11-21

**git\_url** <https://git.bioconductor.org/packages/BiocIO>

**git\_branch** RELEASE\_3\_22

**git\_last\_commit** 2810f6a

**git\_last\_commit\_date** 2025-10-29

**Repository** Bioconductor 3.22

**Date/Publication** 2026-01-19

**Author** Martin Morgan [aut],  
 Michael Lawrence [aut],  
 Daniel Van Twisk [aut],  
 Marcel Ramos [cre] (ORCID: <<https://orcid.org/0000-0002-3242-0582>>)

**Maintainer** Marcel Ramos <[marcel.ramos@sph.cuny.edu](mailto:marcel.ramos@sph.cuny.edu)>

## Contents

BiocFile-class	2
compression	4
IO	5
<b>Index</b>	<b>8</b>

---

BiocFile-class	<i>BiocFile class objects</i>
----------------	-------------------------------

---

### Description

BiocFile is the base virtual class for high-level file abstractions where subclasses are associated with a particular file format or type. It wraps a low-level representation of a file, currently either a path, URL, or connection object. We can represent a list of BiocFile objects with a BiocFileList.

### Usage

```
BiocFileList(files)

resource(x)

resource(x) <- value

## S4 method for signature 'BiocFile'
resource(x)

## S4 replacement method for signature 'BiocFile,character_OR_connection'
resource(x) <- value

fileFormat(x)

## S4 method for signature 'character'
fileFormat(x)

## S4 method for signature 'BiocFile'
fileFormat(x)

## S4 method for signature 'BiocFile'
path(object, ...)

## S4 method for signature 'BiocFile'
show(object)
```

```
FileForFormat(path, format = file_ext(path), prefix = NULL, suffix = "File")

## S4 method for signature 'BiocFile'
as.character(x)
```

## Arguments

files	character() A vector of file paths for the BiocFileList constructor
x	A BiocFile instance
object	A BiocFile instance
...	additional arguments to lower-level functions, not used.
path, value	Either a character or connection object to replace the original resource
format	character(1) The file extension conducive to a file class name, e.g., CSVFile
prefix	character(1) The prefix to prepend to the format class name, e.g., Spatial for a class SpatialCSV.
suffix	character(1) The suffix to append to the format class name, e.g., File for a class CSVFile.

## Value

For constructors, an instance of that class. For extractors such as `resource` and `path`, typically a character vector of the file path. For `FileForFormat`, a convenient instance of the class for which the input file corresponds to.

## Accessor Methods

In the code snippets below, `x` represents a `BiocFile` object.

- `path(x)`: Gets the path, as a character vector, to the resource represented by the `BiocFile` object, if possible.
- `resource(x)`: Gets the low-level resource, either a character vector (a path or URL) or a connection.
- `fileFormat(x)`: Gets a string identifying the file format. Can also be called directly on a character file path, in which case it uses a heuristic based on the file extension.

## FileForFormat

The `prefix` and `suffix` arguments are used to filter the class names to those that match the pattern `paste0(prefix, format, suffix)`. If either `prefix` or `suffix` are `NULL`, they are ignored. Note that the search is case insensitive and does require the `format` to be in the name of the class.

## Author(s)

Michael Lawrence

## See Also

Implementing classes include: [BigWigFile](#), [TwoBitFile](#), [BEDFile](#), [GFFFile](#), [WIGFile](#)

## Examples

```

## For our examples, we create a class called CSVFILE that extends BiocFile
.CSVFile <- setClass("CSVFile", contains = "BiocFile")

## Constructor
CSVFile <- function(resource) {
  .CSVFile(resource = resource)
}

setMethod("import", "CSVFile", function(con, format, text, ...) {
  read.csv(resource(con), ...)
})

## Define export
setMethod("export", c("data.frame", "CSVFile"),
  function(object, con, format, ...) {
    write.csv(object, resource(con), ...)
  }
)

## Recommend CSVFile class for .csv files
temp <- tempfile(fileext = ".csv")
FileForFormat(temp)

## Create CSVFile
csv <- CSVFile(temp)

## Display path of file
path(csv)

## Display resource of file
resource(csv)

```

## Description

Methods and generics for file compression strategies.

## Usage

```

decompress(manager, con, ...)

## S4 method for signature 'ANY'
decompress(manager, con, ...)

## S4 method for signature 'CompressedFile'
decompress(manager, con, ...)

## S4 method for signature 'character'
decompress(manager, con, ...)

```

```
## S4 method for signature 'CompressedFile'
fileFormat(x)
```

### Arguments

manager	The connection manager, defaults to the internal manager class
con	The connection from which data is loaded or to which data is saved. If this is a character vector, it is assumed to be a file name and a corresponding file connection is created and then closed after exporting the object. If it is a <b>BiocFile</b> derivative, the data is loaded from or saved to the underlying resource. If missing, the function will return the output as a character vector, rather than writing to a connection.
...	Parameters to pass to the format-specific method.
x	A <b>BiocFile</b> instance

### Value

A decompressed representation of a **CompressedFile** or character object

### Related functions

- **FileForFormat(path, format = file\_ext(path))**: Determines the file type of path and returns a high-level file object such as **BamFile**, **BEDFile**, **BigWigFile**, etc.

### Examples

```
file <- tempfile(fileext = ".gzip")
decompress(con = file)
```

---

### Description

The functions **import** and **export** load and save objects from and to particular file formats.

### Usage

```
import(con, format, text, ...)

## S4 method for signature 'connection,character,ANY'
import(con, format, text, ...)

## S4 method for signature 'connection,missing,ANY'
import(con, format, text, ...)

## S4 method for signature 'character,missing,ANY'
import(con, format, text, ...)
```

```

## S4 method for signature 'character,character,ANY'
import(con, format, text, ...)

## S4 method for signature 'missing,ANY,character'
import(con, format, text, ...)

export(object, con, format, ...)

## S4 method for signature 'ANY,connection,character'
export(object, con, format, ...)

## S4 method for signature 'ANY,connection,missing'
export(object, con, format, ...)

## S4 method for signature 'ANY,missing,character'
export(object, con, format, ...)

## S4 method for signature 'ANY,character,missing'
export(object, con, format, ...)

## S4 method for signature 'ANY,character,character'
export(object, con, format, ...)

## S4 method for signature 'CompressedFile,missing,ANY'
import(con, format, text, ...)

## S4 method for signature 'ANY,CompressedFile,missing'
export(object, con, format, ...)

```

### Arguments

con	The connection from which data is loaded or to which data is saved. If this is a character vector, it is assumed to be a file name and a corresponding file connection is created and then closed after exporting the object. If it is a <a href="#">BiocFile</a> derivative, the data is loaded from or saved to the underlying resource. If missing, the function will return the output as a character vector, rather than writing to a connection.
format	The format of the output. If missing and con is a file name, the format is derived from the file extension. This argument is unnecessary when con is a derivative of <a href="#">BiocFile</a> .
text	If con is missing, this can be a character vector directly providing the string data to import.
...	Parameters to pass to the format-specific method.
object	The object to export.

### Value

If con is missing, a character vector containing the string output. Otherwise, nothing is returned.

### Author(s)

Michael Lawrence

## See Also

Format-specific options for the popular formats: [GFF](#), [BED](#), [Bed15](#), [bedGraph](#), [WIG](#), [BigWig](#)

## Examples

```
## To illustrate export(), import(), and yeild(), we create a class, CSVFILE
.CSVFile <- setClass("CSVFile", contains = "BiocFile")

## Constructor
CSVFile <- function(resource) {
  .CSVFile(resource = resource)
}

## Define import
setMethod("import", "CSVFile",
  function(con, format, text, ...) {
    read.csv(resource(con), ...)
  }
)

## Define export
setMethod("export", c("data.frame", "CSVFile"),
  function(object, con, format, ...) {
    write.csv(object, resource(con), ...)
  }
)

## Usage
temp <- tempfile(fileext = ".csv")
csv <- CSVFile(temp)

export(mtcars, csv)
df <- import(csv)
```

# Index

```
* IO
  IO, 5
* classes
  BiocFile-class, 2
* methods
  BiocFile-class, 2
  as.character, BiocFile-method
    (BiocFile-class), 2
  BED, 7
  Bed15, 7
  BEDfile, 3
  bedGraph, 7
  BigWig, 7
  BigWigFile, 3
  BiocFile, 5, 6
  BiocFile(BiocFile-class), 2
  BiocFile-class, 2
  BiocFileList(BiocFile-class), 2
  BiocFileList-class (BiocFile-class), 2
  compress (compression), 4
  CompressedFile-class (compression), 4
  compression, 4
  decompress (compression), 4
  decompress, ANY-method (compression), 4
  decompress, character-method
    (compression), 4
  decompress, CompressedFile-method
    (compression), 4
  decompress, GZFile-method (compression),
    4
  export (IO), 5
  export, ANY, character, character-method
    (IO), 5
  export, ANY, character, missing-method
    (IO), 5
  export, ANY, CompressedFile, missing-method
    (IO), 5
  export, ANY, connection, character-method
    (IO), 5
  export, ANY, connection, missing-method
    (IO), 5
  export, ANY, missing, character-method
    (IO), 5
  FileForFormat (BiocFile-class), 2
  fileFormat (BiocFile-class), 2
  fileFormat, BiocFile-method
    (BiocFile-class), 2
  fileFormat, character-method
    (BiocFile-class), 2
  fileFormat, CompressedFile-method
    (compression), 4
  GFF, 7
  GFFFile, 3
  import (IO), 5
  import, character, character, ANY-method
    (IO), 5
  import, character, missing, ANY-method
    (IO), 5
  import, CompressedFile, missing, ANY-method
    (IO), 5
  import, connection, character, ANY-method
    (IO), 5
  import, connection, missing, ANY-method
    (IO), 5
  import, missing, ANY, character-method
    (IO), 5
  IO, 5
  path (BiocFile-class), 2
  path, BiocFile-method (BiocFile-class), 2
  resource (BiocFile-class), 2
  resource, BiocFile-method
    (BiocFile-class), 2
  resource<- (BiocFile-class), 2
  resource<-, BiocFile, character_OR_connection-method
    (BiocFile-class), 2
  show, BiocFile-method (BiocFile-class), 2
  TwoBitFile, 3
```

WIG, [7](#)  
WIGFile, [3](#)