

# Package ‘affycompData’

January 22, 2026

**Version** 1.49.0

**Title** affycomp data

**Author** Rafael A. Irizarry <[rafa@ds.dfci.harvard.edu](mailto:rafa@ds.dfci.harvard.edu)> and Zhijin Wu <[zwu@stat.brown.edu](mailto:zwu@stat.brown.edu)> with contributions from Simon Cawley <[simon\\_cawley@affymetrix.com](mailto:simon_cawley@affymetrix.com)>

**Maintainer** Robert D Shear <[rshear@ds.dfci.harvard.edu](mailto:rshear@ds.dfci.harvard.edu)>

**URL** <https://bioconductor.org/packages/affycompData>

**BugReports** <https://github.com/rafalab/affyCompData/issues>

**Depends** R (>= 2.13.0), methods, Biobase (>= 2.3.3), affycomp

**Description** Data needed by the affycomp package.

**License** GPL (>= 2)

**biocViews** MicroarrayData

**git\_url** <https://git.bioconductor.org/packages/affycompData>

**git\_branch** devel

**git\_last\_commit** e157cb1

**git\_last\_commit\_date** 2025-10-29

**Repository** Bioconductor 3.23

**Date/Publication** 2026-01-22

## Contents

lw.sd.assessment	2
mas5.assessment	2
rma.assessment	3
rma.sd.assessment	3

## Index

4

---

lw.sd.assessment	<i>An example of the result of an SD assessment</i>
------------------	---

---

## Description

The Dilution files were processed with the dChip package (using PM-only), and then the function `assessSD` from the affycomp package was applied.

## Usage

```
data(lw.sd.assessment)
```

## Format

A list.

---

mas5.assessment	<i>Examples of the result of assessments</i>
-----------------	--

---

## Description

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with Affymetrix MAS 5.0 software, yielding three "MAS 5.0" `ExpressionSet`'s. (These are available, in csv-format, at <http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030424.1033/>.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. `mas5.assessment` resulted from `assessAll` on Dilution and HGU95; `mas5.assessment.133` from `assessSpikeIn` on HGU133; `mas5.assessment2` from `assessSpikeIn2` on HGU95; and `mas5.assessment2.133` from `assessSpikeIn2` on HGU133.

## Usage

```
data(mas5.assessment)
data(mas5.assessment.133)
data(mas5.assessment2)
data(mas5.assessment2.133)
```

## Format

A list of list.

---

rma.assessment	<i>Examples of the result of assessments</i>
----------------	--

---

### Description

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with the (version 1.0) function `rma`, yielding three "RMA" `ExpressionSet`'s. (These are available, in csv-format, at <http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030429.1332/>.) Then various assessment functions from the `affycomp` package (most recently, version 1.28.0) were applied. `rma.assessment` resulted from `assessAll` on Dilution and HGU95; `rma.assessment.133` from `assessSpikeIn` on HGU133; `rma.assessment2` from `assessSpikeIn2` on HGU95; and `rma.assessment2.133` from `assessSpikeIn2` on HGU133.

### Usage

```
data(rma.assessment)
data(rma.assessment.133)
data(rma.assessment2)
data(rma.assessment2.133)
```

### Format

A list of list.

---

rma.sd.assessment	<i>An example of the result of an SD assessment</i>
-------------------	---

---

### Description

The Dilution files were processed with the `affy` version 1.0 package `rma` add-on function, and then the function `assessSD` from the `affycomp` package was applied.

### Usage

```
data(rma.sd.assessment)
```

### Format

A list.

# Index

## \* datasets

lw.sd.assessment, [2](#)  
mas5.assessment, [2](#)  
rma.assessment, [3](#)  
rma.sd.assessment, [3](#)  
  
assessAll, [2](#), [3](#)  
assessSD, [2](#), [3](#)  
assessSpikeIn, [2](#), [3](#)  
assessSpikeIn2, [2](#), [3](#)  
  
ExpressionSet, [2](#), [3](#)  
  
lw.sd.assessment, [2](#)  
  
mas5.assessment, [2](#)  
mas5.assessment2 (mas5.assessment), [2](#)  
  
rma, [3](#)  
rma.assessment, [3](#)  
rma.assessment2 (rma.assessment), [3](#)  
rma.sd.assessment, [3](#)