

# Package 'PWMEnrich.Mmusculus.background'

April 13, 2017

**Maintainer** Robert Stojnic <robert.stojnic@gmail.com>

**License** GPL-3

**Title** M. musculus background for PWMEnrich

**Type** Package

**LazyLoad** yes

**Author** Robert Stojnic

**Description** PWMEnrich pre-compiled background objects for M.musculus (mouse) and MotifDb M. musculus motifs.

**Version** 4.8.0

**biocViews** Mus\_musculus\_Data

**Date** 2015-09-30

**Depends** R (>= 2.10), methods, PWMEnrich

**NeedsCompilation** no

## R topics documented:

PWMEnrich.Mmusculus.background-package . . . . .	1
<b>Index</b>	<b>3</b>

---

PWMEnrich.Mmusculus.background-package

*PWMEnrich.Mmusculus.background package overview*

---

## Description

This package provides a set of pre-compiled genomic background files for the PWMEnrich package and M. musculus (mouse). The backgrounds were pre-compiled using unique 2kb promoters in mouse.

- MotifDb.Mmus.PFM - a list of position frequency matrices (PFMs) from MotifDb
- MotifDb.Mmus - the corresponding PWMs generated by using the background frequencies of A,C,G,T in a set of 2kb mouse (mm9) promoters.

- `PWMLogn.mm9.MotifDb.Mmus` - pre-compiled threshold-free lognormal background for MotifDb mouse PWMs. The lognormal distribution is fitted to 500bp chunks of 2kb mouse (mm9) promoters.
- `PWMCutoff4.mm9.MotifDb.Mmus`, `PWMCutoff5.mm9.MotifDb.Mmus` - pre-compiled Z-score background with cutoff of 4 and 5 (base e) for MotifDb mouse PWMs. The number of hits is counted in 2kb mouse (mm9) promoters.
- `PWMPvalueCutoff1e2.mm9.MotifDb.Mmus`, `PPWMPvalueCutoff1e3.mm9.MotifDb.Mmus`, `PPWMPvalueCutoff1e4` - pre-compiled Z-score background with P-value cutoff of 0.01, 0.001, and 0.0001 for MotifDb mouse PWMs. The number of hits with smaller P-value than cutoff is counted in 2kb mouse (mm9) promoters.

### Usage

```
data(MotifDb.Mmus.PFM)
data(MotifDb.Mmus)
data(PWMLogn.mm9.MotifDb.Mmus)
data(PWMCutoff4.mm9.MotifDb.Mmus)
data(PWMCutoff5.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e2.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e3.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e4.mm9.MotifDb.Mmus)
```

### Details

All of these objects were created with the appropriate functions available in the `PWMErich` package (see Section 'See also'). We recommend using these functions to generate backgrounds for a custom set of background sequences and/or DNA motifs.

This package also contains the 2kb upstream sequences for mouse genes (`mm9.upstream2000`) which were removed from the `BSgenome.Mmusculus.UCSC.mm9` package starting from Bioconductor version 3.0.

### Author(s)

Robert Stojnic  
 Cambridge Systems Biology Centre  
 University of Cambridge, UK  
 Maintainer: Robert Stojnic <[robert.stojnic@gmail.com](mailto:robert.stojnic@gmail.com)>

### See Also

[makeBackground](#), [makePWMLognBackground](#), [makePWCutoffBackground](#), [makePWMEmpiricalBackground](#).

### Examples

```
data(PWMLogn.mm9.MotifDb.Mmus)

res = motifEnrichment(DNAString("TGCATCAAGTGTGTAGTGCAAGTGAGTGATGAATGC"), PWMLogn.mm9.MotifDb.Mmus)

groupReport(res)[1:10]
```

# Index

## \*Topic **package**

PWMErich.Mmusculus.background-package,  
[1](#)

makeBackground, [2](#)

makePWMCutoffBackground, [2](#)

makePWMEmpiricalBackground, [2](#)

makePWMLognBackground, [2](#)

mm9.upstream2000  
(PWMErich.Mmusculus.background-package),  
[1](#)

MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMCutoff4.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMCutoff5.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMErich.Mmusculus.background  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMErich.Mmusculus.background-package,  
[1](#)

PWMEV.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMLogn.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMPvalueCutoff1e2.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMPvalueCutoff1e3.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)

PWMPvalueCutoff1e4.mm9.MotifDb.Mmus  
(PWMErich.Mmusculus.background-package),  
[1](#)