

# Package ‘EGSEA’

October 17, 2017

**Title** Ensemble of Gene Set Enrichment Analyses

**Version** 1.4.1

**Date** 15-03-2017

**Author** Monther Alhamdoosh, Milica Ng and Matthew Ritchie

**Maintainer** Monther Alhamdoosh <m.hamdoosh@gmail.com>

**Description** This package implements the Ensemble of Gene Set Enrichment Analyses (EGSEA) method for gene set testing.

**biocViews** DifferentialExpression, GO, GeneExpression, GeneSetEnrichment, Genetics, Microarray, MultipleComparison, OneChannel, Pathways, RNASeq, Sequencing, Software, SystemsBiology, TwoChannel, Metabolomics, Proteomics, KEGG, GraphAndNetwork

**Depends** R (>= 3.4), Biobase, gage (>= 2.14.4), AnnotationDbi, topGO (>= 2.16.0), pathview (>= 1.4.2)

**Imports** PADOG (>= 1.6.0), GSVA (>= 1.12.0), globaltest (>= 5.18.0), limma (>= 3.20.9), edgeR (>= 3.6.8), HTMLUtils (>= 0.1.5), hwriter (>= 1.2.2), gplots (>= 2.14.2), ggplot2 (>= 1.0.0), safe (>= 3.4.0), stringi (>= 0.5.0), parallel, stats, metap, grDevices, graphics, utils, org.Hs.eg.db, org.Mm.eg.db, org.Rn.eg.db, RColorBrewer, methods, EGSEAdata (>= 1.3.1)

**License** GPL-2

**LazyLoad** yes

**NeedsCompilation** no

**Suggests** BiocStyle, knitr, testthat

**VignetteBuilder** knitr

**RoxygenNote** 5.0.1

## R topics documented:

EGSEA-package . . . . .	2
buildCustomIdx . . . . .	3
buildGeneSetDBIdx . . . . .	4
buildIdx . . . . .	5
buildKEGGIdx . . . . .	6
buildMSigDBIdx . . . . .	7

egsea . . . . .	8
egsea.base . . . . .	12
egsea.cnt . . . . .	13
egsea.combine . . . . .	17
egsea.ora . . . . .	17
egsea.sort . . . . .	19
EGSEAResults . . . . .	20
GSCollectionIndex . . . . .	27
<b>Index</b>	<b>30</b>

---

EGSEA-package	<i>Ensemble of Gene Enrichment Analysis (EGSEA)</i>
---------------	---

---

## Description

This packages provides the implementation of the EGSEA algorithm and addition functions to help perform GSE analysis.

This function writes out the official EGSEA package logo

## Usage

```
egsea.logo(out.dir = "./")
```

## Arguments

`out.dir` character, the target directory to which the logo will be written.

## Details

This function generates a PNG file of the EGSEA logo, which can be used to acknowledge EGSEA in presentations/reports. The logo was designed by Roberto Bonelli from The Walter and Eliza Hall Institute of Medical Research.

## Value

a PNG file.

## Author(s)

Monther Alhamdoosh, Milica Ng and Matthew Ritchie

## References

Monther Alhamdoosh, Milica Ng, Nicholas J. Wilson, Julie M. Sheridan, Huy Huynh, Michael J. Wilson, Matthew E. Ritchie; Combining multiple tools outperforms individual methods in gene set enrichment analyses. *Bioinformatics* 2017; 33 (3): 414-424. doi: 10.1093/bioinformatics/btw623

---

buildCustomIdx	<i>Custom Gene Set Collection Index</i>
----------------	---

---

**Description**

It creates gene set collections from a given list of gene sets to be used for the EGSEA analysis.

**Usage**

```
buildCustomIdx(entrezIDs, gsets, anno = NULL, label = "custom",
  name = "User-Defined Gene Sets", species = "Human", min.size = 1)
```

**Arguments**

entrezIDs	character, a vector that stores the Entrez Gene IDs tagged in your dataset. The order of the Entrez Gene IDs should match those of the count/expression matrix row names.
gsets	list, list of gene sets. Each gene set is character vector of Entrez IDs. The names of the list should match the GeneSet column in the anno argument (if it is provided).
anno	list, dataframe that stores a detailed annotation for each gene set. Some of its fields can be ID, GeneSet, PubMed, URLs, etc. The GeneSet field is mandatory and should have the same names as the gsets' names.
label	character, a unique id that identifies the collection of gene sets
name	character, the collection name to be used in the EGSEA report
species	character, determine the organism of selected gene sets: "human", "mouse" or "rat".
min.size	integer, the minimum number of genes required in a testing gene set

**Details**

It indexes newly created gene sets and attach gene set annotation if provided.

**Value**

indexed gene set annotation that can be used with other functions in the package. Each annotation is a list of seven elements: original stores the original gene sets, idx stores the indexed gene sets, anno that stores detailed annotation for each gene set, label a unique id that identifies the collection of gene sets, featureIDs stores the entrezIDs used in building the annotation, species stores that organism name of gene sets and name stores the collection name to be used in the EGSEA report.

**Examples**

```
library(EGSEAdata)
data(il13.data)
v = il13.data$voom
data(kegg.pathways)
gsets = kegg.pathways$human$kg.sets[1:50]
gs.annot = buildCustomIdx(entrezIDs=rownames(v$E), gsets= gsets,
  species="human")
```

```
class(gs.annot)
```

---

buildGeneSetDBIdx      *Gene Set Collection Indexes from the GeneSetDB Database*

---

### Description

It prepares the GeneSetDB gene set collections to be used for the EGSEA analysis.

### Usage

```
buildGeneSetDBIdx(entrezIDs, species, geneSets = "all", go.part = FALSE,
  min.size = 1)
```

### Arguments

entrezIDs	character, a vector that stores the Entrez Gene IDs tagged in your dataset. The order of the Entrez Gene IDs should match those of the count/expression matrix row names.
species	character, determine the organism of selected gene sets: "human", "mouse" or "rat".
geneSets	character, a vector determines which gene set collections are loaded from the GeneSetDB. It takes "all", "gsdbdis", "gsdbgo", "gsdbdrug", "gsdbpath" or "gsdbreg". "all" includes all the GeneSetDB collections. "gsdbdis" is to load the disease collection, "gsdbgo" to load the GO terms collection, "gsdbdrug" to load the drug/chemical collection, "gsdbpath" to load the pathways collection and "gsdbreg" to load the gene regulation collection.
go.part	logical, whether to partition the C5 collection into the three GO domains: CC, MF and BP or use the entire collection all together.
min.size	integer, the minimum number of genes required in a testing gene set

### Details

It indexes the GeneSetDB gene sets and loads gene set annotation.

### Value

indexed gene set annotation that can be used with other functions in the package. Each annotation is a list of seven elements: original stores the original gene sets, idx stores the indexed gene sets, anno that stores detailed annotation for each gene set, label a unique id that identifies the collection of gene sets, featureIDs stores the entrezIDs used in building the annotation, species stores that organism name of gene sets and name stores the collection name to be used in the EGSEA report.

**Examples**

```
library(EGSEAdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildGeneSetDBIdx(entrezIDs=rownames(v$E), species="human")
names(gs.annots)
```

---

buildIdx	<i>Generate Gene Set Collection Indexes from the MSigDB and KEGG Databases</i>
----------	--

---

**Description**

It prepares the MSigDB and KEGG gene set collections to be used for the EGSEA analysis.

**Usage**

```
buildIdx(entrezIDs, species = "human", msigdb.gsets = "all",
         gsdb.gsets = "none", go.part = FALSE, kegg.updated = FALSE,
         kegg.exclude = c(), min.size = 1)
```

**Arguments**

entrezIDs	character, a vector that stores the Entrez Gene IDs tagged in your dataset. The order of the Entrez Gene IDs should match those of the count/expression matrix row names.
species	character, determine the organism of selected gene sets: "human", "mouse" or "rat".
msigdb.gsets	character, a vector determines which gene set collections should be used from MSigDB. It can take values from this list: "h", "c1", "c2", "c3", "c4", "c5", "c6", "c7". "h" and "c1" are human specific. If "all", all available gene set collections are loaded. If "none", MSigDB collections are excluded.
gsdb.gsets	character, a vector determines which gene set collections are loaded from the GeneSetDB. It takes "none", "all", "gsdbdis", "gsdbgo", "gsdbdrug", "gsdbpath" or "gsdbreg". "none" excludes the GeneSetDB collections. "all" includes all the GeneSetDB collections. "gsdbdis" to load the disease collection, "gsdbgo" to load the GO terms collection, "gsdbdrug" to load the drug/chemical collection, "gsdbpath" to load the pathways collection and "gsdbreg" to load the gene regulation collection.
go.part	logical, whether to partition the GO term collections into the three GO domains: CC, MF and BP or use the entire collection all together.
kegg.updated	logical, set to TRUE if you want to download the most recent KEGG pathways.
kegg.exclude	character, vector used to exclude KEGG pathways of specific type(s): Disease, Metabolism, Signaling. If "all", none fo the KEGG collections is included.
min.size	integer, the minium number of genes required in a testing gene set

**Details**

It indexes the MSigDB and KEGG gene sets and loads gene set annotation.

**Value**

indexed gene set annotation that can be used with other functions in the package. Each annotation is a list of seven elements: `original` stores the original gene sets, `idx` stores the indexed gene sets, `anno` that stores detailed annotation for each gene set, `label` a unique id that identifies the collection of gene sets, `featureIDs` stores the entrezIDs used in building the annotation, `species` stores that organism name of gene sets and `name` stores the collection name to be used in the EGSEA report.

**Examples**

```
library(EGSEAdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
                    msigdb.gsets = c("h", "c5"),
                    go.part = TRUE,
                    kegg.exclude = c("Metabolism"))
names(gs.annots)
```

---

 buildKEGGIdx

*Gene Set Collection Index from the KEGG Database*


---

**Description**

It prepares the KEGG pathway collection to be used for the EGSEA analysis.

**Usage**

```
buildKEGGIdx(entrezIDs, species = "human", min.size = 1, updated = FALSE,
             exclude = c())
```

**Arguments**

<code>entrezIDs</code>	character, a vector that stores the Entrez Gene IDs tagged in your dataset. The order of the Entrez Gene IDs should match those of the count/expression matrix row names.
<code>species</code>	character, determine the organism of selected gene sets: "human", "mouse" or "rat".
<code>min.size</code>	integer, the minium number of genes required in a testing gene set
<code>updated</code>	logical, set to TRUE if you want to download the most recent KEGG pathways.
<code>exclude</code>	character, vector used to exclude KEGG pathways of specific category. Accepted values are "Disease", "Metabolism", or "Signaling".

**Details**

It indexes the KEGG pathway gene sets and loads gene set annotation.

**Value**

indexed gene set annotation that can be used with other functions in the package. Each annotation is a list of seven elements: `original` stores the original gene sets, `idx` stores the indexed gene sets, `anno` that stores detailed annotation for each gene set, `label` a unique id that identifies the collection of gene sets, `featureIDs` stores the entrezIDs used in building the annotation, `species` stores that organism name of gene sets and `name` stores the collection name to be used in the EGSEA report.

**Examples**

```
library(EGSEAdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildKEGGIdx(entrezIDs=rownames(v$E), species="human")
```

---

 buildMSigDBIdx

*Gene Set Collection Indexes from the MSigDB Database*


---

**Description**

It prepares the MSigDB gene set collections to be used for the EGSEA analysis.

**Usage**

```
buildMSigDBIdx(entrezIDs, species = "Homo sapiens", geneSets = "all",
  go.part = FALSE, min.size = 1)
```

**Arguments**

<code>entrezIDs</code>	character, a vector that stores the Entrez Gene IDs tagged in your dataset. The order of the Entrez Gene IDs should match those of the count/expression matrix row names.
<code>species</code>	character, determine the organism of selected gene sets: "human", "mouse" or "rat".
<code>geneSets</code>	character, a vector determines which gene set collections should be used from the MSigDB. It can take values from this list: "all", "h", "c1", "c2", "c3", "c4", "c5", "c6", "c7". "c1" is human specific. If "all", all available gene set collections are loaded.
<code>go.part</code>	logical, whether to partition the C5 collection into the three GO domains: CC, MF and BP or use the entire collection all together.
<code>min.size</code>	integer, the minimum number of genes required in a testing gene set

**Details**

It indexes the MSigDB gene sets and loads gene set annotation.

**Value**

indexed gene set annotation that can be used with other functions in the package. Each annotation is a list of seven elements: `original` stores the original gene sets, `idx` stores the indexed gene sets, `anno` that stores detailed annotation for each gene set, `label` a unique id that identifies the collection of gene sets, `featureIDs` stores the entrezIDs used in building the annotation, `species` stores that organism name of gene sets and `name` stores the collection name to be used in the EGSEA report.

**Examples**

```
library(EGSEAdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildMSigDBIdx(entrezIDs=rownames(v$E), species="human",
geneSets=c("h", "c2"))
names(gs.annots)
```

---

egsea

*Ensemble of Gene Set Enrichment Analyses Function*


---

**Description**

This is the main function to carry out gene set enrichment analysis using the EGSEA algorithm. This function is aimed to extend the limma-voom pipeline of RNA-seq analysis.

**Usage**

```
egsea(voom.results, contrasts = NULL, logFC = NULL, gs.annots,
symbolsMap = NULL, baseGSEAs = egsea.base(), minSize = 2,
display.top = 20, combineMethod = "wilkinson", combineWeights = NULL,
sort.by = "p.adj", egsea.dir = NULL, kegg.dir = NULL,
logFC.cutoff = 0, fdr.cutoff = 0.05, sum.plot.axis = "p.adj",
sum.plot.cutoff = NULL, vote.bin.width = 5, num.threads = 4,
report = TRUE, keep.base = FALSE, verbose = FALSE, keep.limma = TRUE,
keep.set.scores = FALSE)
```

**Arguments**

<code>voom.results</code>	list, an EList object generated using the <a href="#">voom</a> function. Entrez Gene IDs should be used as row names.
<code>contrasts</code>	double, an N x L matrix indicates the contrasts of the linear model coefficients for which the test is required. N is number of columns of the design matrix and L is number of contrasts. Can be also a vector of integers that specify the columns of the design matrix.
<code>logFC</code>	double, an K x L matrix indicates the log <sub>2</sub> fold change of each gene for each contrast. K is the number of genes included in the analysis. If <code>logFC=NULL</code> , the <code>logFC</code> values are estimated using the <a href="#">ebayes</a> for each contrast.
<code>gs.annots</code>	list, list of objects of class <code>GSCollectionIndex</code> . It is generated using one of these functions: <a href="#">buildIdx</a> , <a href="#">buildMSigDBIdx</a> , <a href="#">buildKEGGIdx</a> , <a href="#">buildGeneSetDBIdx</a> , and <a href="#">buildCustomIdx</a> .



symbolsMap	dataframe, an K x 2 matrix stores the gene symbol of each Entrez Gene ID. It is used for the heatmap visualization. The order of rows should match that of the <b>voom.results</b> . Default symbolsMap=NULL.
baseGSEAs	character, a vector of the gene set tests that should be included in the ensemble. Type <a href="#">egsea.base</a> to see the supported GSE methods. By default, all supported methods are used.
minSize	integer, the minimum size of a gene set to be included in the analysis. Default minSize= 2.
display.top	integer, the number of top gene sets to be displayed in the EGSEA report. You can always access the list of all tested gene sets using the returned gsa list. Default is 20.
combineMethod	character, determines how to combine p-values from different GSEA method. Type <a href="#">egsea.combine()</a> to see supported methods.
combineWeights	double, a vector determines how different GSEA methods will be weighted. Its values should range between 0 and 1. This option is not supported currently.
sort.by	character, determines how to order the analysis results in the stats table. Type <a href="#">egsea.sort()</a> to see all available options.
egsea.dir	character, directory into which the analysis results are written out.
kegg.dir	character, the directory of KEGG pathway data file (.xml) and image file (.png). Default kegg.dir=paste0(egsea.dir, "/kegg-dir/").
logFC.cutoff	numeric, cut-off threshold of logFC and is used for the calculation of Ssignificance Score and Regulation Direction. Default logFC.cutoff=0.
fdr.cutoff	numeric, cut-off threshold of DE genes and is used for the calculation of Significance Score and Regulation Direction. Default fdr.cutoff = 0.05.
sum.plot.axis	character, the x-axis of the summary plot. All the values accepted by the <b>sort.by</b> parameter can be used. Default sum.plot.axis="p.value".
sum.plot.cutoff	numeric, cut-off threshold to filter the gene sets of the summary plots based on the values of the <b>sum.plot.axis</b> . Default sum.plot.cutoff=NULL.
vote.bin.width	numeric, the bin width of the vote ranking. Default vote.bin.width=5.
num.threads	numeric, number of CPU cores to be used. Default num.threads=2.
report	logical, whether to generate the EGSEA interactive report. It takes longer time to run. Default is True.
keep.base	logical, whether to write out the results of the individual GSE methods. Default FALSE.
verbose	logical, whether to print out progress messages and warnings.
keep.limma	logical, whether to store the results of the limma analysis in the EGSEAResults object.
keep.set.scores	logical, whether to calculate the gene set enrichment scores per sample for the methods that support this option, i.e., "ssea".

## Details

EGSEA, an acronym for *Ensemble of Gene Set Enrichment Analyses*, utilizes the analysis results of eleven prominent GSE algorithms from the literature to calculate collective significance scores for gene sets. These methods include: **ora**, **globaltest**, **plage**, **safe**, **zscore**, **gage**, **ssea**, **roast**, **fry**,

**padog**, **camera** and **gsva**. The `ora`, `gage`, `camera` and `gsva` methods depend on a competitive null hypothesis while the remaining seven methods are based on a self-contained hypothesis. Conveniently, the algorithm proposed here is not limited to these twelve GSE methods and new GSE tests can be easily integrated into the framework. This function takes the `voom` object and the contrast matrix as parameters. The results of EGSEA can be seen using the `topSets` function.

EGSEA report is an interactive HTML report that is generated if `report=TRUE` to enable a swift navigation through the results of an EGSEA analysis. The following pages are generated for each gene set collection and contrast/comparison:

1. Stats Table page shows the detailed statistics of the EGSEA analysis for the `display.top` gene sets. It shows the EGSEA scores, individual rankings and additional annotation for each gene set. Hyperlinks to the source of each gene set can be seen in this table when they are available. The "Direction" column shows the regulation direction of a gene set which is calculated based on the `logFC`, which is either calculated from the `limma` differential expression analysis or provided by the user. The `logFC.cutoff` and `fdr.cutoff` are applied for this calculation. The calculations of the EGSEA scores can be seen in the references section. The method `topSets` can be used to generate custom Stats Table.
2. Heatmaps page shows the heatmaps of the gene fold changes for the gene sets that are presented in the Stats Table page. Red indicates up-regulation while blue indicates down-regulation. Only genes that appear in the input expression/count matrix are visualized in the heat map. Gene names are coloured based on their statistical significance in the `limma` differential expression analysis. The "Interpret Results" link below each heat map allows the user to download the original heat map values along with additional statistics from `limma` DE analysis (if available) so that they can be used to perform further analysis in R, e.g., customizing the heat map visualization. Additional heat maps can be generated and customized using the method `plotHeatmap`.
3. Summary Plots page shows the methods ranking plot along with the summary plots of EGSEA analysis. The method plot uses multidimensional scaling (MDS) to visualize the ranking of individual methods on a given gene set collection. The summary plots are bubble plots that visualize the distribution of gene sets based on the EGSEA Significance Score and another EGSEA score (default, p-value). Two summary plots are generated: ranking and directional plots. Each gene set is represented with a bubble which is coloured based on the EGSEA ranking (in ranking plots) or gene set regulation direction (in directional plots) and sized based on the gene set cardinality (in ranking plots) or EGSEA Significance score (in directional plots). Since the EGSEA "Significance Score" is proportional to the p-value and the absolute fold changes, it could be useful to highlight gene sets that have high Significance scores. The blue labels on the summary plot indicate gene sets that do not appear in the top 10 list of gene sets based on the "sort.by" argument (black labels) yet they appear in the top 5 list of gene sets based on the EGSEA "Significance Score". If two contrasts are provided, the rank is calculated based on the "comparison" analysis results and the "Significance Score" is calculated as the mean. If `sort.by = NULL`, the slot `sort.by` of the object is used to order gene sets. The method `plotSummary` can be used to customize the Summary plots by changing the x-axis score and filtering bubbles based on the values of the x-axis. The method `plotMethods` can be used to generate Methods plots.
4. Pathways page shows the KEGG pathways for the gene sets that are presented in the Stats Table of a KEGG gene set collection. The gene fold changes are overlaid on the pathway maps and coloured based on the gene regulation direction: blue for down-regulation and red for up-regulation. The method `plotPathway` can be used to generate additional pathway maps. Note that this page only appears if a KEGG gene set collection is used in the EGSEA analysis.
5. Go Graphs page shows the Gene Ontology graphs for top 5 GO terms in each of three GO categories: Biological Processes (BP), Molecular Functions (MF), and Cellular Components (CC). Nodes are coloured based on the default `sort.by` score where red indicates high significance and yellow indicates low significance. The method `plotGOGraph` can be used to customize GO graphs by changing the default sorting score and the number of significance nodes that can be visualized.

It is recommended that a small number of nodes is selected. Note that this page only appears if a Gene Ontology gene set collection is used, i.e., for the c5 collection from MSigDB or the gsdngo collection from GeneSetDB.

Finally, the "Interpret Results" hyperlink in the EGSEA report allows the user to download the fold changes and limma analysis results and thus improve the interpretation of the results.

Note that the running time of this function significantly increases when `report = TRUE`. For example, the analysis in the example section below was conducted on the \$203\$ signaling and disease KEGG pathways using a MacBook Pro machine that had a 2.8 GHz Intel Core i7 CPU and 16 GB of RAM. The execution time varied between 23.1 seconds (single thread) to 7.9 seconds (16 threads) when the HTML report generation was disabled. The execution time took 145.5 seconds when the report generation was enabled using 16 threads.

### Value

A list of elements, each with two/three elements that store the top gene sets and the detailed analysis results for each contrast and the comparative analysis results.

### References

Monther Alhamdoosh, Milica Ng, Nicholas J. Wilson, Julie M. Sheridan, Huy Huynh, Michael J. Wilson, Matthew E. Ritchie; Combining multiple tools outperforms individual methods in gene set enrichment analyses. *Bioinformatics* 2017; 33 (3): 414-424. doi: 10.1093/bioinformatics/btw623

### See Also

[topSets](#), [egsea.base](#), [egsea.sort](#), [buildIdx](#), [buildMSigDBIdx](#), [buildKEGGIdx](#), [buildGeneSetDBIdx](#), and [buildCustomIdx](#)

### Examples

```
# Example of egsea
library(EGSEAdata)
data(il13.data)
v = il13.data$voom
contrasts = il13.data$contra
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
msigdb.gsets="none",
kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
# set report = TRUE to generate the EGSEA interactive report
gsa = egsea(voom.results=v, contrasts=contrasts, gs.annots=gs.annots,
symbolsMap=v$genes, baseGSEAs=egsea.base()[-c(2,5,6,9,12)],
display.top = 5, sort.by="avg.rank",
egsea.dir="./il13-egsea-report",
num.threads = 2, report = FALSE)
topSets(gsa)
```

---

`egsea.base`*EGSEA Base GSE Methods*

---

### Description

It lists the supported GSEA methods. Since EGSEA base methods are implemented in the Bioconductor project, the most recent version of each individual method is always used.

### Usage

```
egsea.base()
```

### Details

These methods include: **ora**[1], **globaltest**[2], **plage**[3], **safe**[4], **zscore**[5], **gage**[6], **ssgsea**[7], **roast**[8], **fry**[8], **padog**[9], **camera**[10] and **gsva**[11]. The *ora*, *gage*, *camera* and *gsva* methods depend on a competitive null hypothesis while the remaining seven methods are based on a self-contained hypothesis. Conveniently, EGSEA is not limited to these twelve GSE methods and new GSE tests can be easily integrated into the framework.

Note: the execution time of base methods can vary depending on the size of gene set collections, number of samples, number of genes and number of contrasts. When a gene set collection of around 200 gene sets was tested on a dataset of 17,500 genes, 8 samples and 2 contrasts, the execution time of base methods in ascending order was as follows: *globaltest*; *safe*; *gage*; *gsva*; *zscore*; *plage*; *fry*; *camera*; *ssgsea*. When the same dataset was tested on a large gene set collection of 3,700 gene sets, the execution time of base methods in ascending order was as follows: *globaltest*; *camera*; *fry*; *zscore*; *plage*; *safe*; *gsva*; *ssgsea*. Apparently, the size of gene set collection plays a key role in the execution time of most of the base methods. The reduction rate of execution time between the large and small gene set collections varied between 18% and 88%. *camera*, *fry*, *plage*, *zscore* and *ora* showed the least reduction rate of execution time. As a result, there is no guarantee that a single combination of base methods would run faster than other combinations. It is worth mentioning that our simulation results showed that the increasing number of base methods in the EGSEA analysis is desirable to achieve high performance.

### Value

It returns a character vector of supported GSE methods.

### References

- [1] Tavazoie, S. et al. (1999). Systematic determination of genetic network architecture. *Nature Genetics*, 22(3), 281-5.
- [2] Goeman, J. J. et al. (2004). A global test for groups of genes: testing association with a clinical outcome. *Bioinformatics*, 20(1), 93-9.
- [3] Tomfohr, J. et al. (2005). Pathway level analysis of gene expression using singular value decomposition. *BMC Bioinformatics*, 6, 225.
- [4] Barry, W. T. et al. (2005). Significance analysis of functional categories in gene expression studies: a structured permutation approach. *Bioinformatics*, 21(9), 1943-9.
- [5] Lee, E. et al. (2008). Inferring pathway activity toward precise disease classification. *PLoS Computational Biology*, 4(11), e1000217.
- [6] Luo, W. et al. (2009). GAGE: generally applicable gene set enrichment for pathway analysis.

BMC Bioinformatics, 10, 161.

[7] Barbie, D. A. et al. (2009). Systematic RNA interference reveals that oncogenic KRASdriven cancers require TBK1. *Nature*, 462(7269), 108-12.

[8] Wu, D. et al. (2010). ROAST: rotation gene set tests for complex microarray experiments. *Bioinformatics*, 26(17), 2176-82.

[9] Tarca, A. L. et al. (2009). A novel signaling pathway impact analysis. *Bioinformatics*, 25(1), 75-82.

[10] Wu, D. and Smyth, G. K. (2012). Camera: a competitive gene set test accounting for inter-gene correlation. *Nucleic Acids Research*, 40(17), e133.

[11] Hanzelmann, S. et al. (2013). GSVA: gene set variation analysis for microarray and RNA-seq data. *BMC Bioinformatics*, 14, 7.

## Examples

```
egsea.base()
```

---

egsea.cnt

*Ensemble of Gene Set Enrichment Analyses Function*

---

## Description

This is the main function to carry out gene set enrichment analysis using the EGSEA algorithm. This function is aimed to use the raw count matrix to perform the EGSEA analysis.

## Usage

```
egsea.cnt(counts, group, design = NULL, contrasts = NULL, logFC = NULL,
  gs.annots, symbolsMap = NULL, baseGSEAs = egsea.base(), minSize = 2,
  display.top = 20, combineMethod = "wilkinson", combineWeights = NULL,
  sort.by = "p.adj", egsea.dir = NULL, kegg.dir = NULL,
  logFC.cutoff = 0, fdr.cutoff = 0.05, sum.plot.axis = "p.adj",
  sum.plot.cutoff = NULL, vote.bin.width = 5, num.threads = 4,
  report = TRUE, keep.base = FALSE, verbose = FALSE, keep.limma = TRUE,
  keep.set.scores = FALSE)
```

## Arguments

counts	double, an K x M numeric matrix of read counts where genes are the rows and samples are the columns.
group	character, vector or factor giving the experimental group/condition for each sample/library
design	double, an M x N numeric matrix giving the design matrix of the linear model fitting.
contrasts	double, an N x L matrix indicates the contrasts of the linear model coefficients for which the test is required. N is the number of columns of the design matrix and L is number of contrasts. Can be also a vector of integers that specify the columns of the design matrix.
logFC	double, an K x L matrix indicates the log <sub>2</sub> fold change of each gene for each contrast. K is the number of genes included in the analysis. If logFC=NULL, the logFC values are estimated using the <a href="#">eBayes</a> for each contrast.

gs.annots	list, list of objects of class GSCollectionIndex. It is generated using one of these functions: <a href="#">buildIdx</a> , <a href="#">buildMSigDBIdx</a> , <a href="#">buildKEGGIdx</a> , <a href="#">buildGeneSetDBIdx</a> , and <a href="#">buildCustomIdx</a> .
symbolsMap	dataframe, an K x 2 matrix stores the gene symbol of each Entrez Gene ID. It is used for the heatmap visualization. The order of rows should match that of the <b>counts</b> . Default symbolsMap=NULL.
baseGSEAs	character, a vector of the gene set tests that should be included in the ensemble. Type <a href="#">egsea.base</a> to see the supported GSE methods. By default, all supported methods are used.
minSize	integer, the minimum size of a gene set to be included in the analysis. Default minSize= 2.
display.top	integer, the number of top gene sets to be displayed in the EGSEA report. You can always access the list of all tested gene sets using the returned gsa list. Default is 20.
combineMethod	character, determines how to combine p-values from different GSEA method. Type <a href="#">egsea.combine()</a> to see supported methods.
combineWeights	double, a vector determines how different GSEA methods will be weighted. Its values should range between 0 and 1. This option is not supported currently.
sort.by	character, determines how to order the analysis results in the stats table. Type <a href="#">egsea.sort()</a> to see all available options.
egsea.dir	character, directory into which the analysis results are written out.
kegg.dir	character, the directory of KEGG pathway data file (.xml) and image file (.png). Default kegg.dir=paste0(egsea.dir, "/kegg-dir/").
logFC.cutoff	numeric, cut-off threshold of logFC and is used for the calculation of Significance Score and Regulation Direction. Default logFC.cutoff=0.
fdr.cutoff	numeric, cut-off threshold of DE genes and is used for the calculation of Significance Score and Regulation Direction. Default fdr.cutoff = 0.05.
sum.plot.axis	character, the x-axis of the summary plot. All the values accepted by the <b>sort.by</b> parameter can be used. Default sum.plot.axis="p.value".
sum.plot.cutoff	numeric, cut-off threshold to filter the gene sets of the summary plots based on the values of the <b>sum.plot.axis</b> . Default sum.plot.cutoff=NULL.
vote.bin.width	numeric, the bin width of the vote ranking. Default vote.bin.width=5.
num.threads	numeric, number of CPU cores to be used. Default num.threads=2.
report	logical, whether to generate the EGSEA interactive report. It takes longer time to run. Default is True.
keep.base	logical, whether to write out the results of the individual GSE methods. Default FALSE.
verbose	logical, whether to print out progress messages and warnings.
keep.limma	logical, whether to store the results of the limma analysis in the EGSEAResults object.
keep.set.scores	logical, whether to calculate the gene set enrichment scores per sample for the methods that support this option, i.e., "ssgsea".

## Details

EGSEA, an acronym for *Ensemble of Gene Set Enrichment Analyses*, utilizes the analysis results of eleven prominent GSE algorithms from the literature to calculate collective significance scores for gene sets. These methods include: **ora**, **globaltest**, **plage**, **safe**, **zscore**, **gage**, **ssgsea**, **roast**, **fry**, **padog**, **camera** and **gsva**. The **ora**, **gage**, **camera** and **gsva** methods depend on a competitive null hypothesis while the remaining seven methods are based on a self-contained hypothesis. Conveniently, the algorithm proposed here is not limited to these eleven GSE methods and new GSE tests can be easily integrated into the framework. This function takes the raw count matrix, the experimental group of each sample, the design matrix and the contrast matrix as parameters. It performs TMM normalization and then applies **voom** to calculate the logCPM and weighting factors. The results of EGSEA can be seen using the **topSets** function.

EGSEA report is an interactive HTML report that is generated if `report=TRUE` to enable a swift navigation through the results of an EGSEA analysis. The following pages are generated for each gene set collection and contrast/comparison:

1. **Stats Table** page shows the detailed statistics of the EGSEA analysis for the `display.top` gene sets. It shows the EGSEA scores, individual rankings and additional annotation for each gene set. Hyperlinks to the source of each gene set can be seen in this table when they are available. The "Direction" column shows the regulation direction of a gene set which is calculated based on the logFC, which is either calculated from the limma differential expression analysis or provided by the user. The `logFC.cutoff` and `fdr.cutoff` are applied for this calculation. The calculations of the EGSEA scores can be seen in the references section. The method `topSets` can be used to generate custom Stats Table.
2. **Heatmaps** page shows the heatmaps of the gene fold changes for the gene sets that are presented in the Stats Table page. Red indicates up-regulation while blue indicates down-regulation. Only genes that appear in the input expression/count matrix are visualized in the heat map. Gene names are coloured based on their statistical significance in the limma differential expression analysis. The "Interpret Results" link below each heat map allows the user to download the original heat map values along with additional statistics from limma DE analysis (if available) so that they can be used to perform further analysis in R, e.g., customizing the heat map visualization. Additional heat maps can be generated and customized using the method `plotHeatmap`.
3. **Summary Plots** page shows the methods ranking plot along with the summary plots of EGSEA analysis. The method plot uses multidimensional scaling (MDS) to visualize the ranking of individual methods on a given gene set collection. The summary plots are bubble plots that visualize the distribution of gene sets based on the EGSEA Significance Score and another EGSEA score (default, p-value). Two summary plots are generated: ranking and directional plots. Each gene set is represented with a bubble which is coloured based on the EGSEA ranking (in ranking plots) or gene set regulation direction (in directional plots) and sized based on the gene set cardinality (in ranking plots) or EGSEA Significance score (in directional plots). Since the EGSEA "Significance Score" is proportional to the p-value and the absolute fold changes, it could be useful to highlight gene sets that have high Significance scores. The blue labels on the summary plot indicate gene sets that do not appear in the top 10 list of gene sets based on the "sort.by" argument (black labels) yet they appear in the top 5 list of gene sets based on the EGSEA "Significance Score". If two contrasts are provided, the rank is calculated based on the "comparison" analysis results and the "Significance Score" is calculated as the mean. If `sort.by = NULL`, the slot `sort.by` of the object is used to order gene sets. The method `plotSummary` can be used to customize the Summary plots by changing the x-axis score and filtering bubbles based on the values of the x-axis. The method `plotMethods` can be used to generate Methods plots.
4. **Pathways** page shows the KEGG pathways for the gene sets that are presented in the Stats Table of a KEGG gene set collection. The gene fold changes are overlaid on the pathway maps and coloured based on the gene regulation direction: blue for down-regulation and red for up-regulation. The method `plotPathway` can be used to generate additional pathway maps. Note that this page



only appears if a KEGG gene set collection is used in the EGSEA analysis.

5. Go Graphs page shows the Gene Ontology graphs for top 5 GO terms in each of three GO categories: Biological Processes (BP), Molecular Functions (MF), and Cellular Components (CC). Nodes are coloured based on the default `sort.by` score where red indicates high significance and yellow indicates low significance. The method `plotGOGraph` can be used to customize GO graphs by changing the default sorting score and the number of significance nodes that can be visualized. It is recommended that a small number of nodes is selected. Note that this page only appears if a Gene Ontology gene set collection is used, i.e., for the `c5` collection from MSigDB or the `gsdbgo` collection from GeneSetDB.

Finally, the "Interpret Results" hyperlink in the EGSEA report allows the user to download the fold changes and limma analysis results and thus improve the interpretation of the results.

Note that the running time of this function significantly increases when `report = TRUE`. For example, the analysis in the example section below was conducted on the \$203\$ signaling and disease KEGG pathways using a MacBook Pro machine that had a 2.8 GHz Intel Core i7 CPU and 16 GB of RAM. The execution time varied between 23.1 seconds (single thread) to 7.9 seconds (16 threads) when the HTML report generation was disabled. The execution time took 145.5 seconds when the report generation was enabled using 16 threads.

### Value

A list of elements, each with two/three elements that store the top gene sets and the detailed analysis results for each contrast and the comparative analysis results.

### References

Monther Alhamdoosh, Milica Ng, Nicholas J. Wilson, Julie M. Sheridan, Huy Huynh, Michael J. Wilson, Matthew E. Ritchie; Combining multiple tools outperforms individual methods in gene set enrichment analyses. *Bioinformatics* 2017; 33 (3): 414-424. doi: 10.1093/bioinformatics/btw623

### See Also

[topSets](#), [egsea.base](#), [egsea.sort](#), [buildIdx](#), [buildMSigDBIdx](#), [buildKEGGIdx](#), [buildGeneSetDBIdx](#), and [buildCustomIdx](#)

### Examples

```
# Example of egsea.cnt
library(EGSEAdata)
data(il13.data.cnt)
cnt = il13.data.cnt$counts
group = il13.data.cnt$group
design = il13.data.cnt$design
contrasts = il13.data.cnt$contra
genes = il13.data.cnt$genes
gs.annots = buildIdx(entrezIDs=rownames(cnt), species="human",
  msigdb.gsets="none",
  kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
# set report = TRUE to generate the EGSEA interactive report
gsa = egsea.cnt(counts=cnt, group=group, design=design, contrasts=contrasts,
  gs.annots=gs.annots,
  symbolsMap=genes, baseGSEAs=egsea.base()[-c(2,5,6,9,12)],
display.top = 5,
  sort.by="avg.rank",
egsea.dir="./il13-egsea-cnt-report",
```



```

        num.threads = 2, report = FALSE)
topSets(gsa)

```

---

egsea.combine                      *EGSEA P-value Combining Options*

---

### Description

It lists the p-value combining methods

### Usage

```
egsea.combine()
```

### Value

It returns a character vector of available methods for the combineMethod argument in egsea

### Examples

```
egsea.combine()
```

---

egsea.ora                              *Over-representation Analysis with EGSEA Reporting Capabilities*

---

### Description

This is the main function to carry out gene set enrichment analysis using the over-representation analysis (ORA) only.

### Usage

```

egsea.ora(entrezIDs, universe = NULL, logFC = NULL, title = NULL,
          gs.annots, symbolsMap = NULL, minSize = 2, display.top = 20,
          sort.by = "p.adj", egsea.dir = NULL, kegg.dir = NULL,
          sum.plot.axis = "p.adj", sum.plot.cutoff = NULL, vote.bin.width = 5,
          num.threads = 4, report = TRUE, keep.base = FALSE, verbose = FALSE)

```

### Arguments

entrezIDs	character, a vector of Entrez Gene IDs to be tested for ORA.
universe	character, a vector of Entrez IDs to be used as a background list. If universe=NULL, the background list is created from the <b>AnnotationDbi</b> package.
logFC	double, is a matrix or vector of log fold changes of the same length of entrezIDs. If logFC=NULL, 1 is used as a default value. Then, the regulation direction in heatmaps and pathway maps is not indicative to the gene regulation direction.
title	character, a short description of the experimental contrast.

<code>gs.annots</code>	list, list of objects of class <code>GSCollectionIndex</code> . It is generated using one of these functions: <code>buildIdx</code> , <code>buildMSigDBIdx</code> , <code>buildKEGGIdx</code> , <code>buildGeneSetDBIdx</code> , and <code>buildCustomIdx</code> .
<code>symbolsMap</code>	dataframe, an $K \times 2$ matrix stores the gene symbol of each Entrez Gene ID. It is used for the heatmap visualization. The order of rows should match that of the <b>entrezIDs</b> . Default <code>symbolsMap=NULL</code> .
<code>minSize</code>	integer, the minimum size of a gene set to be included in the analysis. Default <code>minSize=2</code> .
<code>display.top</code>	integer, the number of top gene sets to be displayed in the EGSEA report. You can always access the list of all tested gene sets using the returned <code>gsa</code> list. Default is 20.
<code>sort.by</code>	character, determines how to order the analysis results in the stats table. It takes "p.value", "p.adj" or "Significance".
<code>egsea.dir</code>	character, directory into which the analysis results are written out.
<code>kegg.dir</code>	character, the directory of KEGG pathway data file (.xml) and image file (.png). Default <code>kegg.dir=paste0(egsea.dir, "/kegg-dir/")</code> .
<code>sum.plot.axis</code>	character, the x-axis of the summary plot. All the values accepted by the <b>sort.by</b> parameter can be used. Default <code>sum.plot.axis="p.adj"</code> .
<code>sum.plot.cutoff</code>	numeric, cut-off threshold to filter the gene sets of the summary plots based on the values of the <b>sum.plot.axis</b> . Default <code>sum.plot.cutoff=NULL</code> .
<code>vote.bin.width</code>	numeric, the bin width of the vote ranking. Default <code>vote.bin.width=5</code> .
<code>num.threads</code>	numeric, number of CPU cores to be used. Default <code>num.threads=2</code> .
<code>report</code>	logical, whether to generate the EGSEA interactive report. It takes longer time to run. Default is <code>True</code> .
<code>keep.base</code>	logical, whether to write out the results of the individual GSE methods. Default <code>FALSE</code> .
<code>verbose</code>	logical, whether to print out progress messages and warnings.

### Details

This function takes a list of Entrez gene IDs and uses the gene set collections from **EGSEAdata** or a custom-built collection to find over-represented gene sets in this list. It takes the advantage of the existing EGSEA reporting capabilities and generate an interactive report for the ORA analysis. The results can be explored using the `topSets` function.

### Value

A list of elements, each with two/three elements that store the top gene sets and the detailed analysis results for each contrast and the comparative analysis results.

### References

Monther Alhamdoosh, Milica Ng, Nicholas J. Wilson, Julie M. Sheridan, Huy Huynh, Michael J. Wilson, Matthew E. Ritchie; Combining multiple tools outperforms individual methods in gene set enrichment analyses. *Bioinformatics* 2017; 33 (3): 414-424. doi: 10.1093/bioinformatics/btw623

### See Also

`topSets`, `buildIdx`, `buildMSigDBIdx`, `buildKEGGIdx`, `buildGeneSetDBIdx`, and `buildCustomIdx`

**Examples**

```

# Example of egsea.ora
library(EGSEAdata)
data(il13.data)
vroom.results = il13.data$voom
contrast = il13.data$contra
library(limma)
vfit = lmFit(vroom.results, vroom.results$design)
vfit = contrasts.fit(vfit, contrast)
vfit = eBayes(vfit)
top.Table = topTable(vfit, coef=1, number=Inf, p.value=0.05, lfc=1)
deGenes = as.character(top.Table$FeatureID)
logFC = top.Table$logFC
names(logFC) = deGenes
gs.annots = buildIdx(entrezIDs=deGenes, species="human",
msigdb.gsets="none",
kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
# set report = TRUE to generate the EGSEA interactive report
gsa = egsea.ora(entrezIDs=deGenes, universe=
as.character(vroom.results$genes[,1]),
logFC =logFC, title="X24IL13-X24",
gs.annots=gs.annots,
symbolsMap=top.Table[, c(1,2)], display.top = 5,
egsea.dir="./il13-egsea-ora-report", num.threads = 2,
report = FALSE)
topSets(gsa)

```

---

egsea.sort

*EGSEA Result Sorting Options*


---

**Description**

It lists the accepted sorting methods for analysis results

**Usage**

```
egsea.sort()
```

**Value**

It returns a character vector of the accepted values for the sort.by argument in egsea

**Examples**

```
egsea.sort()
```

---

 EGSEAResults

*The EGSEAResults class*


---

## Description

The `EGSEAResults` class stores the results of an EGSEA analysis.

The operator `$` extracts a slot from an object of class `EGSEAResults`.

`topSets` extracts a table of the top-ranked gene sets from an EGSEA analysis.

`show` displays the parameters of an `EGSEAResults` object

`summary` displays a brief summary of the analysis results stored in an `EGSEAResults` object

`limmaTopTable` returns a dataframe of the top table of the limma analysis for a given contrast.

`generateReport` creates an HTML report for the EGSEA analysis that enables users to seamlessly browse the test results.

`getLimmaResults` returns the linear model fit produced by `limma::eBayes`.

`plotHeatmap` generates a heatmap of fold changes for a selected gene set.

`plotSummaryHeatmap` generates a summary heatmap for the top `n` gene sets of the comparative analysis across multiple contrasts.

`plotPathway` generates a visual map for a selected KEGG pathway with the gene fold changes overlaid on it.

`plotMethods` generates a multi-dimensional scaling (MDS) plot for the gene set rankings of different base GSE methods

`plotSummary` generates a Summary plot for EGSEA analysis.

`plotGOGraph` generates a graph of the top significant GO terms in a GO term collection, which could be `c5` from `MSigDB` or Gene Ontology from the `GeneSetDB`.

`plotBars` generates a multi-dimensional scaling (MDS) plot for the gene set rankings of different base GSE methods

`showSetByname` shows the details of a given gene set indicated by name.

`showSetByID` shows the details of a given gene set indicated by ID.

`getSetScores` returns a dataframe of the gene set enrichment scores per sample. This can be only calculated using specific base methods, namely, "ssgsea".

## Usage

```
## S4 method for signature 'EGSEAResults'
x$name
```

```
topSets(object, gs.label = 1, contrast = 1, sort.by = NULL, number = 10,
        names.only = TRUE, verbose = TRUE)
```

```
## S4 method for signature 'EGSEAResults'
show(object)
```

```
## S4 method for signature 'EGSEAResults'
summary(object)
```

```

limmaTopTable(object, contrast = 1)

generateReport(object, number = 20, sort.by = NULL, egsea.dir = NULL,
  kegg.dir = NULL, x.axis = NULL, x.cutoff = NULL, num.threads = 4,
  print.base = FALSE, verbose = FALSE)

getlimmaResults(object)

plotHeatmap(object, gene.set, gs.label = 1, contrast = 1,
  file.name = "heatmap", format = "pdf", fc.colors = c("#67A9CF",
  "#F7F7F7", "#EF8A62"), verbose = TRUE)

plotSummaryHeatmap(object, gs.label = 1, number = 20, sort.by = NULL,
  hm.vals = NULL, show.vals = NULL, file.name = "sum_heatmap",
  format = "pdf", verbose = TRUE)

plotPathway(object, gene.set, gs.label = 1, contrast = 1,
  file.name = "pathway", verbose = TRUE)

plotMethods(object, gs.label = 1, contrast = 1, file.name = "methods.mds",
  format = "pdf", verbose = TRUE)

plotSummary(object, gs.label = 1, contrast = 1, file.name = "summary",
  format = "pdf", x.axis = "p.adj", x.cutoff = NULL, sort.by = NULL,
  use.names = FALSE, verbose = TRUE)

plotGOGraph(object, gs.label = "c5", contrast = 1, sort.by = NULL,
  noSig = 5, file.name = "c5-top-", format = "pdf", verbose = TRUE)

plotBars(object, gs.label = 1, contrast = 1, number = 20,
  sort.by = NULL, bar.vals = "p.adj", file.name = "bars_plot",
  format = "pdf", verbose = TRUE)

showSetByName(object, gs.label = 1, set.name)

showSetByID(object, gs.label = 1, id)

getSetScores(object, gs.label = 1)

```

### Arguments

x	EGSEAResults object, the analysis result object from <a href="#">egsea</a> , <a href="#">egsea.cnt</a> or <a href="#">egsea.ora</a> .
name	character, the slot name
object	EGSEAResults object, the analysis result object from <a href="#">egsea</a> , <a href="#">egsea.cnt</a> or <a href="#">egsea.ora</a> .
gs.label	the number or label of the gene set collection of interest.
contrast	contrast column number or column name specifying which contrast is of interest. if contrast = 0 or "comparison" and the number of contrasts greater than 1, the comparative gene sets are retruned.
sort.by	character, determines how to order the analysis results in the stats table. The accepted values depend on the function used to generate the EGSEA results.

number	integer, maximum number of gene sets to list
names.only	logical, whether to display the EGSEA statistics or not.
verbose	logical, whether to print out progress messages and warnings.
egsea.dir	character, directory into which the analysis results are written out.
kegg.dir	character, the directory of KEGG pathway data file (.xml) and image file (.png). Default kegg.dir=paste0(egsea.dir, "/kegg-dir/").
x.axis	character, the x-axis of the summary plot. All the values accepted by the <b>sort.by</b> parameter can be used. Default x.axis="p.value".
x.cutoff	numeric, cut-off threshold to filter the gene sets of the summary plots based on the values of the <b>x.axis</b> . Default x.cutoff=NULL.
num.threads	numeric, number of CPU cores to be used. Default num.threads=4.
print.base	logical, whether to write out the analysis results of the base methods. Default is False.
gene.set	character, the name of the gene set. See the output of <a href="#">topSets</a> .
file.name	character, the prefix of the output file name.
format	character, takes "pdf" or "png".
fc.colors	vector, determines the fold change colors of the heatmap. Three colors of the negative, zero and positive log fold changes, respectively, should be assigned. Default is c("#67A9CF", "#F7F7F7", "#EF8A62"). These colors were generated using <code>rev(RColorBrewer::brewer.pal(3, "RdBu"))</code>
hm.vals	character, determines which EGSEA score values are used to draw the map. Default is NULL which implies using the sort.by score.
show.vals	character, determines which EGSEA score values are displayed on the map. Default is NULL which does not show anything.
use.names	logical, determines whether to display the GeneSet IDs or GeneSet Names. Default is FALSE.
noSig	numeric, number of significant GO terms to be displayed. A number larger than 5 might not work due to the size of the generated graph.
bar.vals	character, determines which EGSEA score values are used to draw the bars. Default is NULL which implies using the sort.by score.
set.name	character, a vector of gene set names as they appear in <a href="#">topSets</a> .
id	character, a vector of gene set IDs as they appears in the <a href="#">plotSummary</a> .

## Details

The EGSEAResults class is used by egsea, egsea.cnt and egsea.ora to store the results of an EGSEA analysis. This helps in mining the analysis results and generating customized tables and plots.

limmaTopTable output can be understood from `limma::topTable`.

EGSEA report is an interactive HTML report that is generated to enable a swift navigation through the results of an EGSEA analysis. The following pages are generated for each gene set collection and contrast/comparison:

1. Stats Table page shows the detailed statistics of the EGSEA analysis for the `display.top` gene sets. It shows the EGSEA scores, individual rankings and additional annotation for each gene set. Hyperlinks to the source of each gene set can be seen in this table when they are available. The "Direction" column shows the regulation direction of a gene set which is calculated based on the

logFC, which is either calculated from the limma differential expression analysis or provided by the user. The method `topSets` can be used to generate custom Stats Table.

2. Heatmaps page shows the heatmaps of the gene fold changes for the gene sets that are presented in the Stats Table page. Red indicates up-regulation while blue indicates down-regulation. Only genes that appear in the input expression/count matrix are visualized in the heat map. Gene names are coloured based on their statistical significance in the limma differential expression analysis. The "Interpret Results" link below each heat map allows the user to download the original heat map values along with additional statistics from limma DE analysis (if available) so that they can be used to perform further analysis in R, e.g., customizing the heat map visualization. Additional heat maps can be generated and customized using the method `plotHeatmap`.

3. Summary Plots page shows the methods ranking plot along with the summary plots of EGSEA analysis. The method plot uses multidimensional scaling (MDS) to visualize the ranking of individual methods on a given gene set collection. The summary plots are bubble plots that visualize the distribution of gene sets based on the EGSEA Significance Score and another EGSEA score (default, p-value). Two summary plots are generated: ranking and directional plots. Each gene set is represented with a bubble which is coloured based on the EGSEA ranking (in ranking plots) or gene set regulation direction (in directional plots) and sized based on the gene set cardinality (in ranking plots) or EGSEA Significance score (in directional plots). Since the EGSEA "Significance Score" is proportional to the p-value and the absolute fold changes, it could be useful to highlight gene sets that have high Significance scores. The blue labels on the summary plot indicate gene sets that do not appear in the top 10 list of gene sets based on the "sort.by" argument (black labels) yet they appear in the top 5 list of gene sets based on the EGSEA "Significance Score". If two contrasts are provided, the rank is calculated based on the "comparison" analysis results and the "Significance Score" is calculated as the mean. The method `plotSummary` can be used to customize the Summary plots by changing the x-axis score and filtering bubbles based on the values of the x-axis. The method `plotMethods` can be used to generate Method plots.

4. Pathways page shows the KEGG pathways for the gene sets that are presented in the Stats Table of a KEGG gene set collection. The gene fold changes are overlaid on the pathway maps and coloured based on the gene regulation direction: blue for down-regulation and red for up-regulation. The method `plotPathway` can be used to generate additional pathway maps. Note that this page only appears if a KEGG gene set collection is used in the EGSEA analysis.

5. Go Graphs page shows the Gene Ontology graphs for top 5 GO terms in each of three GO categories: Biological Processes (BP), Molecular Functions (MF), and Cellular Components (CC). Nodes are coloured based on the default `sort.by` score where red indicates high significance and yellow indicates low significance. The method `plotGOGraph` can be used to customize GO graphs by changing the default sorting score and the number of significance nodes that can be visualized. It is recommended that a small number of nodes is selected. Note that this page only appears if a Gene Ontology gene set collection is used, i.e., for the `c5` collection from MSigDB or the `gsdbgo` collection from GeneSetDB.

Finally, the "Interpret Results" hyperlink in the EGSEA report allows the user to download the fold changes and limma analysis results and thus improve the interpretation of the results.

`getlimmaResults`'s output can be manipulated using `limma::topTable` and `limma::topTreat`.

`plotHeatmap` fold changes are colored based on the `fc.colors` and only genes that appear in the EGSEA analysis are visualized in the heatmap. Gene names are coloured based on the statistical significance level from limma DE analysis.

`plotSummaryHeatmap` creates a summary heatmap for the rankings of top number gene sets of the comparative analysis across all the contrasts. The `show.vals` score can be displayed on the heatmap for each gene set. This can help to identify gene sets that are highly ranked/significant across multiple contrasts.

`plotSummary` generates a Summary Plot for an EGSEA analysis. Since the EGSEA "Significance

Score" is proportional to the p-value and the absolute fold changes, it could be useful to highlight gene sets that have high Significance scores. The blue labels on the summary plot indicate gene sets that do not appear in the top 10 list of gene sets based on the "sort.by" argument (black labels) yet they appear in the top 5 list of gene sets based on the EGSEA "Significance Score". If two contrasts are provided, the rank is calculated based on the "comparison" analysis results and the "Significance Score" is calculated as the mean. If `sort.by = NULL`, the slot `sort.by` of the object is used to order gene sets.

### Value

`$` returns the selected slot.

`topSets` returns a dataframe of top gene sets with the calculated statistics for each if `names.only = FALSE`.

`show` does not return data.

`summary` does not return data.

`limmaTopTable` returns a dataframe.

`generateReport` does not return data but creates an HTML report.

`getlimmaResults` returns an `MArrayLM` object.

`plotHeatmap` does not return data but creates image and CSV files.

`plotSummaryHeatmap` does not return data but creates image and CSV files.

`plotPathway` does not return data but creates a file.

`plotMethods` does not return data but creates an image file.

`plotSummary` does not return data but creates an image file.

`plotGOGraph` does not return data but creates an image file.

`plotBars` does not return data but creates an image file.

`showSetByName` does not return data

`showSetByID` does not return data.

`getSetScores` returns a dataframe where rows are gene sets and columns are samples.

### Slots

`results` list, EGSEA analysis results

`limmaResults` `MArrayLM`, is a limma linear fit model

`contr.names` character, the contrasts defined in the analysis

`contrast` double, an  $N \times L$  matrix indicates the contrasts of the linear model coefficients for which the test is required.  $N$  is the number of columns of the design matrix and  $L$  is number of contrasts. Can be also a vector of integers that specify the columns of the design matrix.

`sampleSize` numeric, number of samples

`gs.annots` list, the gene set collection annotation index

`baseMethods` character, vector of base GSE methods

`baseInfo` list, additional information on the base methods (e.g., version).

`combineMethod` character, the p-value combining method

`sort.by` character, the results ordering argument

`symbolsMap` data.frame, the mapping between Entrez IDs and Gene Symbols



logFC matrix, the logFC matrix of contrasts  
logFC.calculated character, indicates whether the logFC was calculated using limma DE analysis.  
sum.plot.axis character, the x-axis of the summary plot  
sum.plot.cutoff numeric, the cut-off threshold for the summary plot x-axis  
report logical, whether the report was generated  
report.dir character, the directory of the EGSEA HTML report  
egsea.version character, the version of EGSEA package  
egseaData.version character, the version of EGSEAdata package

## Examples

```
# Example of EGSEAResults
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
print(gsa$baseMethods)

# Example of topSets
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
topSets(gsa, gs.label="kegg",contrast=1, number = 10)
topSets(gsa, gs.label=1, contrast=1, sort.by="ora", number = 10,
names.only=FALSE)
topSets(gsa, gs.label="kegg",contrast=0, number = 10)

# Example of show
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
show(gsa)

# Example of summary
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
summary(gsa)

# Example of limmaTopTable
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
colnames(limmaTopTable(gsa))
head(limmaTopTable(gsa))

# Example of generateReport
library(EGSEAdata)
data(il13.gsa)
```

```
gsa = il13.gsa
# generateReport(gsa)

# Example of getlimmaResults
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
fit = getlimmaResults(gsa)
class(fit)
names(fit)

# Example of plotHeatmap
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
plotHeatmap(gsa, "Asthma", gs.label="kegg")
plotHeatmap(gsa, "Asthma", gs.label="kegg", contrast = "comparison",
file.name = "asthma.hm.cmp")

# Example of plotSummaryHeatmap
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
plotSummaryHeatmap(gsa, gs.label="kegg")

# Example of plotPathway
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
plotPathway(gsa, gs.label="kegg", "Asthma")
plotPathway(gsa, gs.label="kegg", "Asthma", contrast="comparison",
file.name = "asthma.map.cmp")

# Example of plotMethods
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
plotMethods(gsa)

# Example of plotSummary
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
plotSummary(gsa)
plotSummary(gsa, contrast=c(1,2), file.name = "summary.cmp")

# Example of plotGOGraph
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
```

```
plotGOGraph(gsa, sort.by="avg.rank")

# Example of plotBars
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
plotBars(gsa)

# Example of showSetByName
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
showSetByName(gsa, "kegg", "Asthma")

# Example of showSetByID
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
showSetByID(gsa, "kegg", "hsa04060")

# Example of getSetScores
library(EGSEAdata)
data(il13.gsa)
gsa = il13.gsa
class(gsa)
head(getSetScores(gsa, "kegg"))
```

---

GSCollectionIndex

*The GSCollectionIndex class*

---

## Description

The GSCollectionIndex class stores an indexed gene set collection.

The operator \$ extracts a slot from an object of class GSCollectionIndex.

summary displays a brief summary of a gene set collection

show displays the details of a gene set collection

getSetByName retrieves the details of a given gene set indicated by name

getSetByID retrieves the details of a given gene set indicated by ID

## Usage

```
## S4 method for signature 'GSCollectionIndex'
x$name
```

```
## S4 method for signature 'GSCollectionIndex'
summary(object)
```

```
## S4 method for signature 'GSCollectionIndex'
```

```
show(object)
```

```
getSetByName(object, set.name)
```

```
getSetByID(object, id)
```

### Arguments

x	GSCollectionIndex, the indexed gene set collection generated from <a href="#">buildIdx</a> , <a href="#">buildMSigDBIdx</a> , <a href="#">buildKEGGIdx</a> , <a href="#">buildGeneSetDBIdx</a> , and <a href="#">buildCustomIdx</a> .
name	character, the slot name
object	GSCollectionIndex, the indexed gene set collection generated from <a href="#">buildIdx</a> , <a href="#">buildMSigDBIdx</a> , <a href="#">buildKEGGIdx</a> , <a href="#">buildGeneSetDBIdx</a> , and <a href="#">buildCustomIdx</a> .
set.name	character, a vector of gene set names as they appear in <a href="#">topSets</a> .
id	character, a vector of gene set IDs as they appears in the <a href="#">plotSummary</a> .

### Details

The GSCollectionIndex is used by [buildIdx](#), [buildCustomIdx](#), [buildKEGGIdx](#), [buildMSigDBIdx](#) and [buildGeneSetDBIdx](#).

### Value

\$ returns the selected slot data.  
 summary does not return data.  
 show does not return data.  
 getSetByName returns a list of annotation records  
 getSetByID returns a list of the annotation records.

### Slots

original list, the original gene sets  
 idx list, the gene set indexes  
 anno data.frame, the annotations of the gene sets  
 featureIDs character, vector of the original Entrez IDs that are used in the indexing procedure  
 species character, the species name  
 name character, the name of the gene set collection  
 label character, a label to distinguish this collection  
 version character, the database version from which the collection was extracted  
 date character, the update/download date of the database from other collections

### Examples

```
# Example of GSCollectionIndex
library(EGSEadata)
data(il13.data)
v = il13.data$voom
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
msigdb.gsets="none",
```

```
        kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
print(gs.annots[[1]]$name)

# Example of summary
library(EGSEdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
msigdb.gsets="none",
        kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
summary(gs.annots[[1]])

# Example of show
library(EGSEdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
msigdb.gsets="none",
        kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
show(gs.annots[[1]])

# Example of getSetByName
library(EGSEdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
msigdb.gsets="none",
        kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
getSetByName(gs.annots[[1]], "Asthma")

# Example of getSetByID
library(EGSEdata)
data(il13.data)
v = il13.data$voom
gs.annots = buildIdx(entrezIDs=rownames(v$E), species="human",
msigdb.gsets="none",
        kegg.updated=FALSE, kegg.exclude = c("Metabolism"))
getSetByID(gs.annots[[1]], "hsa04060")
```

# Index

- [\\$, EGSEAResults-method \(EGSEAResults\), 20](#)
- [\\$, GSCollectionIndex-method \(GSCollectionIndex\), 27](#)
  
- [buildCustomIdx, 3, 8, 11, 14, 16, 18, 28](#)
- [buildGeneSetDBIdx, 4, 8, 11, 14, 16, 18, 28](#)
- [buildIdx, 5, 8, 11, 14, 16, 18, 28](#)
- [buildKEGGIdx, 6, 8, 11, 14, 16, 18, 28](#)
- [buildMSigDBIdx, 7, 8, 11, 14, 16, 18, 28](#)
  
- [eBayes, 13](#)
- [ebayes, 8](#)
- [EGSEA \(EGSEA-package\), 2](#)
- [egsea, 8, 21](#)
- [EGSEA-package, 2](#)
- [egsea.base, 9, 11, 12, 14, 16](#)
- [egsea.cnt, 13, 21](#)
- [egsea.combine, 9, 14, 17](#)
- [egsea.logo \(EGSEA-package\), 2](#)
- [egsea.ora, 17, 21](#)
- [egsea.sort, 9, 11, 14, 16, 19](#)
- [EGSEAResults, 20](#)
- [EGSEAResults-class \(EGSEAResults\), 20](#)
  
- [generateReport \(EGSEAResults\), 20](#)
- [generateReport, EGSEAResults-method \(EGSEAResults\), 20](#)
- [getlimmaResults \(EGSEAResults\), 20](#)
- [getlimmaResults, EGSEAResults-method \(EGSEAResults\), 20](#)
- [getSetByID \(GSCollectionIndex\), 27](#)
- [getSetByID, GSCollectionIndex-method \(GSCollectionIndex\), 27](#)
- [getSetByName \(GSCollectionIndex\), 27](#)
- [getSetByName, GSCollectionIndex-method \(GSCollectionIndex\), 27](#)
- [getSetScores \(EGSEAResults\), 20](#)
- [getSetScores, EGSEAResults-method \(EGSEAResults\), 20](#)
- [GSCollectionIndex, 27](#)
- [GSCollectionIndex-class \(GSCollectionIndex\), 27](#)
  
- [limmaTopTable \(EGSEAResults\), 20](#)
  
- [limmaTopTable, EGSEAResults-method \(EGSEAResults\), 20](#)
  
- [plotBars \(EGSEAResults\), 20](#)
- [plotBars, EGSEAResults-method \(EGSEAResults\), 20](#)
- [plotGOGraph \(EGSEAResults\), 20](#)
- [plotGOGraph, EGSEAResults-method \(EGSEAResults\), 20](#)
- [plotHeatmap \(EGSEAResults\), 20](#)
- [plotHeatmap, EGSEAResults-method \(EGSEAResults\), 20](#)
- [plotMethods \(EGSEAResults\), 20](#)
- [plotMethods, EGSEAResults-method \(EGSEAResults\), 20](#)
- [plotPathway \(EGSEAResults\), 20](#)
- [plotPathway, EGSEAResults-method \(EGSEAResults\), 20](#)
- [plotSummary, 22, 28](#)
- [plotSummary \(EGSEAResults\), 20](#)
- [plotSummary, EGSEAResults-method \(EGSEAResults\), 20](#)
- [plotSummaryHeatmap \(EGSEAResults\), 20](#)
- [plotSummaryHeatmap, EGSEAResults-method \(EGSEAResults\), 20](#)
  
- [show, EGSEAResults-method \(EGSEAResults\), 20](#)
- [show, GSCollectionIndex-method \(GSCollectionIndex\), 27](#)
- [showSetByID \(EGSEAResults\), 20](#)
- [showSetByID, EGSEAResults-method \(EGSEAResults\), 20](#)
- [showSetByName \(EGSEAResults\), 20](#)
- [showSetByName, EGSEAResults-method \(EGSEAResults\), 20](#)
- [summary, EGSEAResults-method \(EGSEAResults\), 20](#)
- [summary, GSCollectionIndex-method \(GSCollectionIndex\), 27](#)
  
- [topSets, 10, 11, 15, 16, 18, 22, 28](#)
- [topSets \(EGSEAResults\), 20](#)

topSets, EGSEAResults-method  
(EGSEAResults), [20](#)

voom, [8](#), [15](#)