

# TxDb.Hsapiens.UCSC.hg19.lincRNAsTranscripts

April 11, 2018

---

TxDb.Hsapiens.UCSC.hg19.lincRNAsTranscripts  
*Annotation package for TxDb object(s)*

---

## Description

This package loads one or more TxDb objects. Such TxDb objects are an R interface to prefabricated databases contained by this package.

The names of any objects exposed by this package indicate the origin and resources exposed. So for example TxDb.Hsapiens.UCSC.hg19.knownGene would be a TxDb object, of Homo sapiens data from UCSC build hg19 based on the knownGene Track.

## Note

This data package was made from resources at UCSC on 2015-10-07 18:11:57 +0000 (Wed, 07 Oct 2015) and based on the hg19 genome based on the lincRNAsTranscripts table

## Author(s)

Marc Carlson, Bioconductor Package Maintainer <maintainer@bioconductor.org> [cre]

## See Also

[transcripts](#), [transcriptsBy](#)

## Examples

```
## load the library
library(TxDb.Hsapiens.UCSC.hg19.lincRNAsTranscripts)
## list the contents that are loaded into memory
ls('package:TxDb.Hsapiens.UCSC.hg19.lincRNAsTranscripts')
## show the db object that is loaded by calling it's name
TxDb.Hsapiens.UCSC.hg19.lincRNAsTranscripts
```

# Index

## \*Topic **data**

`Txdb.Hsapiens.UCSC.hg19.lincRNAsTranscripts`,

[1](#)

## \*Topic **package**

`Txdb.Hsapiens.UCSC.hg19.lincRNAsTranscripts`,

[1](#)

`transcripts`, [1](#)

`transcriptsBy`, [1](#)

`Txdb.Hsapiens.UCSC.hg19.lincRNAsTranscripts`,

[1](#)

`Txdb.Hsapiens.UCSC.hg19.lincRNAsTranscripts-package`  
(`Txdb.Hsapiens.UCSC.hg19.lincRNAsTranscripts`),

[1](#)