

Package ‘SNPhoodData’

April 12, 2018

Title Additional and more complex example data for the SNPhood package

Version 1.8.0

Author Christian Arnold, Judith Zaugg

Maintainer Christian Arnold <christian.arnold@embl.de>

Description This companion package for SNPhood provides some example datasets of a larger size than allowed for the SNPhood package. They include full and real-world examples for performing analyses with the SNPhood package.

VignetteBuilder knitr

Suggests BiocStyle, knitr, rmarkdown

Depends R (>= 3.2)

biocViews ExperimentData

License LGPL (>= 3)

LazyData true

BugReports christian.arnold@embl.de

NeedsCompilation no

R topics documented:

| | |
|-----------------------|----------|
| SNPhoodData | 1 |
| Index | 3 |

| | |
|-------------|--|
| SNPhoodData | <i>SNPhoodData: Additional and more complex example data for the SNPhood package</i> |
|-------------|--|

Description

This companion package for SNPhood provides some example datasets of a larger size than allowed for the SNPhood package. They include full and real-world examples for performing analyses with SNPhood.

Details

For a list of files that the package provides, type

```
list.files(pattern = "*", system.file("extdata", package = "SNPhoodData"), full.names = TRUE)
```

See also the package vignette (`browseVignettes("SNPhoodData")`).

Data

For an even more detailed overview of the data that the SNPhoodData package provides, see the vignette. Briefly, the example dataset consists of the following files:

- 14,000 previously identified H3K27ac QTLs for individuals from the YRI population [1,2] (file `cisQ.H3K27AC.chr21.txt`)
- H3K27ac ChIP-Seq data in BAM format for two individuals (GM10847, GM12890) obtained from Kasowski et al [2] from the CEU population (two replicates each, files `SNYDER_HG19_*`). The reads have previously been mapped to the personalized phased genomes of these individuals [2].
- Corresponding genotypes for the SNPs were obtained from the *1000 Genomes Project* [3] (file `genotypes.vcf.gz`)

For the references, see the corresponding package vignette by typing `browseVignettes("SNPhoodData")`.

Usage

You may use the example files to run a full SNPhood analysis. For a full example, see the workflow vignette in the SNPhood package (`browseVignettes("SNPhood")`)

Contact Information

We value all the feedback that we receive and will try to reply in a timely manner. Please report any bug that you encounter as well as any feature request that you may have to [<SNPhood@gmail.com>](mailto:SNPhood@gmail.com).

Index

*Topic **SNPhood-Data**,

[SNPhoodData](#), [1](#)

*Topic **SNPhoodData**,

[SNPhoodData](#), [1](#)

*Topic **SNPhoodData-package**

[SNPhoodData](#), [1](#)

[SNPhoodData](#), [1](#)

[SNPhoodData-package \(SNPhoodData\)](#), [1](#)